

Advisory Circular

CAA-AC-AWS002E

July 2018

ISSUE OF CERTIFICATE OF AIRWORTHINESS

1.0 PURPOSE

This Advisory Circular (AC) is issued to provide information and guidance to operators on how to apply for issue of a Certificate of Airworthiness in accordance with the requirements of the Civil Aviation Regulations.

2.0 REFERENCES

- 2.1 Regulation 8, 12 and 23 of the Civil Aviation (Airworthiness) Regulations, 2018.
- 2.2 Regulations 10, 11, 12 and 13 of the Civil Aviation (Aircraft Nationality and registration Marks) Regulations, 2018.
- 2.3 Forms: AC-AWS002A;

AC-AWS002B; and AC-AWS002C.

3.0 GUIDANCE AND PROCEDURES

3.1 General Information

- 3.1.1 The certificates of airworthiness issued under regulation 9 of the Civil Aviation (Airworthiness) Regulations, 2018 are classified as:
 - a) Certificate of Airworthiness (C of A);
 - b) Restricted Certificate of Airworthiness in the form of a restricted Certificate;
 - c) A Special Flight Permit; and
 - d) Export Certificate of Airworthiness

3.2 Pre-Requisite to Qualify for C of A Issue

- 3.2.1 Aircraft should be on the Kenya civil aircraft register pursuant to Regulation 6 of the Civil Aviation (Aircraft Nationality and registration marks) Regulations, 2018.
- 3.2.2 Aircraft must be of a type certificate acceptable to the Authority Regulation 4 of the Civil Aviation (Airworthiness) Regulations, 2018.

3.3 Aircraft Type Certificate Compliance Requirements

- 3.3.1 The Authority may accept an aircraft type certificate or equivalent document issued by a contracting state of design in respect of an aircraft or component provided that:
 - a) The type certificate or equivalent document was issued on or based on an airworthiness code recognized by the authority.

- b) The design, materials, construction, equipment, evaluation against a recognized airworthiness code has been carried out by the authority and has been found to:
 - (i) meet the required standards of the recognized airworthiness code; or
 - (ii) have complied with any recommendations required by the Authority.
- 3.3.2 The recognized airworthiness code Means standards relating to the design, materials, construction, equipment, performance and maintenance planning of aircraft or aircraft components issued by the state of design that are acceptable to the Authority.
- 3.3.3 To enable effective aircraft safety oversight the Authority requires:
 - a) Aircraft technical documents and literature (e.g. flight manual, maintenance manuals etc) published in English;
 - b) Provision to timely mail to the authority and the operator the current amendments of all relevant aircraft technical and operation literature;
 - c) The aircraft equipment, instruments indication markings and placards to be in English and Arabic numerals; and
 - d) The aircraft type design to incorporate the minimum recommended emergency features (e.g. emergency windows), and emergency equipment with clear operating instructions in English and Kiswahili.
- 3.3.4 An aircraft that does not satisfy the Type Certificate requirements is classified non-compliant and therefore cannot be issued with a Kenya Certificate of Airworthiness.

3.4 Application for a Certificate of Airworthiness

- 3.4.1 The owner of an aircraft registered in Kenya or agent of the owner may apply to the Authority for issue of a certificate of airworthiness for that aircraft, the application for a certificate of airworthiness shall be made on Form: AC-AWS 002A (Appendix 1).
- 3.4.2 In addition to the application form, the applicant is required to submit to the Authority the following documents (dated and certified) for the pre-issue evaluation:
 - a) Copy of the aircraft Certificate of Registration
 - b) Copy of the previous C of A or of the Export C of A.
 - c) Aircraft Flight Manual or Pilot Hand-Book.
 - d) The aircraft Airworthiness Directives status report.
 - e) A statement of compliance with the authority requirements and manufactures service bulletins.
 - f) Aircraft previous twelve (12) months maintenance review report.
 - g) Lifed components status report.
 - h) Current Weight and Balance schedule report.
 - i) Copy of Latest major scheduled maintenance certificate release to service, and inspection summary.
 - j) Copy of the current certificate of release to service if different from (i) above.
 - k) Record of the aircraft equipment and systems installations. Form: AC-AWS 002C
 - 1) Copy of the current aircraft Radio Station licence.
 - m) Copy of the current stand-by compass swing schedule report.
 - n) Aircraft certificate of insurance.
 - o) Copy of the C of A test flight schedule report (as may be required).
 - p) Approved aircraft maintenance program
 - q) Approved Minimum Equipment List.
 - r) Maintenance agreement with AMO that will maintain the aircraft.
 - s) Electrical Load Analysis
 - t) Proof of payment of the C of A issue prescribed fee.

Note: The major components (e.g. engines, propellers, APU's, landing gears) status report should indicate the time to the next shop visit or overhaul, hours and cycles since new, the time between overhaul, as applicable.

3.4.3 The Authority shall carry out an in-depth document evaluation to verify that they are authentic, relate to the aircraft, genuine, and are valid as applicable.

3.5 Other Documents that are Required:

- 3.5.1 A copy of the Type Certificate and or the Type Certificate data sheets or acceptable equivalent documents;
- 3.5.2 A copy each of the manufacturer's maintenance, overhaul, wiring, repair manuals and illustrated parts catalogues;
- 3.5.3 A complete set of all manufacturer's service bulletins or equivalent documents issued in respect of the aircraft;
- 3.5.4 A complete set of wiring diagrams covering all electrical and radio installations;
- 3.5.5 A copy of the minimum equipment list (MEL) and the current master minimum equipment list (MMEL), Current Configuration deviation Lists (CDL) as applicable;
- 3.5.6 Copy of the aircraft approved maintenance schedule or program; and
- 3.5.7 Log-Books for the aircraft, engines, propellers and the technical-log as are applicable for the relevant aircraft.

3.6 C of A Flight Test Requirements

- 3.6.1 The airworthiness flight tests must be carried out by pilots and crew approved for the purpose and in accordance with a flight test schedule acceptable to the Authority.
- 3.6.2 Except where the Authority requires additional crew to be carried for a particular airworthiness flight test, the number of persons conducting the test should be confined to the crew specified in the Flight manual.

3.7 Aircraft Inspection for C of A issue

- 3.7.1 After successful documents evaluation it is required to facilitate and to make arrangements for the Authority inspectors to carry out the aircraft inspection for C of A issuance.
- 3.7.2 The aircraft should be located and available, at a time and place acceptable to the Authority, for such checks and inspections required by the Authority;
- 3.7.3 Such checks and inspections will include physical components installation verification, emergency equipment (location, validity, ease of access and legibility of operating instructions), compliance with the Markings and Placards requirements and the general aircraft condition.
- 3.7.4 It will also be required to present for inspection the aircraft Flight Manual, Minimum Equipment List, the aircraft technical records and the Log-Books as applicable.
- 3.7.5 It is required to present at this inspection all the aircraft current and past technical records to verify its operational and maintenance life history.

Note: It is required to rectify all out standing defects, comply with all due mandatory inspections, modifications and replacement requirements at the C of A issue.

3.8 Issue of a Certificate of Airworthiness

When the Authority is satisfied that all the applicable regulatory requirements have been complied with and the required issue fee has been paid, the Certificate of Airworthiness will be issued.

3.9 Period of Validity of a Certificate of Airworthiness

3.9.1 A certificate of airworthiness validity is normally twelve months. However, a shorter period may be specified by the Authority.

- 3.9.2 A certificate of airworthiness shall cease to be in force at the expiry date as indicated there on and/or when:
 - a) The aircraft or such of its equipment as is necessary for the airworthiness of the aircraft is maintained, overhauled, repaired or modified or if any part of the aircraft or such equipment is removed or if any part of the aircraft is replaced, otherwise than in a manner and with material of a type approved by the Authority.
 - b) The aircraft or any of its equipment is not maintained as required by the maintenance programme or schedule approved by the Authority.
 - c) An inspection or modification classified as mandatory by Authority, state of design/manufacture applicable to the aircraft or of any such equipment has not, been completed as required.
 - d) The aircraft or any such equipment as required for safe operation has sustained damage.

Note: The Authority can amend, extend, suspend, revoke or terminate the C of A

3.10 Other General Requirements at the issue of a C of A

- 3.10.1 **Revision of Manuals** The applicant is required to make the necessary arrangements with aircraft and engine manufacturers to send amendments and revisions that may be issued from time to time to the Authority to up date the manuals and service information submitted.
- 3.10.2 **Training Requirements** For a new aircraft type on the Kenya Civil Aircraft Register, the operator shall be required to provide training to Authority's inspectors on the type
 - a) The number of inspectors to be trained will depend on the size and complexity of the aircraft. This will include inspectors from Airworthiness (mechanical and avionics) and Flight Operations.
 - b) For a series type of an aircraft, a refresher or difference course may be required to keep abreast to the technological advancement or differences.

Kenya Civil Aviation Authority

Form: AC-AWS002A

APPLICATION FOR ISSUE / RENEWAL OF A CERTIFICATE AIRWORTHINESS				INSTRUCTIONS - Print or type. Submit original only to the Authority. If additional space is required use an attachment.			
NO	1. NAME OF AIRCRAFT OWNER			2. ADDRESS OF OWNER			
I. AIRCRAFT DESCRIPTION	3. NATIONALITY			4. NAME AND ADDRESS OF OPERATOR			
RAFT DI	5. MANUFACTURER			6. YEAR OF MANUFACTURE			
I. AIRC	7. STATE OF DESIGN			GISTRA	ATION MAR	KS	
		(a) New or Used	(b) Typ	o) Type		(c) Series	
	9. DESCRIPTION OF AIRCRAFT:	(d) Manufacturer's Serial Number	(e) Typ	e) Type of Engine		(f) Number of Engines fitted	
		(g) Type of Propeller (where applicable):	(h) Seating accommodation		(i) Avionics installed: (
	10. MAXIMUM TAKE-OFF MASS OF AIRCRAFT			11. Noise Certification meets appropriate Provisions of AIW CARs Yes NO (attach certificate)			
THE	12. DETAILS OF CURRENT	(a) State of Origin of C	Certificate	•	(b) Number	of the (Certificate
COFA	CERTIFICATE OF AIRWORTHINESS	(c) Type of Certificate (export)	(Normal o			Certificate	
II. PARTCULERS OF THE C OF A	13. DETAILS OF CERTIFICATE APPLIED FOR	` '		(b) Commercial Air Transport (Cargo)		(c) Aerial work	
I		(d) General Aviation		(f) Special Operations (specify)			
	14. Renewal Only: Hours flow						
	15. NAME AND ADDRESS OF APPROVED ORGANIZATION/LICENSED AIRCRAFT MAINTENANCE PERSONNEL WITH WHOM AIRCRAFT IS AVAILABLE FOR INSPECTION						
	I hereby declare that the particulars entered on this application and its appendices are accurate in every respect and the aircraft mentioned above complies with all Regulatory Requirements for ISSUE / RENEWAL a Certificate of Airworthiness						
	NAME OF COMPANY REP	RESENTATIVE:	SIGNATURE:				DATE:

Aircraft Equipment and System Installation Form CAA-AWS-002B and the Aircraft C of A Issue / Renewal Report Form CAA-AWS-002C Should be Filled and Submitted with this Application Form

Form: AC-AWS002B

THE CERTIFICATE OF AIRWORTHINESS

ISSUE AIRCRAFT STATUS REPORT

Aircraft Registration	Report Date				
Aircraft Type	Constructors	No	Date of Manufacture		
Category Required of Airworthiness Certifica	te	Present Expiry Date of Airworthiness Certificate			
Aircraft Total Time	Landings		at Date		
Hours Flown since last renewal of Airworthiness Certificate	Aircraft last weighed on da		Mass/ C.G. Schedule dated		
Compass Swing carried out on	l	Check Swing carried out on			
Details of Significant Repairs, Defects, and M Certificate (use additional pages if required): The aircraft/Engine(s)/Propeller(s) and associations are also associated to the significant Repairs, Defects, and M Certificate (use additional pages if required):					
Approved Scheduled Maintenance Mandatory Maintenance activities that required pre-certif 1 3. 5.	Service Bullet ication test flight 24	ins, Airworthine			
Note: Insert N/A wherever any item is not a	pplicable.				

Engine Position	Engine Serial Number	Time/Cycles Since New	Time /Cycles Since O-haul	Time/Cycles Remaining
Propellers Propeller Model No. Prop.	Make/Type	Time Since New		TBO
				Time Remaini
Position	Number	Time since ivew	haul	Time Remaini
Position		Time Since New		Time Remaini
Position		Time Since Ivew		Time Remaini
Position		Time Since Ivew		Time Remaini
APU Parti APU Make Model No.	Number iculars		haul	Time Remaini
APU Parti	Number iculars		haul	
APU Parti APU Make Model No.	iculars e/Type		Time Since O-	
APU Make Model No.	iculars e/Type		Time Since O-	
APU Parti APU Make Model No.	iculars e/Type		Time Since O-	
APU Parti APU Make Model No.	iculars e/Type		Time Since O-	

Engine Particulars

APPENDIX 2 – Cont

AIRCRAFT/ENGINES/PROPELLERS/APU/EQUIPMENT Mandatory Service Bulletin / Airworthiness Directive Compliance Record Effective since last Airworthiness Certificate and Repetitive:

AD/SB Number	Rev	Subject	Date & Hrs at Compliance	Method of Compliance	One Time	Repetitive	Next Due Date/Hours

Certified that the above mentioned Bulletins and Directives have been complied with on this aircraft in accordance with the requirements contained therein

Note: (Use additional pages as required).
APPENDIX 2 - Cont

AUTHORISED PERSON CERTIFICATION

I hereby certify that all Inspections and Work necessary to ensure the continued airworthiness of this aircraft have been carried out, recorded and certified and the aircraft is in an airworthy condition and fit for Issue of the Certificate of Airworthiness.

Due regard has been taken of the age, condition, utilisation and/or storage conditions; Compliance with the Approved Maintenance Schedule; Manufacturers' Service bulletins or equivalent; Prescribed periods between Overhaul, Test or Calibration; Work previously certified in the relevant records; Mandatory Requirements and the applicable Legislation.

Name:	Signature:	Date:
Authority No:		

APPENDIX 3

FORM: O-AWS002C

AIRCRAFT SYSTEMS AND EQUIPMENT, INSTALLATIONS								
When applying for the initial issue of a Airworthiness certificate, the applicant shall be required to complete the items listed in this Appendix.								
1. NAME OF APPLICA	2. AIRCRAFT TYPE			3. SERIES				
5. REGN. MARKS – C ALLOTTED	4. PREVIOUS MARKS (if any)			6. MANUFACTURER'S SERIAL NUMBER				
SYSTEM, INSTALLATION OR EQUIPMENT DETAILS								
(1) Pressurization system	(2) Automatic flight control and guidance systems			(3) Special Operations (specify)				
	(a) Engine-drive	en:			(b) Helic	opter tra	insmission-driven:	
	(i) DC only (increctification)	cluding alternators with built-in			(i) DC only (including alternators with built- in rectification)			
(4) Electric power generators:	(ii) DC and AC			(ii) DC and AC				
	(iii) AC only, fr	requency range		(iii) AC	(iii) AC only, frequency range			
(5) Main batteries	(a) Nickel/Cadmium (b) Lead			id		(c) Number fitted		
(6) Oxygen	(a) Installed		(b) Portable					
(7) Engine fire detection	system	(8) Portable fire extinguishers						
(9) Stall detection and wa	arning system		(10) Fuel quantity indicating system					
(11) Ice and rain protecti	on systems		(12) Flight data recording systems					
(13) Emergency lighting	system							
(14) Anti-collision lighting	ng system	(a) Rotating beacons			(b) Strobe lights			
(15) Compasses	(a) Remote reading			(b) Direct reading				
(16) Communication	(a) VHF		(b) HF					
(17) Automatic navigation	(18) Rotor low rpm warning			g system (helicopters only)				
(19) Emergency Locator Transmitter (ELT)								
(20) GPWS / EGPWS								
(21) ACAS (TCAS Version 7.1):								
(22) Systems installed for agricultural purposes								
OTHER INFORMATION								
(23) Are there provision installation of safety har	(a) Flight crew positions? Yes □		positi	abin crew ons? es	seat No [(c) Passenger seat positions? Yes No No		
		NO 🗌						

(24) Are there provisions for carrying external	(25) Are there provisions for glider	(26) State total fuel capacity						
loads?	towing?	(in kg)						
Yes No No	Yes							
(27) Give details of equipment, other than that list	(27) Give details of equipment, other than that listed in 1 to 18, which has been introduced by modification action (state							
manufacturer and type)	manufacturer and type)							
(27) Give details of changes, if any, introduced in the flight manual, as a result of modification action								