

# P.O BOX 30163-00100 NAIROBI

**Email:- procurement@kcaa.or.ke** 

# **INVITATION TO**

TENDER NO. KCAA/016/2024-2025

# **FOR**

SUPPLY, DELIVERY, INSTALLATION, TRAINING AND COMMISSIONING OF 3D PANORAMIC TOWER, APPROACH AND AREA AIR TRAFFIC CONTROL TRAINING SIMULATOR AT EAST AFRICAN SCHOOL OF AVIATION.

DATE OF NOTICE: TUESDAY, 21/01/2025

CLOSING DATE: 20/02/2025 AT 1100 HOURS EAST AFRICAN TIME.

### **BIDDERS TO NOTE:**

- 2. All bidders must note that KCAA communicates only in writing to all interested bidders during the entire tendering process.
- 3. Bidders are requested to work within the timelines provided. Request for extension of tender closing / submission date is highly discouraged.

### **INVITATION TO TENDER (ITT) PROCURING ENTITY:**

### **KENYA CIVIL AVIATION AUTHORITY**

CONTRACT NAME AND DESCRIPTION: SUPPLY, DELIVERY, INSTALLATION, TRAINING AND COMMISSIONING OF 3D PANORAMIC TOWER, APPROACH AND AREA AIR TRAFFIC CONTROL TRAINING SIMULATOR AT EAST AFRICAN SCHOOL OF AVIATION.

- 1. The Kenya Civil Aviation Authority invites sealed tenders for the Supply, Delivery, Installation, Training and Commissioning of 3D Panoramic Tower, Approach and Area Air Traffic Control Training Simulator at East African School of Aviation
- 2. Tendering will be conducted under open competitive method (International Tender) using a standardized tender document. Tendering is open all qualified and interested Tenderers.
- Invited tenderer may obtain further information and inspect the Tender Documents during office hours 0900 to 1500 hours East African Time at the address given below.
- 4. A complete set of tender documents may be purchased or obtained by interested tenders upon payment of a non-refundable fees of Kshs. 1,000 in cash or banker's cheque payable to Kenya Civil Aviation Authority. Tenderers may also view and download the bidding document electronically from KCAA website: <a href="https://www.kcaa.or.ke">www.kcaa.or.ke</a> or <a href="https://www.kcaa.or.ke">www.tenders.go.ke</a> at no cost and immediately forward their particulars for records and for the purposes of receiving any further tender clarifications and/or addendums <a href="https://group.ncbi.nlm.n
- 5. Tender documents may be viewed and downloaded for free from the website www.kcaa.or.ke or www.tenders.go.ke. Tenderers who download the tender document must forward their particulars immediately to <a href="mailto:procurement@kcaa.or.ke">procurement@kcaa.or.ke</a> to facilitate any further clarification or addendum. KCAA will respond to the request for clarifications and send to all the bidders if they notify the Authority of their interest in the tender as required by 5th February 2025 at 10:00am.
- 6. All Tenders must be accompanied by a tender Security of Kenya Shillings Four Million Only (Kshs. 4,000,000.00)
- Completed tenders must be delivered to the address below on or before 20<sup>th</sup>
   February 2025 at 1100 hours East African time. Electronic Tenders will not be permitted.
- 8. Tenders will be opened immediately after the deadline date and time specified above or any deadline date and time specified later. Tenders will be publicly opened in the presence of the Tenderers' designated representatives and anyone who chooses to attend at the address below.
- 9. Late tenders will be rejected.
- 10. The addresses referred to above are:
  - A. Address for obtaining further information and for purchasing tender documents

### **Kenya Civil Aviation Authority**

Procurement Office, Ground floor, Aviation House, Jomo Kenyatta International Airport:

P.O. Box 30163-00100 Nairobi

**Email:** *procurement@kcaa.or.ke*<u>Tel:-</u> 020827470-5, +254 709725000

P.O Box 30163-00100,

### **NAIROBI**

### **B.** Address for Submission of Tenders.

### **Director General**

Kenya Civil Aviation Authority Ground Floor, Aviation House, Jomo Kenyatta International Airport: P.O. Box 30163-00100

### **NAIROBI**

### C. Address for Opening of Tenders.

Kenya Civil Aviation Authority

Auditorium, Ground floor, Aviation House, Jomo Kenyatta International Airport

Invitation issued by: - William K. Kitum

Designation: - Manager Procurement (For Director General)

**Date: - 21st January 2025.** 

# PART 1 – TENDERING ROCEDURES

### SECTION I -INSTRUCTIONS TO TENDERERS

### A. General

### 1. Scope of Tender

1.1 In connection with the Invitation to Tender (ITT), specified in the Tender Data Sheet (TDS), the Procuring Entity, issues this Tendering document for the Design, Supply and Installation of Plant and equipment as specified in Section VII, Procuring Entity's Requirements.

### 2. Definitions

### 2.1 Throughout this Tender document:

- a) The term "in writing" means communicated in written form (e.g.by mail, e-mail, fax, including if specified **in the TDS**, distributed or received through the electronic-procurement system used by the Procuring Entity) with proof of receipt;
- b) if the context so requires, "singular" means "plural" and vice versa; and
- c) "Day" means calendar day, unless otherwise specified as "Business Day." A Business Day is any day that is an official working day in Kenya. It excludes the Kenya's official public holidays.

### 3. Fraud and Corruption

- 3.1 The Procuring Entity requires compliance with the provisions of the Public Procurement and Asset Disposal Act, 2015, Section 62 "Declaration not to engage in corruption". The tender submitted by a person shall include a declaration that the person shall not engage in any corrupt or fraudulent practice and a declaration that the person or his or her sub-contractors are not debarred from participating in public procurement proceedings.
- 3.2 The Procuring Entity requires compliance with the provisions of the Competition Act 2010, regarding collusive practices in contracting. Any tenderer found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, Tenders shall be required to complete and sign the "Certificate of Independent Tender Determination" annexed to the Form of Tender.
- 3.3 Unfair Competitive Advantage-Fairness and transparency in the tender process require that the firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender. To that end, the Procuring Entity shall indicate in the Data Sheet and make available to all the firms together with this tender document all information that would in that respect give such firm any unfair competitive advantage over competing firms.
- 3.4 Tenderers shall permit and shall cause their agents (where declared or not), subcontractors, sub consultants, service providers, suppliers, and their personnel, to permit the Procuring Entity to inspect all accounts, records and other documents relating to any initial selection process, prequalification process, tender submission, proposal submission, and contract performance (in the case of award), and to have them audited by auditors appointed by the Procuring Entity.

- 4.1 A Tenderer may be a firm that is a private entity, a state-owned enterprise or institution subject to ITT 4.6, or any combination of such entities in the form of a joint venture (JV) under an existing agreement or with the intent to enter into such an agreement supported by a Form of intent. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the Tendering process and, in the event the JV is awarded the Contract, during contract execution. The maximum number of JV members shall be specified in the TDS.
  - 4.2 Public Officers of the Procuring Entity and their relatives (i.e. spouse, child, parent, brother or sister and a child, parent, brother or sister of a spouse) their business associates or agents and firms/organizations in which they have a substantial or controlling interest shall not be eligible to tender or be awarded a contract. Public Officers are also not allowed to participate in any procurement proceedings. 4.3 A Tenderer shall not have a conflict of interest. Any Tenderer found to have a conflict of interest shall be disqualified. A Tenderer may be considered to have a conflict of interest for the purpose of this Tendering process, if the Tenderer:
    - a) Directly or indirectly controls, is controlled by or is under common control with another Tenderer; or
    - b) Receives or has received any direct or indirect subsidy from another Tenderer; or
    - c) Has the same legal representative as another Tenderer; or
    - d) Has a relationship with another Tenderer, directly or through common third parties, that puts it in a position to influence the Tender of another Tenderer, or influence the decisions of the Procuring Entity regarding this Tendering process; or
    - e) or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the Plant and Installation Services that are the subject of the Tender; or
    - f) or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as Project Manager for the Contract implementation; or
    - would be providing goods, works, or non-consulting services resulting from or directly related to consulting services for the preparation or implementation of the project specified in the TDS ITT 2.1 that it provided or were provided by any affiliate that directly or indirectly controls, is controlled by, or is under common control with that firm; or
    - h) has a close business or family relationship with a professional staff of the Procuring Entity who:
      - (i) are directly or indirectly involved in the preparation of the Tendering document or specifications of the Contract, and/or the Tender evaluation process of such Contract; or (ii) would be involved in the implementation or supervision of such contract unless the conflict stemming from such relationship has been resolved in a manner acceptable to the Procuring Entity.
- 4.4 A tenderer shall not be involved in corrupt, coercive, obstructive or fraudulent practice. A tenderer that is proven to have been involved in any of these practices shall be automatically disqualified and would not be awarded a contract
- 4.5 A firm that is a Tenderer (either individually or as a JV member) shall not participate as a Tenderer or as JV member in more than one Tender except for permitted alternative Tenders. Such participation shall result in the disqualification of all Tenders in which the firm is

- involved. However, this does not limit the participation of a Tenderer as subcontractor in another Tender or of a firm as a subcontractor in more than one Tender.
- 4.6 A Tenderer may have the nationality of any country, subject to the restrictions pursuant to ITT 4.9. A Tenderer shall be deemed to have the nationality of a country if the Tenderer is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed subcontractors or sub-consultants for any part of the Contract including related Services.
- 4.7 A Tenderer that has been debarred by the PPRA shall be ineligible to be prequalified for, initially selected for, Tender for, propose for, financially or otherwise, during such period of time as the PPRA shall have determined. The list of debarred firms and individuals is available at PPRA Website www.ppra.go.ke.
- 4.8 Tenderers that are state-owned enterprises or institutions in Kenya may be eligible to compete and be awarded a Contract(s) only if they can establish that they (i) are legally and financially autonomous
  - (ii) operate under commercial law, and (iii) are not under supervision of the Procuring Entity.
- 4.9 Firms and individuals may be ineligible if so indicated in Section V and (a)as a matter of law or official regulations, Kenya prohibits commercial relations with that country; or (b)by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, Kenya prohibits any import of goods or contracting of works or services from that country, or any payments to any country, person, or entity in that country. Where the procurement is implemented across jurisdictional boundaries, then exclusion of a firm or individual on the basis of ITT 4.8 (a) above by any country may be applied to that procurement across other countries involved.
- 4.10 Foreign tenderers are required to source at least forty (40%) percent of their contract inputs (in supplies, subcontracts and labor) from national suppliers and contractors. To this end, a foreign tenderer shall provide in its tender documentary evidence that this requirement is met. Foreign tenderers not meeting this criterion will be automatically disqualified. Information required to enable the Procuring Entity determine if this condition is met shall be provided in for this purpose is be provided in "SECTION III EVALUATION AND QUALIFICATION CRITERIA, Item 9".
- 4.11 Pursuant to the eligibility requirements of ITT 4.10, a tender is considered a foreign tenderer, if it is registered in Kenya, has less than 51 percent ownership by nationals of Kenya and if it does not subcontract foreign contractors more than 10 percent of the contract price. JVs are considered as foreign tenderers if the individual member firms are registered in Kenya have less than 51 percent ownership by nationals of Kenya. The JV shall not subcontract to foreign firms more than 10 percent of the contract price.
- 4.12 The Competition Act 2010 requires that firms wishing to tender as Joint Venture undertakings which may prevent, distort or lessen competition in provision of services are prohibited unless they are exempt in accordance with the provisions of Section 25 of the Act. JVs will be required to seek for exemption from the Competition Authority of Kenya. Exemption shall not

be a condition for tender, but it shall be a condition of contract award and signature. A JV tenderer shall be given opportunity to seek such exemption as a condition of award and signature of contract. Application for exemption from the Competition Authority of Kenya may be accessed from the website www.cak.go.ke

- 4.13 A Kenyan tenderer shall provide evidence of having fulfilled his/her tax obligations by producing a valid tax clearance certificate or tax exemption certificate issued by the Kenya Revenue Authority.
- 5. Eligible goods, Plant and equipment for Installation Services
- 5.1 The Plant and equipment for Installation Services to be supplied under the Contract may have their origin in any eligible country.
- 5.2 For purposes of ITT 5.1 above, "origin" means the place where the plant, or component parts thereof are mined, grown, produced or manufactured, and from which the services are provided. Plant components are produced when, through manufacturing, processing, or substantial or major assembling of components, a commercially recognized product results that is substantially in its basic characteristics or in purpose or utility from its components.
- 5.3 Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.
- B. Contents of Tendering Document
- 6. Sections of Tendering Document
- 6.1 The Tendering document consists of Parts 1, 2, and 3, which include all the sections indicated below, and should be read in conjunction with any Addenda issued in accordance with ITT 10.

### PART 1 - Tendering Procedures

i) Section I- Instructions to Tenderers (ITT) ii)Section II-Tender Data Sheet (TDS) iii) Section

III- Evaluation and Qualification Criteria iv) Section

**IV-Tendering Forms** 

v) Section V- Eligible Countries vi)

Section VI- Fraud and Corruption

### **PART 2 - Procuring Entity's Requirements**

vii) Section VII-Procuring Entity's Requirements

### **PART 3 - Conditions of Contract and Contract**

Forms viii) Section VIII- General Conditions of Contract

(GCC) ix) Section IX- Special Conditions of Contract

(SCC) x) Section X- Contract Forms

6.2 The Invitation to Tender Notice issued by the Procuring Entity is not part of the Tendering document.

- 6.3 Unless obtained directly from the Procuring Entity, the Procuring Entity is not responsible for the completeness of the document, responses to requests for clarification, the Minutes of the pre-Tender meeting (if any), or Addenda to the Tendering document in accordance with ITT 10. In case of any contradiction, documents obtained directly from the Procuring Entity shall prevail.
- 6.4 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the Tendering document and to furnish with its Tender all information or documentation as is required by the Tendering document.

### 7. Site Visit

7.1 The Tenderer, at the Tenderer's own responsibility and risk, is encouraged to visit and examine the Site of the Required Services and its surroundings and obtain all information that may be necessary for preparing the Tender and entering into a contract for the Services. The costs of visiting the Site shall be at the Tenderer's own expense.

### 8. Pre-Tender Meeting and a pre-arranged pretender visit of the site of the works

- 8.1 The Procuring Entity shall specify in the **TDS** if a pre-tender conference will be held, when and where. The Procuring Entity shall also specify in the **TDS** if a pre-arranged pretender visit of the site of the works will be held and when. The Tenderer's designated representative is invited to attend a pre- arranged pretender visit of the site of the works. The purpose of the meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- 8.2 The Tenderer is requested to submit any questions in writing, to reach the Procuring Entity not later than the period specified in the **TDS** before the meeting.
- 8.3 Minutes of the pre-Tender meeting and the pre-arranged pretender visit of the site of the works, if applicable, including the text of the questions asked by Tenderers and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Tenderers who have acquired the Tender Documents in accordance with ITT6.3. Minutes shall not identify the source of the questions asked.
- 8.4 The Procuring Entity shall also promptly publish anonymized (no names) Minutes of the pretender meeting and the pre-arranged pretender visit of the site of the works at the webpage identified in the **TDS**. Any modification to the Tender Documents that may become necessary as a result of the pre- Tender meeting shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to ITT10 and not through the minutes of the pretender meeting. Nonattendance at the pre- Tender meeting will not be a cause for disqualification of a Tenderer.

### 9. Clarification of Tender Documents

9.1 A Tenderer requiring any clarification of the Tender Document shall contact the Procuring Entity in writing at the Procuring Entity's address specified in the **TDS** or raise its enquiries during the pre- Tender meeting and the pre-arranged pretender visit of the site of the works if provided for in accordance with ITT8.4. The Procuring Entity will respond in writing to any request for clarification, provided that such request is received no later than the period specified in the **TDS** prior to the deadline for submission of tenders. The Procuring Entity shall forward copies of its response to all tenderers who have acquired the Tender Documents in accordance with ITT6.3, including a description of the inquiry but without identifying its source. If so specified in the **TDS**, the Procuring Entity shall also promptly publish its response at the webpage identified in the **TDS**. Should the clarification result in changes to the essential elements of the Tender Documents, the Procuring Entity shall amend the Tender Documents appropriately following the procedure under ITT10.

- 10.1 At any time prior to the deadline for submission of Tenders, the Procuring Entity may amend the Tendering document by issuing addenda.
- 10.2 Any addendum issued shall be part of the tendering document and shall be communicated in writing to all who have obtained the tendering document from the Procuring Entity in accordance with ITT6.3. The Procuring Entity shall also promptly publish the addendum on the Procuring Entity's webpage in accordance with ITT8.1.
- 10.3 To give prospective Tenderers reasonable time in which to take an addendum into account in preparing their Tenders, the Procuring Entity shall extend, as necessary, the deadline for submission of Tenders, in accordance with ITT24.2 below.

### C. Preparation of Tenders

### 11. Cost of Tendering

11.1 The Tenderer shall bear all costs associated with the preparation and submission of its Tender, and the Procuring Entity shall not be responsible or liable for those costs, regardless of the conductor outcome of the Tendering process.

### 12. Language of Tender

12.1 The Tender, as well as all correspondence and documents relating to the Tender exchanged by the Tenderer and the Procuring Entity, shall be written in the English language. Supporting documents and printed literature that are part of the Tender may be in another language provided they are accompanied by an accurate translation of the relevant passages in the English Language, in which case, for purposes of interpretation of the Tender, such translation shall govern.

### 13. Documents Comprising the Tender

- 13.1 The Tender shall comprise the following:
  - a) **Form of Tender** prepared in accordance with ITT 14.1;
  - b) **Price Schedules** completed in accordance with ITT 14 and ITT 19;
  - c) Tender Security or Tender Securing Declaration, in accordance with ITT 22;
  - d) **Alternative Tender**, if permissible, in accordance with ITT 15;
  - e) **Authorization**: written confirmation authorizing the signatory of the Tender to commit the Tenderer, in accordance with ITT 23.3;
  - f) **Eligibility of Plant and Installation Services:** documentary evidence established in accordance with ITT 16.1 that the Plant and Installation Services offered by the Tenderer in its Tender or in any alternative Tender, if permitted, are eligible;
  - g) **Tenderer's Eligibility and Qualifications:** documentary evidence in accordance with ITT 17.1 establishing the Tenderer's eligibility and qualifications to perform the Contract if its Tender is accepted;
  - **h) Conformity:** documentary evidence in accordance to ITT18 that the Plant and Installation Services offered by the Tenderer conform to the Tendering document;
  - i) **Subcontractors**: list of subcontractors in accordance with ITT18.2; and
  - j) Any other document required in the TDS.

- 13.1 In addition to the requirements under ITT 13.1, Tenders submitted by a JV shall include a copy of the Joint Venture Agreement entered in to by all members. Alternatively, a Form of intent to execute a Joint Venture Agreement in the event of a successful Tender shall be signed by all members and submitted with the Tender, together with a copy of the proposed Agreement. The Tenderer shall serialize pages of all tender documents submitted.
- 13.2 The Tenderer shall furnish in the Form of Tender information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Tender

### 14. Form of Tender and Price Schedules

- 14.1 The Form of Tender and Price Schedules shall be prepared, using the relevant forms furnished in Section IV, Tendering Forms. The forms must be completed as instructed in each form without any alterations to the text, and no substitutes shall be accepted except as provided under ITT 21.3. All blank spaces shall be filled in with the information requested. **15. Alternative Tenders**
- 15.1 Unless otherwise specified in the **TDS**, alternative Tenders shall not be considered.
- 15.2 When alternatives to the Time Schedule are explicitly invited, a statement to that effect will be included in the **TDS**, and the method of evaluating different time schedules will be described in Section III, Evaluation and Qualification Criteria.
- 15.3 Except as provided under ITT 15.4 below, Tenderers wishing to offer technical alternatives to the Procuring Entity's requirements as described in the Tendering document must also provide: (i) a price at which they are prepared to offer a Plant meeting the Procuring Entity's requirements; and (ii) all information necessary for a complete evaluation of the alternatives by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, and proposed installation methodology and other relevant details. Only the technical alternatives, if any, of the Tenderer with the Best Evaluated Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.
- 15.4 When Tenderers are invited in the **TDS** to submit alternative technical solutions for specified parts of the facilities, such parts will be identified in the **TDS**, as will the method for their evaluation, and described in Section VII, Procuring Entity's Requirements.

### 16. Documents Establishing the Eligibility of the Plant and Installation Services

16.1 To establish the eligibility of the Plant and Installation Services in accordance with ITT 5, Tenderers shall complete the country-of-origin declarations in the Price Schedule Forms, included in Section IV, Tendering Forms.

### 17. Documents Establishing the Eligibility and Qualifications of the Tenderer

- 17.1 To establish its eligibility and qualifications to perform the Contract in accordance with Section III, Evaluation and Qualification Criteria, the Tenderer shall provide the information requested in the corresponding information sheets included in Section IV, Tendering Forms.
- 17.2 Tenderers shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity a supplier or group of suppliers qualifies for a margin of preference. Further the information will enable the Procuring Entity identify any actual or potential conflict of interest in relation to the procurement and/or contract management processes, or a possibility of collusion between tenderers, and thereby help to prevent any corrupt influence in relation to the procurement process or contract management.
- 17.3 The purpose of the information described in ITT 15.1 above overrides any claims to confidentiality which a tenderer may have. There can be no circumstances in which it would be justified for a tenderer to keep information relating to its ownership and control confidential

- where it is tendering to undertake public sector work and receive public sector funds. Thus, confidentiality will not be accepted by the Procuring Entity as a justification for a Tenderer's failure to disclose, or failure to provide required information on its ownership and control.
- 17.4 The Tenderer shall provide further documentary proof, information or authorizations that the Procuring Entity may request in relation to ownership and control which information on any changes to the information which was provided by the tenderer under ITT 15.1. The obligations to require this information shall continue for the duration of the procurement process and contract performance and after completion of the contract, if any change to the information previously provided may reveal a conflict of interest in relation to the award or management of the contract.
- 17.5 All information provided by the tenderer pursuant to these requirements must be complete, current and accurate as at the date of provision to the Procuring Entity. In submitting the information required pursuant to these requirements, the Tenderer shall warrant that the information submitted is complete, current and accurate as at the date of submission to the Procuring Entity.
- 17.6 If a tenderer fails to submit the information required by these requirements, its tenderer will be rejected. Similarly, if the Procuring Entity is unable, after taking reasonable steps, to verify to a reasonable degree the information submitted by a tenderer pursuant to these requirements, then the tender will be rejected.
- 17.7 If information submitted by a tenderer pursuant to these requirements, or obtained by the Procuring Entity (whether through its own enquiries, through notification by the public or otherwise), shows any conflict of interest which could materially and improperly benefit the tenderer in relation to the procurement or contract management process, then:
  - i) if the procurement process is still ongoing, the tenderer will be disqualified from the procurement process, ii) if the contract has been awarded to that tenderer, the contract award will be set aside,
  - iii) the tenderer will be referred to the relevant law enforcement authorities for investigation of whether the tenderer or any other persons have committed any criminal offence.
- 17.8 If a tenderer submits information pursuant to these requirements that is in complete, inaccurate or out- of-date, or attempts to obstruct the verification process, then the consequences ITT 6.7 will ensue unless the tenderer can show to the reasonable satisfaction of the Procuring Entity that any such act was not material, or was due to genuine error which was not attributable to the intentional act, negligence or recklessness of the tenderer.

### 18. Documents Establishing the Conformity of the Plant and Installation Services

- 18.1 The Tenderer shall furnish the information stipulated in Section IV, Tendering Forms in sufficient detail to demonstrate substantial responsiveness of the Tenderers' proposal to the work requirements and the completion time.
- 18.2 For major items of Plant and Installation Services as listed by the Procuring Entity in Section III, Evaluation and Qualification Criteria, which the Tenderer intends to purchase or subcontract, the Tenderer shall give details of the name and nationality of the proposed Subcontractors, including manufacturers, for each of those items. In addition, the Tenderer shall include in its Tender information establishing compliance with the requirements specified by the Procuring Entity for these items. Quoted rates and prices will be deemed to apply to whichever Subcontractor is appointed, and no adjustment of the rates and prices will be permitted.
- 18.3 The Tenderer shall be responsible for ensuring that any Subcontractor proposed complies with the requirements of ITT 4, and that any plant, or services to be provided by the Subcontractor comply with the requirements of ITT 5 and ITT 15.1.

- 19.1 Unless otherwise specified in the **TDS**, Tenderers shall quote for the entire Plant and Installation Services on a "single responsibility" basis. The total Tender price shall include all the Contractor's obligations mentioned in or to be reasonably inferred from the Tendering document in respect of the design, manufacture, including procurement and subcontracting (if any), delivery, construction, installation and completion of the Plant. This includes all requirements under the Contractor's responsibilities for testing, pre-commissioning and commissioning of the plant and, where so required by the Tendering document, the acquisition of all permits, approvals and licenses, etc.; the operation, maintenance and training services and such other items and services as specified in the Tendering document, all in accordance with the requirements of the General Conditions. Items against which no price is entered by the Tenderer will not be paid for by the Procuring Entity when executed and shall be deemed to be covered by the prices for other items.
- 19.2 Tenderers are required to quote the price for the commercial, contractual and technical obligations outlined in the Tendering document.
- 19.3 Tenderers shall give a breakdown of the prices in the manner and detail called for in the Price Schedules included in Section IV, Tendering Forms.
- 19.4 Depending on the scope of the Contract, the Price Schedules may comprise up to the six (6) schedules listed below. Separate numbered Schedules included in Section IV, Tendering Forms, from those numbered 1 to 4 below, shall be used for each of the elements of the Plant and Installation Services. The total amount from each Schedule corresponding to an element of the Plant and Installation Services shall be summarized in the schedule titled Grand Summary, (Schedule 5), giving the total Tender price (s) to be entered in the Form of Tender. Tenderers shall note that the plant and equipment included in Schedule Nos. 1 and 2 below exclude materials used for civil, building and other construction works. All such materials shall be included and priced under Schedule No.4, Installation Services. The Schedules comprise:

Schedule No. 1: Plant (including Mandatory Spare Parts) Supplied from Abroad

**Schedule No. 2**: Plant (including Mandatory Spare Parts) Supplied from within Kenya

**Schedule No. 3**: Design Services

Schedule No. 4: Installation Services

**Schedule No. 5**: Grand Summary (Schedule

Nos.1to4) Schedule No. 6: Recommended

Spare Parts

- 19.5 In the Schedules, Tenderers shall give the required details and a breakdown of their prices as follows:
  - a) Plant to be supplied from a broad (Schedule No.1):
    - The price of the Plant shall be quoted on CIP-named place of destination basis as specified **in the TDS**, including all taxes payable in Kenya.
  - b) Plant manufactured within Kenya (Schedule No.2):
  - The price of the plant shall be quoted on an EXW Incoterm basis (such as "exworks," "ex- factory," "ex-warehouse" or "off-the-shelf," as applicable);
  - ii) Sales tax and all other taxes payable in Kenya on the plant if the contract is awarded to the Tenderer; and
  - iii) The total price for the item.
  - c) Design Services (Schedule No.3);

- d) Installation Services shall be quoted separately (Schedule No.4) and shall include rates or prices for local transportation to named place of final destination as specified **in the TDS**, insurance and other services incidental to delivery of the plant, all labor, contractor's equipment, temporary works, materials, consumables and all matters and things of whatsoever nature, including operations and maintenance services, the provision of operations and maintenance manuals, training, etc., where identified in the Tendering document, as necessary for the proper execution of the installation and other services, including all taxes, duties, levies and charges payable in Kenya as of twenty-eight (28) days prior to the deadline for submission of Tenders;
- e) Recommended spare parts shall be quoted separately (Schedule 6) as specified in either subparagraph (a) or (b) above in accordance with the origin of the spare parts.
- 19.6 The terms EXW, CIP, and other similar terms shall be governed by the rules prescribed in the current edition of Incoterms, published by the International Chamber of Commerce, as specified in the **TDS**.
- 19.7 The prices shall be either fixed or adjustable as specified in the **TDS**.
- 19.8 In the case of Fixed Price, prices quoted by the Tenderer shall be fixed during the Tenderer's performance of the contract and not subject to variation on any account. A Tender submitted with an adjustable price quotation will be treated as non-responsive and rejected.
- 19.9 In the case of Adjustable Price, prices quoted by the Tenderer shall be subject to adjustment during performance of the contract to reflect changes in the cost elements such as labor, material, transport and contractor's equipment in accordance with the procedures specified in the corresponding Appendix to the Contract Agreement. A Tender submitted with a fixed price quotation will not be rejected, but the price adjustment will be treated as zero. Tenderers are required to indicate the source of labor and material indices in the corresponding Form in Section IV, Tendering Forms.
- 19.10 If so indicated in ITT 1.1, Tenders are being invited for individual lots (contracts) or for any combination of lots (packages). Tenderers wishing to offer any price reduction (discount)
  - for the award of more than one Contract shall specify in their Form of Tender the price reductions applicable to each package, or alternatively, to individual Contracts within the package, and the manner in which the price reductions will apply.
- 19.11 Tenderers wishing to offer any unconditional discount shall specify in their Form of Tender the offered discounts and the manner in which price discounts will apply.

### 20. Currencies of Tender and Payment

- 20.1 The currency(ies) of the Tender and the currency(ies) of payments shall be the same. The Tenderer shall quote in the currency of Kenya the portion of the Tender price that corresponds to expenditures incurred in the currency of Kenya, unless otherwise specified in the **TDS**.
- 20.2 The Tenderer may express the Tender price in any currency. If the Tenderer wishes to be paid in a combination of amounts in different currencies, it may quote its price accordingly but shall use no more than three foreign currencies in addition to the currency of Kenya.

### 21. Period of Validity of Tenders

21.1 Tenders shall remain valid for the Tender Validity period specified **in the TDS**. The Tender Validity period starts from the Tender submission deadline (as prescribed by the Procuring Entity in accordance with ITT 23.1). A Tender valid for a shorter period shall be rejected by the Procuring Entity as non-responsive.

- 21.2 In exceptional circumstances, prior to the expiration of the Tender validity period, the Procuring Entity may request Tenderers to extend the period of validity of their Tenders. The request and the responses shall be made in writing. If a Tender Security is requested in accordance with ITT 20, the Tenderer granting the request shall also extend the Tender Security for twenty-eight (28) days beyond the deadline of the extended validity period. A Tenderer may refuse the request without forfeiting its Tender Security. A Tenderer granting the request shall not be required or permitted to modify its Tender, except as provided in ITT 19.3.
- 21.3 If the award is delayed by a period exceeding fifty-six (56) days beyond the expiry of the initial Tender validity period, the Contract price shall be determined as follows:
  - a) In the case of **fixed price** contracts, the Contract price shall be the Tender price adjusted by the factor or factors specified **in the TDS**;
  - b) In the case of **adjustable price** contracts, no adjustment shall be made; or
  - c) in any case, Tender evaluation shall be based on the Tender price without taking into consideration the applicable correction from those indicated above.

### 22. Tender Security

- 22.1 The Tenderer shall furnish as part of its Tender, either a Tender-Securing Declaration or a Tender Security as specified **in the TDS**, in original form and, in the case of a Tender Security, in the amount and currency specified **in the TDS**.
- 22.2 A Tender-Securing Declaration shall use the form included in Section IV Tendering Forms.
- 22.3 If a Tender Security is specified pursuant to ITT 20.1, the Tender security shall be a demand guarantee in any of the following forms at the Tenderer's option:
  - a) cash;
  - b) a bank guarantee;
  - c) a guarantee by an insurance company registered and licensed by the Insurance Regulatory Authority listed by the Authority; or
  - d) a guarantee issued by a financial institution approved and licensed by the Central Bank of Kenya,
- 22.4 If a Tender Security or a Tender-Securing Declaration is specified pursuant to ITT 20.1, any Tender not accompanied by a substantially responsive Tender Security or Tender-Securing Declaration shall be rejected by the Procuring Entity as non-responsive.
- 22.5 If a Tender Security is specified pursuant to ITT 20.1, the Tender Security of unsuccessful Tenderers shall be returned as promptly as possible upon the successful Tenderer's furnishing of the Performance Security pursuant to ITT 47.
- 22.6 The Tender Security of the successful Tenderer shall be returned as promptly as possible once the successful Tenderer has signed the Contract and furnished the required Performance Security.
- 22.7 The Tender Security may be forfeited or the Tender-Securing Declaration executed:

- a) If a Tenderer withdraws its Tender during the period of Tender validity specified by the Tenderer on the Form of Tender; or
- b) If the successful Tenderer fails to:
  - i) Sign the Contract in accordance with ITT 47; or ii)
     Furnish a performance security in accordance with ITT 48.
- 22.8 Where the Tender-Securing Declaration is executed the Procuring Entity will recommend to the PPRA to debars the Tenderer from participating in public procurement as provided in the law.
- 22.9 The Tender Security or the Tender-Securing Declaration of a JV shall be in the name of the JV that submits the Tender. If the JV has not been legally constituted into a legally enforceable JV at the time of Tendering, the Tender Security or the Tender Securing Declaration shall be in the names of all future members as named in the Form of intent referred to in ITT 4.1 and ITT 11.2.

### 23. Format and Signing of Tender

- 23.1 The Tenderer shall prepare one original of the documents comprising the Tender as described in ITT 11 and clearly mark it "Original." Alternative Tenders, if permitted in accordance with ITT 13, shall be clearly marked "Alternative". In addition, the Tenderer shall submit copies of the Tender, in the number specified in the TDS and clearly mark them "Copy." In the event of any discrepancy between the original and the copies, the original shall prevail.
- 23.2 Tenderers shall mark as "CONFIDENTIAL" information in their Tenders which is confidential to their business. This may include proprietary information, trade secrets or commercial or financially sensitive information.
- 23.3 The original and all copies of the Tender shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Tenderer. This authorization shall consist of a written confirmation as specified in the **TDS** and shall be attached to the Tender. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Tender where entries or amendments have been made shall be signed or initialed by the person signing the Tender.
- 23.4 In the case that the Tenderer is a JV, the Tender shall be signed by an authorized representative of the JV on behalf of the JV, and so as to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives.
- 23.5 Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Tender.
- D. Submission and Opening of Tenders
- 24. Submission, Sealing and Marking of Tenders
- 24.1 The Tenderer shall deliver the Tender in a single, sealed envelope (one (1) envelope process). The Tenderer shall place the following separate, sealed envelopes:

Inner Envelops:

- a) In an envelope marked "ORIGINAL", all documents comprising the Tender, as described in ITT11; and
- b) In an envelope marked "COPIES", all required copies of the Tender; and
- c) If alternative Tenders are permitted in accordance with ITT 13, and if relevant:
- i) In an envelope marked "ORIGINAL-ALTERNATIVE TENDER" the alternative Tender; and
- ii) in the envelope marked "COPIES ALTERNATIVE TENDER" all required copies of the alternative Tender.

The inner envelopes shall:

- a) Bear the name and address of the Tenderer;
- b) Be addressed to the Procuring Entity in accordance with ITT 23.1;
- c) Bear the specific identification of this Tendering process indicated in accordance with ITT 1.1; and
- d) Bear a warning not to open before the time and date for Tender opening.

The outer envelope (s) in which the inner envelops are enclosed shall:

- a) Be addressed to the Procuring Entity in accordance with ITT 23.1;
- b) Bear the specific identification of this Tendering process indicated in accordance with ITT 1.1; and
- c) Bear a warning not to open before the time and date for Tender opening.
- 24.2 If all envelopes are not sealed and marked as required, the Procuring Entity will assume no responsibility for the misplacement or premature opening of the Tender. Tenders that are misplaced or opened prematurely will not be accepted.

### 25. Deadline for Submission of Tenders

- 25.1 Tenders must be received by the Procuring Entity at the address and no later than the date and time indicated in the **TDS**. When so specified in the **TDS**, Tenderers shall have the option of submitting their Tenders electronically. Tenderers submitting Tenders electronically shall follow the electronic Tender submission procedures specified in the **TDS**.
- 25.2 The Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders by amending the Tendering document in accordance with ITT8, in which case all rights and obligations of the Procuring Entity and Tenderers previously subject to the deadline shall thereafter be subject to the deadline as extended.

### 26. Late Tenders

26.1 The Procuring Entity shall not consider any Tender that arrives after the deadline for submission of Tenders, in accordance with ITT 23. Any Tender received by the Procuring Entity after the deadline for submission of Tenders shall be declared late, rejected, and returned unopened to the Tenderer.

### 27. Withdrawal, Substitution, and Modification of Tenders

27.1 A Tenderer may withdraw, substitute, or modify its Tender after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITT 21.3, (except that withdrawal notices do

not require copies). The corresponding substitution or modification of the Tender must accompany the respective written notice. All notices must be:

- a) prepared and submitted in accordance with ITT 21 and ITT 22 (except that withdrawals notices do not require copies), and in addition, the respective envelopes shall be clearly marked "Withdrawal," "Substitution," "Modification"; and
- b) received by the Procuring Entity prior to the deadline prescribed for submission of Tenders, in accordance with ITT 23.
- 27.2 Tenders requested to be withdrawn in accordance with ITT25.1 shall be returned unopened to the Tenderers.
- 27.3 No Tender may be withdrawn, substituted, or modified in the interval between the deadline for submission of Tenders and the expiration of the period of Tender validity specified by the Tenderer on the Form of Tender or any extension thereof.

### 28. Tender Opening

- 28.1 Except as in the cases specified in ITT24 and ITT25.2, the Procuring Entity shall publicly open and read out in accordance with ITT26.5 all Tenders received by the deadline at the date, time and place specified **in the TDS** in the presence of Tenderers' designated representatives and anyone who choose to attend. Any specific electronic Tender opening procedures required if electronic Tendering is permitted in accordance with ITT 23.1, shall be as specified **in the TDS**.
- 28.2 First, the written notice of withdrawal in the envelopes marked "Withdrawal" shall be opened and read out and the envelope with the corresponding Tender shall not be opened, but returned to the Tenderer. No Tender withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at Tender opening.
- 28.3 Next, envelopes marked "Substitution" shall be opened and read out and exchanged with the corresponding Tender being substituted, and the substituted Tender shall not be opened, but returned to the Tenderer. No Tender substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at Tender opening.
- 28.4 Next, envelopes marked "Modification" shall be opened and read out with the corresponding Tender. No Tender modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at Tender opening.
- 28.5 Next, all remaining envelopes shall be opened one at a time, reading out: the name of the Tenderer and the Tender Price(s), including any discounts and alternative Tenders, and indicating whether there is a modification; the presence or absence of a Tender Security or Tender-Securing Declaration, if required; and any other details as the Procuring Entity may consider appropriate.
- 28.6 Only Tenders, alternative Tenders and discounts that are opened and read out at Tender opening shall be considered further. The Form of Tender and the Price Schedules are to be initialed by representatives of the Procuring Entity attending Tender opening in the manner specified in the **TDS**.

- 28.7 The Procuring Entity shall neither discuss the merits of any Tender nor reject any Tender (except for late Tenders, in accordance with ITT 24.1).
- 28.8 The Procuring Entity shall prepare a record of the Tender opening that shall include, as a minimum:
  - a) The name of the Tenderer and whether there is a withdrawal, substitution, or modification;
  - b) The Tender Price, per lot if applicable, including any discounts;
  - c) Any alternative Tenders; and
  - d) The presence or absence of a Tender Security or a Tender-Securing Declaration.
  - e) Number of pages for each tender
- 28.9 The Tenderers' representatives who are present shall be requested to sign the record. The omission of a Tenderer's signature on the record shall not invalidate the contents and effect of the record. A copy of the record shall be distributed to all Tenderers.

### **D.** Evaluation and Comparison of Tenders

### 29. Confidentiality

- 29.1 Information relating to the evaluation of Tenders and recommendation of contract award, shall not be disclosed to Tenderers or any other persons not officially concerned with the Tendering process until information on Intention to Award the Contract is transmitted to all Tenderers in accordance with ITT 42.
- 29.2 Any effort by a Tenderer to influence the Procuring Entity in the evaluation of the Tenders or Contract award decisions may result in the rejection of its Tender.
- 29.3 Notwithstanding ITT 27.2, from the time of Tender opening to the time of Contract Award, if any Tenderer wishes to contact the Procuring Entity on any matter related to the Tendering process, it should do so in writing.

### 30. Clarification of Tenders

30.1 To assist in the examination, evaluation, and comparison of the Tenders, and qualification of the Tenderers, the Procuring Entity may, at its discretion, ask any Tenderer for a clarification of its

Tender. Any clarification submitted by a Tenderer that is not in response to a request by the Procuring Entity shall not be considered. The Procuring Entity's request for clarification and the response shall be in writing. No change in the prices or substance of the Tender shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Procuring Entity in the evaluation of the Tenders, in accordance with ITT32.

30.2 If a Tenderer does not provide clarifications of its Tender by the date and time set in the Procuring Entity's request for clarification, its Tender may be rejected.

### 31. Deviations, Reservations, and Omissions

- 31.1 During the evaluation of Tenders, the following definitions apply:
  - a) "Deviation" is a departure from the requirements specified in the Tendering document;
  - b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Tendering document; and

c) "Omission" is the failure to submit part or all of the information or documentation required in the Tendering document.

### 32. Determination of Responsiveness

- 32.1 The Procuring Entity's determination of a Tender's responsiveness is to be based on the contents of the Tender itself, as defined in ITT 11.
- 32.2 A substantially responsive Tender is one that meets the requirements of the Tendering document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that:
  - a) If accepted, would:
    - i) Affect in any substantial way the scope, quality, or performance of the Plant and Installation Services specified in the Contract; or ii) Limit in any substantial way, in consistent with the Tendering document, the Procuring Entity's rights or the Tenderer's obligations under the proposed Contract; or
  - b) if rectified, would unfairly affect the competitive position of other Tenderers presenting substantially responsive Tenders.
- 32.3 The Procuring Entity shall examine the technical aspects of the Tender in particular, to confirm that all requirements of Section VII, Procuring Entity's Requirements have been met without any material deviation, reservation, or omission.
- 32.4 If a Tender is not substantially responsive to the requirements of the Tendering document, it shall be rejected by the Procuring Entity and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

### 33. Nonmaterial Non-conformities

- 33.1 Provided that a Tender is substantially responsive, the Procuring Entity may waive any nonconformity in the Tender.
- 33.2 Provided that a Tender is substantially responsive, the Procuring Entity may request that the Tenderer submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial non- conformities in the Tender related to documentation requirements. Requesting information or documentation on such non-conformities shall not be related to any aspect of the price of the Tender. Failure of the Tenderer to comply with the request may result in the rejection of its Tender.
- 33.3 Provided that a Tender is substantially responsive, the Procuring Entity shall rectify quantifiable non material non-conformities related to the Tender Price. To this effect, the Tender Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component in the manner specified **in the TDS**.

### 34. Correction of Arithmetical Errors

- 34.1 Provided that the tender is substantially responsive, the Procuring Entity shall correct arithmetical errors on the following basis:
  - i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an

- obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and
- iii) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a) and (b) above.
- 34.2 Any error detected if considered a major deviation that affects the substance of the tender, shall lead to disqualification of the tender as non-responsive. The method of determining the error as a major deviation shall be specified in the **TDS**.
- 34.3 Corrected tender prices shall not be used in the evaluation of tenders, comparison of tender prices.
- 34.4 The Procuring Entity shall calculate the difference between the corrected price and tender price and work out the percentage difference, which will be plus or minus tender price as the case may be; [i.e. (corrected tender price— tender price)/ tender price X100]. This percentage difference between corrected tender price and tender price may be used to determine if the error so detected is considered a major deviation that affects the substance of the tender.
- 34.5 On award of contract, all payment valuation certificates, variation orders on omissions and additions valued based on rates in the Bill of Quantities will be adjusted by such a percentage specified in ITT 31.4 to ensure contractor is not paid less or more relative to the contract price which would be the tender price.

### 35. Conversion to Single Currency

35.1 For evaluation and comparison purposes, the currency(ies) of the Tender shall be converted into a single currency as specified **in the TDS.** 

### 36. Margin of Preference

- 36.1 A margin of preference may be allowed on locally manufactured goods (plant and equipment) only when the contract is open to international tendering, where the tender is likely to attract foreign goods and where the contract exceeds the threshold specified in the Regulations.
- 36.2 A margin of preference shall not be allowed unless it is specified so in the **TDS**.
- 36.3 Contracts procured on basis of international tendering and competition shall not be subject to reservations exclusive/ specific groups under women, youth and persons living with disability.
- 36.4 Where it is intended to reserve a contract to a specific group of businesses (these groups are Small and Medium Enterprises, Women Enterprises, Youth Enterprises and Enterprises of persons living with disability, as the case may be), and who are appropriately registered as such by a competent authority, a procuring entity shall ensure that the invitation to tender specifically indicates that only businesses or firms belonging to the specified group are eligible to tender. Tender shall be reserved to only one group. If not so stated in the Tender documents, the invitation to tender will be open to all interested tenderers.

### 37. Evaluation of Tenders

- 37.1 The Procuring Entity shall use the criteria and methodologies listed in this ITT and Section III, Evaluation and Qualification criteria. No other evaluation criteria or methodologies shall be permitted. By applying the criteria and methodologies the Procuring Entity shall determine the Best Evaluated Tender. This is the Tender of the Tenderer that meets the qualification criteria and that has been determined to be:
  - a) Most responsive to the Tendering document; and
  - b) The lowest evaluated cost.
- 37.2 **Technical Evaluation**. The Procuring Entity will carry out a detailed technical evaluation of the Tenders not previously rejected to determine whether the technical aspects are incompliance with the Tendering document. The Tender that does not meet minimum acceptable standards of completeness, consistency and detail, and the specified minimum (or maximum, as the case may be) requirements for specified functional guarantees, will be rejected for non-responsiveness. In order to reach its determination, the Procuring Entity will examine and compare the technical aspects of the Tenders on the basis of the information supplied by the Tenderers, taking into account the following:
  - a) Overall completeness and compliance with the Procuring Entity's Requirements; conformity of the Plant and Installation Services offered with specified performance criteria, including conformity with the specified minimum (or maximum, as the case may be) requirement corresponding to each functional guarantee, as indicated in the Specification and in Section III, Evaluation and Qualification Criteria; suitability of the Plant and Installation Services offered in relation to the environmental and climatic conditions prevailing at the site; and quality, function and operation of any process control concept included in the Tender;
  - b) type, quantity and long-term availability of mandatory and recommended spare parts and maintenance services; and
  - c) other relevant factors, if any, listed in Section III, Evaluation and Qualification Criteria.
- 37.3 Where alternative technical solutions have been allowed in accordance with ITT 13, and offered by the Tenderer, the Procuring Entity will make a similar evaluation of the alternatives. Where alternatives have not been allowed but have been offered, they shall be ignored.
- 37.4 **Economic Evaluation**. To evaluate a Tender, the Procuring Entity shall consider the following:
  - a) the Tender price, excluding provisional sums and the provision, if any, for contingencies in the Price Schedules;
  - b) price adjustment due to discounts offered in accordance with ITT 17.11;
  - c) price adjustment due to quantifiable non material non-conformities in accordance with ITT 31.3;
  - d) converting the amount resulting from applying (a) to (c) above, if relevant, to a single currency in accordance with ITT 33; and
  - e) the evaluation factors specified **in the TDS** and in Section III, Evaluation and Qualification Criteria.

- 37.5 If price adjustment is allowed in accordance with ITT 17.7, the estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be taken into account in Tender evaluation.
- 37.6 In the case of multiple contracts or lots, Tenderers are allowed to tender for one or more lots and the methodology to determine the lowest evaluated cost of the lot (contract) and for combinations, including any discounts offered in the Form of Tender, is specified in Section III, Evaluation and Qualification Criteria.

### 38. Comparison of Tenders

38.1 The Procuring Entity shall compare the evaluated costs of all substantially responsive Tenders established in accordance with ITT 35.4 to determine the Tender that has the lowest evaluated cost.

### 39. Abnormally Low Tenders and Abnormally High Tenders

- 39.1 An Abnormally Low Tender is one where the Tender price, in combination with other elements of the Tender, appears so low that it raises material concerns as to the capability of the Tenderer to perform the Contract for the offered Tender Price or that genuine competition between Tenderers is compromised.
- 39.2 In the event of identification of a potentially Abnormally Low Tender, the Procuring Entity shall seek written clarifications from the Tenderer, including detailed price analyses of its Tender price in correlation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities and any other requirements of the Tendering document.
- 39.3 After evaluation of the price analyses, in the event that the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to deliver the contract for the offered tender price, the Procuring Entity shall reject the Tender.
- 39.4 An abnormally high price is one where the tender price, in combination with other constituent elements of the Tender, appears unreasonably too high to the extent that the Procuring Entity is concerned that it (the Procuring Entity) may not be getting value for money or it may be paying too high a price for the contract compared with market prices or that genuine competition between Tenderers is compromised.
- 39.5 In case of an abnormally high tender price, the Procuring Entity shall make a survey of the market prices, check if the estimated cost of the contract is correct and review the Tender Documents to check if the specifications, scope of work and conditions of contract are contributory to the abnormally high tenders. The Procuring Entity may also seek written clarification from the tenderer on the reason for the high tender price. The Procuring Entity shall proceed as follows:
  - i) If the tender price is abnormally high based on wrong estimated cost of the contract, the Procuring Entity may accept or not accept the tender depending on the Procuring Entity's budget considerations.
  - ii) If specifications, scope of work and/or conditions of contract are contributory to the abnormally high tender prices, the Procuring Entity shall reject all tenders and may retender for the contract based on revised estimates, specifications, scope of work and conditions of contract, as the case may be.

39.6 If the Procuring Entity determines that the Tender Price is abnormally too high because genuine competition between tenderers is compromised (often due to collusion, corruption or other manipulations), the Procuring Entity shall reject all Tenders and shall institute or cause competent Government Agencies to institute an investigation on the cause of the compromise, before retendering.

### 40. Unbalanced or Front Loaded Tenders

- 40.1 If the Tender that is evaluated as the lowest evaluated cost is, in the Procuring Entity's opinion, seriously unbalanced or front loaded the Procuring Entity may require the Tenderer to provide written clarifications. Clarifications may include detailed price analyses to demonstrate the consistency of the Tender prices with the scope of works, proposed methodology, schedule and any other requirements of the Tendering document.
- 40.2 After the evaluation of the information and detailed price analyses presented by the Tenderer, the Procuring Entity may:
  - a) Accept the Tender; or
  - b) If appropriate, require that the total amount of the Performance Security be increased, at the expense of the Tenderer, to a level not exceeding twenty percent (10%) of the Contract Price; or
  - c) Reject the Tender.

### 41. Eligibility and Qualification of the Tenderer

- 41.1 The Procuring Entity shall determine to its satisfaction whether the Tenderer that is selected as having submitted the lowest evaluated cost and substantially responsive Tender is eligible and meets the qualifying criteria specified in Section III, Evaluation and Qualification Criteria.
- 41.2 The determination shall be based upon an examination of the documentary evidence of the Tenderer's qualifications submitted by the Tenderer, pursuant to ITT 15.1. The determination shall not take into consideration the qualifications of other firms such as the Tenderer's subsidiaries, parent entities, affiliates, subcontractors (other than Specialized Subcontractors if permitted in the Tendering document) or any other firm (s) different from the Tenderer.
- 41.3 An affirmative determination shall be a prerequisite for award of the Contract to the Tenderer. A negative determination shall result in disqualification of the Tender, in which event the Procuring Entity shall proceed to the Tenderer who offers a substantially responsive Tender with the next lowest evaluated cost to make a similar determination of that Tenderer's qualifications to perform satisfactorily.
- 41.4 The capabilities of the manufacturers and subcontractors proposed in its Tender to be used by the Tenderer with the Lowest Evaluated Tender for identified major items of supply or services will also be evaluated for acceptability in accordance with Section III, Evaluation and Qualification Criteria. Their participation should be confirmed with a Form of intent between the parties, as needed. Should a manufacturer or subcontractor be determined to be unacceptable, the Tender will not be rejected, but the Tenderer will be required to substitute an acceptable manufacturer or subcontractor without any change to the Tender price. Prior to signing the Contract,

The corresponding Appendix to the Contract Agreement shall be completed, listing the approved manufacturers or subcontractors for each item concerned.

### 42. Procuring Entity's right to Accept Any Tender and to Reject Any or All Tenders

42.1 The Procuring Entity reserves the right to accept or reject any Tender, and to annul the Tendering process and reject all Tenders at any time prior to Contract Award, without there by incurring any liability to Tenderers. In case of annulment, all Tenders submitted and specifically, Tender securities shall be promptly returned to the Tenderers.

### E. Award of Contract

### 43. Award Criteria

- 43.3 Subject to ITT 40, the Procuring Entity shall award the Contract to the successful Tenderer. This is the Tenderer whose Tender has been determined to be the Lowest Evaluated Tender. This is the Tender of the Tenderer that meets the qualification criteria and whose Tender has been determined to be:
  - a) Substantially responsive to the Tendering Document; and
  - b) The lowest evaluated cost

### 44. Notice of Intention to Enter into a Contract/ Notification of Award

- 44.1 When a Standstill Period applies, it shall commence when the Procuring Entity has transmitted to each Tenderer the Notification of Intention to Award the Contract to the successful Tenderer. The Notification of Intention to Award shall contain, at a minimum, the following information:
  - a) The name and address of the Tenderer submitting the successful Tender;
  - b) The Contract price of the successful Tender;
  - c) A statement of the reason (s) the Tender (of the unsuccessful Tenderer to whom the Form is addressed) was unsuccessful, unless the price information in c) above already reveals the reason;
  - d) The expiry date of the Standstill Period; and
  - e) Instructions on how to request a debriefing and/ or submit a complaint during the standstill period.

### 45. Standstill Period

- 45.1 The Contract shall not be signed earlier than the expiry of a Standstill Period of 14 days to allow any dissatisfied tender to launch a complaint. Where only one Tender is submitted, the Standstill Period shall not apply.
- 45.2 Where a Standstill Period applies, it shall commence when the Procuring Entity has transmitted to each Tenderer the Notification of Intention to Enter in to a Contract with the successful Tenderer.

### **46.** Debriefing by the Procuring Entity

46.1 On receipt of the Procuring Entity's Notification of Intention to Enter into a Contract referred to in ITT 43, an unsuccessful tenderer may make a written request to the Procuring Entity

- for a debriefing on specific issues or concerns regarding their tender. The Procuring Entity shall provide the debriefing within five days of receipt of the request.
- 46.2 Debriefings of unsuccessful Tenderers may be done in writing or verbally. The Tenderer shall bear its own costs of attending such a debriefing meeting.

### 47. Letter of Award

47.1 Prior to the expiry of the Tender Validity Period and upon expiry of the Standstill Period specified in ITT 43.1, upon addressing a complaint that has been filed within the Standstill Period, the Procuring Entity shall transmit the <u>Letter of Award</u> to the successful Tenderer. The letter of award shall request the successful tenderer to furnish the Performance Security within 21 days of the date of the letter.

### **48.** Signing of Contract

- 48.1 Upon the expiry of the fourteen days of the Notification of Intention to enter into contract and upon the parties meeting their respective statutory requirements, the Procuring Entity shall send the successful Tenderer the Contract Agreement.
- 48.2 Within fourteen (14) days of receipt of the Contract Agreement, the successful Tenderer shall sign, date, and return it to the Procuring Entity.
- 48.3 The written contract shall be entered into within the period specified in the notification of award and before expiry of the tender validity period
- 48.4 Notwithstanding ITT 46.2 above, in case signing of the Contract Agreement is prevented by any export restrictions attributable to the Procuring Entity, to the country of the Procuring Entity, or to the use of the Plant and Installation Services to be supplied, where such export restrictions arise from trade regulations from a country supplying those Plant and Installation Services, the Tenderer shall not be bound by its Tender, always provided, however, that the Tenderer can demonstrate to the satisfaction of the Procuring Entity that signing of the Contact Agreement has not been prevented by any lack of diligence on the part of the Tenderer in completing any formalities, including applying for permits, authorizations and licenses necessary for the export of the Plant and Installation Services under the terms of the Contract.

### **49.** Performance Security

- 49.1 Within twenty-one (21) days of the receipt of the Form of Acceptance from the Procuring Entity, the successful Tenderer shall furnish the Performance Security in accordance with the General Conditions GCC 13.3, subject to ITT 38, using for that purpose the Performance Security Form included in Section X, Contract Forms, or another form acceptable to the Procuring Entity. If the Performance Security furnished by the successful Tenderer is in the form of a bond, it shall be issued by a bonding or insurance company that has been determined by the successful Tenderer to be acceptable to the Procuring Entity. A foreign institution providing a bond shall have a correspondent financial institution located in Kenya, unless the Procuring Entity has agreed in writing that a correspondent financial institution is not required.
- 49.2 Failure of the successful Tenderer to submit the above-mentioned Performance Security or sign the Contract shall constitute sufficient grounds for the annulment of the award and

forfeiture of the Tender Security. In that event the Procuring Entity may award the Contract to the Tenderer offering the next Best Evaluated Tender.

### **50.** Publication of Procurement Contract

- 50.1 Within fourteen days after signing the contract, the Procuring Entity shall publish the awarded contract at its notice boards and websites; and on the Website of the Authority. At the minimum, the notice shall contain the following information:
  - a) Name and address of the Procuring Entity;
  - b) name and reference number of the contract being awarded, a summary of its scope and the selection method used;
  - c) the name of the successful Tenderer, the final total contract price, the contract duration.
  - d) Dates of signature, commencement and completion of contract;
  - e) Names of all Tenderers that submitted Tenders, and their Tender prices as read out at Tender opening.

### **51.** Appointment of Adjudicator

51.1 The Procuring Entity proposes the person named **in the TDS** to be appointed as Adjudicator under the Contract, at the hourly fee specified **in the TDS**, plus reimbursable expenses. If the Tenderer disagrees with this proposal, the Tenderer should so state in his Tender. If, in the Letter of Acceptance, the Procuring Entity does not agree on the appointment of the Adjudicator, the Procuring Entity will request the Appointing Authority designated in the Special Conditions of Contract (SCC) pursuant to Clause 23.1 of the General Conditions of Contract (GCC), to appoint the Adjudicator.

### **52. Procurement Related Complaint and Administrative Review**

- 51.1 The procedures for making a Procurement-related Complaint are as specified in the **TDS**.
- 51.2 A request for administrative review shall be made in the form provided under contract forms.

### SECTION II - TENDER DATA SHEET

The following specific data for the Facilities to be procured shall complement, supplement, or amend the provisions in the Instructions to Tenderers (ITT). Whenever there is a conflict, the provisions here in shall prevail over those in ITT.

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS					
A. General	A. General					
ITT 1.1	The reference number of the Invitation to Tender (ITT) is: <b>KCAA/016/2024-2025</b>					
	The Procuring Entity is: KENYA CIVIL AVIATION AUTHORITY					
	The name of the ITT is: SUPPLY, DELIVERY, INSTALLATION, TRAINING AND COMMISSIONING OF 3D PANORAMIC TOWER, APPROACH AND AREA AIR TRAFFIC CONTROL TRAINING SIMULATOR AT EAST AFRICAN SCHOOL OF AVIATION					
	The number and identification of lots (contracts)comprising this ITT is: <b>ONE</b>					
ITT 2.1	The name of the Project is: SUPPLY, DELIVERY, INSTALLATION, TRAINING AND COMMISSIONING OF 3D PANORAMIC TOWER, APPROACH AND AREA AIR TRAFFIC CONTROL TRAINING SIMULATOR AT EAST AFRICAN SCHOOL OF AVIATION					
	Electronic –Procurement System shall <b>NOT BE USED</b>					
	The Procuring Entity shall use the following electronic-procurement system to manage this Tendering process:					
	[NOT APPLICABLE]					
ITT 4.1	Maximum number of members in the Joint Venture (JV) shall be: [3]					
B. Tenderin	g Document					
ITT 8.1	The mandatory pre-tender conference WILL BE HELD					
	Physical Address for site visit – THERE WILL BE A MANDATORY PRE-BI / SITE SURVEY AT EAST AFRICAN SCHOOL OF AVIATION ON 5 <sup>TH</sup> FEBRUARY 2025 AT 10:00AM					
ITT 8.2	Any questions in writing, shall reach the Procuring Entity not later than <b>5</b> <sup>th</sup> <b>FEBRUARY 2025 AT 10:00 AM</b>					
ITT 8.4	Minutes of the pre-tender meeting and the pre-arranged pretender visit of the site of the works will be published at the website: <b>www.kcaa.or.ke</b>					
ITT 9.1	The Procuring Entity shall publish its response at the website: www.kcaa.or.ke					
C. Preparat	ion of Tenders					
ITT 13.1 (j)	The Tenderer shall submit the following additional documents in its Tender: <b>AS INDICATED IN THE EVALUATION CRITERIA</b>					
ITT 15.1	Alternative Tenders <b>SHALL NOT BE</b> considered.					

THE LOCAL CURRENCY PORTION OF THE CONTRACT PRICE SHALL BE ADJUSTED BY A FACTOR REFLECTING LOCAL INFLATION RATE AT THAT TIME DURING THE PERIOD OF EXTENSION, AND THE FOREIGN CURRENCY PORTION OF THE CONTRACT PRICE SHALL BE ADJUSTED BY A FACTOR REFLECTING THE INTERNATIONAL INFLATION RATE AT THAT TIME (IN THE COUNTRY OF THE FOREIGN CURRENCY) DURING THE PERIOD OF EXTENSION.  A Tender-Security SHALL BE required.  A Tender-Security SHALL BE required.  The amount and currency of the Tender Security shall be KENYA SHILLINGS FOUR MILLION ONLY. (KES 4,000,000.00)  In addition to the original of the Tender, the number of copies is: ONE ORIGINAL IN PAPER FORMAT, ONE COPY IN PAPER FORMAT AND		
THE LOCAL CURRENCY PORTION OF THE CONTRACT PRICE SHALL BE ADJUSTED BY A FACTOR REFLECTING LOCAL INFLATION RATE AT THAT TIME DURING THE PERIOD OF EXTENSION, AND THE FOREIGN CURRENCY PORTION OF THE CONTRACT PRICE SHALL BE ADJUSTED BY A FACTOR REFLECTING THE INTERNATIONAL INFLATION RATE AT THAT TIME (IN THE COUNTRY OF THE FOREIGN CURRENCY) DURING THE PERIOD OF EXTENSION.  A Tender-Security SHALL BE required.  A Tender-Securing Declaration SHALL NOT BE required.  The amount and currency of the Tender Security shall be KENYA		
THE LOCAL CURRENCY PORTION OF THE CONTRACT PRICE SHALL BE ADJUSTED BY A FACTOR REFLECTING LOCAL INFLATION RATE AT THAT TIME DURING THE PERIOD OF EXTENSION, AND THE FOREIGN CURRENCY PORTION OF THE CONTRACT PRICE SHALL BE ADJUSTED BY A FACTOR REFLECTING THE INTERNATIONAL INFLATION RATE AT THAT TIME (IN THE COUNTRY OF THE FOREIGN CURRENCY) DURING THE PERIOD OF EXTENSION.  A Tender Security SHALL BE required.		
THE LOCAL CURRENCY PORTION OF THE CONTRACT PRICE SHALL BE ADJUSTED BY A FACTOR REFLECTING LOCAL INFLATION RATE AT THAT TIME DURING THE PERIOD OF EXTENSION, AND THE FOREIGN CURRENCY PORTION OF THE CONTRACT PRICE SHALL BE ADJUSTED BY A FACTOR REFLECTING THE INTERNATIONAL INFLATION RATE AT THAT TIME (IN THE COUNTRY OF THE FOREIGN CURRENCY) DURING THE PERIOD OF EXTENSION.		
THE LOCAL CURRENCY PORTION OF THE CONTRACT PRICE SHALL BE ADJUSTED BY A FACTOR REFLECTING LOCAL INFLATION RATE AT THAT TIME DURING THE PERIOD OF EXTENSION, AND THE FOREIGN CURRENCY PORTION OF THE CONTRACT PRICE SHALL BE ADJUSTED BY A FACTOR REFLECTING THE INTERNATIONAL INFLATION RATE AT THAT TIME (IN THE COUNTRY OF THE FOREIGN CURRENCY) DURING		
THE TEHREL PHICE SHAILDE AUJUSTER BY THE TOHOWING IDECLOSES.		
The Tender price shall be adjusted by the following factor(s):		
The Tender validity period shall be <b>182 DAYS.</b>		
The Tenderer <b>IS</b> required to quote in Kenya Currency the portion of the Tender price that corresponds to expenditures incurred in that currency.		
The prices quoted by the Tenderer <b>SHALL NOT</b> be subject to adjustment during the performance of the Contract.		
The Incoterms edition is: INCOTERMS® 2020		
Final destination (Project Site): INSTALLATION SERVICES SHALL BE DONE AT EAST AFRICAN SCHOOL OF AVIATION AS INDICATED IN THE TECHNICAL SPECIFICATIONS		
Place of destination:  > FOR EQUIPMENT SUPPLIED FROM ABROAD – DDP NAIROBI AND		
Tenderers shall quote for the following components or services on a single responsibility basis per lot for SUPPLY, DELIVERY, INSTALLATION, TRAINING AND COMMISSIONING OF 3D PANORAMIC TOWER, APPROACH AND AREA AIR TRAFFIC CONTROL TRAINING SIMULATOR AT EAST AFRICAN SCHOOL OF AVIATION		
Alternative technical solutions shall be permitted for the following parts of the Plant and Installation Services: <b>NONE</b> .		
Alternatives to the Time Schedule <b>SHALL BE</b> permitted.  If alternatives to the Time Schedule are permitted, the evaluation method will be as specified in Section III, Evaluation and Qualification Criteria.		

D. Submissi	ion and Opening of Tenders
ITT 25.1	For <u>Tender submission purposes</u> only, the Procuring Entity's address is:
	DIRECTOR GENERAL
	KENYA CIVIL AVIATION AUTHORITY
	GROUND FLOOR, AVIATION HOUSE, JOMO KENYATTA NTERNATIONAL AIRPORT:
	P.O. BOX 30163-00100 NAIROBI
	P.O. BOX 30163-00100 NAIROBI
	THE DEADLINE FOR TENDER SUBMISSION IS:
	DATE: 20 <sup>th</sup> FEBRUARY 2025
	TIME: 1100 HOURS, EAST AFRICAN TIME
	<b>TENDERERS SHALL NOT</b> have the option of submitting their Tenders electronically
	The Tender opening shall take place at:
	GROUND FLOOR, AVIATION HOUSE, JOMO KENYATTA INTERNATIONAL AIRPORT, NAIROBI
	DATE: 20th FEBRUARY 2025 AT TIME: 1100 HOURS, EAST AFRICAN TIME
ITT 28.6	The Form of Tender and Price Schedules shall be initialed by <b>at least three (3)</b> representatives of the Procuring Entity conducting Tender opening as follows:
	<ul> <li>i. THE NAME OF THE TENDERER AND WHETHER THERE IS A WITHDRAWAL, SUBSTITUTION, OR MODIFICATION.</li> <li>ii. THE TENDER PRICE, PER LOT IF APPLICABLE, INCLUDING ANY DISCOUNTS.</li> <li>iii. ANY ALTERNATIVE TENDERS; AND</li> <li>iv. THE PRESENCE OR ABSENCE OF A TENDER SECURITY OR A TENDER-SECURING DECLARATION.</li> <li>v. NUMBER OF PAGES FOR EACH TENDER</li> </ul>
E. Evaluation	on, and Comparison of Tenders
ITT 33.3	The adjustment shall be based on the <i>HIGHEST</i> price of the item or component as quoted in other substantially responsive Tenders. If the price of the item or component cannot be derived from the price of other substantially responsive Tenders, the Procuring Entity shall use its best estimate.
ITT 34.2	No arithmetic error shall be accepted.
ITT 35.1	The currency that shall be used for Tender evaluation and comparison purposes to convert (at the selling exchange rate) all Tender prices expressed in various currencies into a single currency is: <b>KENYA SHILLING</b>
1	1
	The source of exchange rate shall be: THE CENTRAL BANK OF KENYA.
	The source of exchange rate shall be: <b>THE CENTRAL BANK OF KENYA.</b> The date for the exchange rate shall be: <b>TENDER CLOSING DATE</b> A margin of preference <b>SHALL NOT BE</b> allowed.

ITT 37.4 (e)	The adjustments shall be determined using the following criteria, from amongst those set out in Section III, Evaluation and Qualification Criteria: [refer to Section III, Evaluation and Qualification Criteria; insert complementary details if necessary]		
	(a) Deviation in Time for Completion: [insert Yes or No. If yes insert the adjustment factor in Section III, Evaluation and Qualification Criteria];		
	(b) Life cycle costs: the projected operating and maintenance costs during the life of the goods or equipment [insert Yes or No, if yes, insert the Methodology and criteria in Section III, Evaluation and Qualification Criteria];		
	(c) Functional Guarantees of the Facilities [insert Yes or No, If Yes, insert methodology and criteria in Section III, Evaluation and Qualification Criteria]		
	(d) Work, services, facilities, etc., to be provided by the Procuring Entity <i>[insert Yes or</i>		
No, if yes, insert the Methodology and criteria in Section Evaluation and Qualification Criteria];			
	[insert any other specific criteria here and provide details in Section III, Evaluation and Qualification Criteria]		
ITT 37.6	Tenderers shall <b>BE ALLOWED</b> to quote separate prices for different lots (contracts) and the methodology to determine the lowest tenderer is specified in Section III, Evaluation and Qualification Criteria.		
Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS		
ITT 45 Standstill Period	The Standstill Period is ten (10) Business Days after the date the Procuring Entity has transmitted to all Tenderers that submitted a Tender, the Notification of its Intention to Award the Contract to the successful Tenderer.		
ITT 51	The hourly fee specified <b>is KSHS 30,000.00</b> plus reimbursable expenses.		
ITT 52.1	The procedures for making a Procurement-related Complaint are detailed in the "Notice of Intention to Award the Contract" herein and are also available from the PPRA website info@ppra.go.ke or complaints@ppra.go.ke.		
	For the attention: DIRECTOR GENERAL		
	Title/position: DIRECTOR GENERAL		
Procuring Entity: KENYA CIVIL AVIATION AUTHORITY			
	Procuring Entity: KENYA CIVIL AVIATION AUTHORITY		
	Procuring Entity: KENYA CIVIL AVIATION AUTHORITY Email address: procurement@kcaa.or.ke		
	-		
	Email address: procurement@kcaa.or.ke  In summary, a Procurement-related Complaint may challenge any of the		

### **SECTION III - EVALUATION AND QUALIFICATION CRITERIA**

### 1. General Provision

- 1.2 Wherever a Tenderer is required to state a monetary amount, Tenderers should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:
  - a. For construction turn over or financial data required for each year -Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
  - b. Value of single contract -Exchange rate prevailing on the date of the contract signature.
  - c. Exchange rates shall be taken from the publicly available source identified in the ITT 33.1. Any error in determining the exchange rates in the Tender may be corrected by the Procuring Entity.
- 1.3 This section contains the criteria that the Procuring Entity shall use to evaluate tender and qualify tenderers. No other factors, methods or criteria shall be used other than specified in this tender document. The Tenderer shall provide all the information requested in the forms included in Section IV, Tendering Forms. The Procuring Entity should use the Standard Tender Evaluation Report for Goods and Works for evaluating Tenders.

### **1.4** Evaluation and contract award Criteria

1.4 The Procuring Entity shall use the criteria and methodologies listed in this Section to evaluate tenders and arrive at the Lowest Evaluated Tender. The tender that (i) meets the qualification criteria, (ii) has been determined to be substantially responsive to the Tender Documents, and (iii) is determined to have the Lowest Evaluated Tender price shall be selected for award of contract.

### **2** Preliminary examination for Determination of Responsiveness

The Procuring Entity will start by examining all tenders to ensure they meet in all respects the eligibility criteria (including requirements in the qualification forms, tenderer's eligibility- confidential business questionnaire) and other requirements in the ITT and that the tender is complete in all aspects in meeting the requirements of "Part 2 - Procuring Entity's Requirements", including checking for tenders with unacceptable errors, abnormally low tenders, and abnormally high tenders. The Standard Tender Evaluation Report for Goods and Works provides clear guidelines on how to deal with review of these requirements. Tenders that do not pass the Preliminary Examination will not be considered further.

The following criteria will be used to determine preliminary responsiveness of the bidders.

### PRELIMINARY EVALUATION CRITERIA

No.	Documents to be submitted	
1.	<b>Ineligibility</b> - Bidders and their associated firms who have existing ongoing contracts with KCAA which have delayed beyond the original scheduled completion period in the contract without proper justification or who according to KCAA records, have failed in performance of previous contracts, have been served with written notice of non-performance or have had their previous contracts terminated for non-performance are not eligible to participate.	
2.	The tender is signed by the person with power of attorney, without material deviation, reservation or omission. Attach a copy of letter granting power of attorney.	
3.	<b>Project commitment/plan</b> – Bidders MUST attach sample project plan/work program.	
4.	Provide documentary evidence of the company's registration details /certificate of incorporation (legal structure) by a recognized body in the domiciled Country (including for members of joint venture where applicable).	
5.	Provide copy of the company Valid Tax Compliance certificate issued by the Kenya Revenue Authority for firms registered in Kenya only.	
6.	The bidder shall provide two hard copies comprising 1 original document and 1 copy document and a soft copy in USB drive (searchable).	
7.	Provide a tender security of Kenya Shillings Two Million Only (KES 4,000,000.00) valid for 210 days.	
8.	Provide a duly filled and signed Form of Tender.	
9.	Duly filled and signed Price Schedules completed in accordance with ITT 14 and ITT 19 (Schedule No. 1 to 5).	
10.	Tenderer's eligibility – duly filled and signed confidential business questionnaire.	
11.	Validity of bid tender, for a period of 238 days.	
12.	Duly signed sworn Anti-corruption affidavit signed by commissioner of oaths.	
13.	Ensure serialization of all pages of the bid submitted.	
14.	Submit copies of all technical brochures for the proposed equipment.	
15.	<b>Financial Resources</b> The bidders shall submit the latest three years (2023, 2022 and 2021) audited financial statements.	
16.	Submit a statement in the letterhead of the bidder indicating that the company has adequate financial resources to supply the equipment if awarded a contract. (Attach evidence)	
17.	Duly filled Certificate of Independent Tender Determination.	
18.	Submit a statement in the letterhead of the bidder indicating that the companyis not insolvent, in receivership, bankrupt or in the process of being wound up.	
19.	Tenderer, member of the joint venture or sub-contractor is not debarred by PPRA or any other Authority. Submit a duly filled and signed Form SD1.	
20.	Self-declaration that the person/tenderer will not engage in any corrupt or fraudulent practice. Submit a duly filled and signed Form SD2.	

## **Documents to be submitted** 21. **Experience** The vendor or the manufacturer of the equipment shall prove that they have supplied, installed and commissioned similar equipment in five areas outside the domiciled Country. Attach copies of contracts and reference and or recommendation letters. Provide proof that the bidder has specific experience in the supply, delivery, installation, training and commissioning of 3D panoramic Tower, Approach and Area Air Traffic Control Training Simulator in at least three projects each of a value of Kshs. 300 million or more within the last five (5) years as follows: i. The projects shall have been implemented in a country outside the state of manufacture. ii. The project must be complete and operational. iii. At least one the projects should have been implemented within the AFI region. iv. Evidence of all previously and successfully accomplished integration services undertaken for a similar system. 22. Bidders MUST have an annual turnover for each of the last three years of at least Kshs 500 million. 23. Submit evidence that your firm will be able to raise capital of Kshs 300 Million for the project. **Spares parts** - The supplier shall provide a list of all critical system spares 24. which will be supplied with the equipment to sustain the system during the three year warranty period. The cost should be part of the bid price submitted. 25. Attach certified CVs and professional certificates for key technical staff who will be assigned to this project if successful. 26. Provide evidence that you are a Manufacturer of the system by attaching a Manufacturer Authorization Certificate. 27. Composition of joint venture where applicable. Attach a copy of the Joint Venture Agreement entered in to by all members or a Form of intent to execute a Joint Venture Agreement together with a copy of the proposed Agreement. All members of joint venture MUST submit a duly filled Party to JV Information Sheet (where applicable). Incase of a joint venture, the lead bidder will be the manufacturer. 28. The bidders shall provide a proposed service and maintenance agreement for the system with a proposed commencement at the end of the three (3) year warranty period. This maintenance agreement should be for a five (5) years period and should be costed separately as appropriate. This costing shall be considered during the financial evaluation for comparison purposes but shall not be included in the bid price. *The quoted maintenance price provided shall* remain firm and fixed for the stated period.

### **TECHNICAL EVALUATION FOR GOODS AND SERVICES**

Bidders shall be required to meet ALL the technical requirements as per the technical specifications provided in section VI of this tender document for **supply, delivery, installation, training and commissioning of 3D Panoramic Tower, Approach and Area Air Traffic Control Training Simulator at East African School of Aviation**. Bidders MUST attach all the technical brochures for ALL the components of the proposed system. The evaluation will be based on the response to all the technical specifications for the simulator is provided in this tender document as shown below;

No	Requirement	Bidders' response
1.	Simulator VCCS shall function as an integrated radio/telephony system allowing controller to contact pilots, other controllers or neighboring sectors or centers.	•
2.	Simulator shall include a simulated ATC radio and telephone communication, and control system implemented using a Voice Over IP (VOIP) Voice Communication and Control System (VCCS) that links each training position, pseudo pilot, and supervisor positions	
3.	VCCS shall include a multi-channel voice communication system that enables simultaneous radio, telephone, intercommunications through an intuitive and user configurable touch screen interface.	
4.	VCCS shall support conference calls, putting a call on hold, cross-coupling frequencies, overlaying noise effects for one or a number of selected frequencies and a priority call	
5.	VCCS shall provide for crash alarm	
6.	VCCS shall be installed with the simulator to provide an integrated training environment	
7.	Wired headsets shall be used by the trainees, pseudo pilots, instructors and the supervisor	
8.	All voice communications shall be recorded for training purposes and be fully synchronised with surveillance and flight data, communications, and display systems.	
9.	The simulator should allow for multi-sensor coverage of control areas	
10.	The simulator should have a recording and playback system	
11.	Simulator shall have a 3D LCD panoramic cylindrical 360° display with minimum of 4K resolution	
12.	Simulator shall have procedural and Surveillance (Radar, ADS-B, ADS-C) Air Traffic Controller working position(s)	
13.	Simulator shall have data link (CPDLC) and DCL	
14.	Simulator shall have meteorological report positions e,g AWOS	
15.	Simulator shall have ATFM including DMAN/AMAN, capacity manager among others	
16.	Simulator shall have capability for Modeling	
17.	Simulator shall have a recording and Playback system	
18.	Simulator shall have a master Clock System	
19.	Simulator shall have a controller working positions, Pseudo-Pilot working position(s), Supervisor (exercise coordination) working position, Simulator Administrator (site manager) working position, all allowing for either independent exercises or multi-sector exercises to be simulated simultaneously on different working positions by several working simulation and all other accessories for the optimum operation of the simulator.	
20.	All hardware including servers, displays, UPS, etc. supplied shall be able to operate with voltages of 230 +/- 10% V ac, 50+/- 5% Hz. All accessories	

No	Requirement	Bidders'
	required for the complete installation of the ATC simulator shall be supplied	response
	as part of the simulator.	
21.	All the Commercial off the Shelf (CoTS) should meet the international set	
	standards having an MTBF of 25,000 hours or better	
22.	Workstation Ergonomics: The ergonomics of the pilot and controller working	
	positions should benefit from the experience gained on actual ATC working	
	positions. System management should have limited activation of controls aimed at making activations easily conceived and performed.	
23.	Working Environment: Provide for a familiar environment which speeds up	
25.	operator's training with no enhanced computer knowledge required.	
24.	Aircraft Handling Modeling: The aircraft flight profile observes requirements	
	relating to the aircraft type and the current flight phase. Requirements are	
	to;	
	Automatically match flight parameters when changes have occurred,	
	Modify the flight profile to observe specific control instructions or	
	procedures,	
	Ignore certain instructions when they are not compatible with flight control,	
25.	Generate messages associated with each flight phase or event  The ATC simulator shall support the following features as a minimum	
25.	Simulation of surveillance tracks relating to: MSSR Modes A, C and S; PSR	
	radars; ADS-B and C, MLAT, WAM information	
	Recording and reproduction of the exercises (Synchronized Data and Audio)	
	Taking snapshots of the Air Situation Display at any stage during a running	
	simulation	
	Paper flight strip printing	
	Radar and ground traffic display	
	Auxiliary displays for meteorological information, airfield lighting control and	
	navigation aid status	
	Realistic visual representations and operation of all supplied 3D airports  Ability to emulate generic remote camera/s with Pan/Tilt/Zoom and night	
	vision	
26.	Principles to be adopted during exercise design:	
	Creation of specific exercises or general exercises.	
	Defining a set of control load to help the designing exercises matching	
	specific objectives and create progressive exercises.	
	Visualize the pre-defined conflicts to be solved by the trainees.	
	Visualize at a given time the traffic situation being designed.	
	Replay part of or entire exercise/session, on a standalone position to review	
27	the exercise.	
27.	Principles to be adopted during Simulation:  Recreation of operational working conditions and simulating the same.	
	Provide information necessary for executing debriefings of simulations.	
	Vary the pace of simulation	
	Facilitate availability of replay functions either part of or entire simulation.	
	The system can be used to follow the different steps in ATC control training	
	The system can be used to follow the different steps in ATC control training	
	Evaluate trajectories and aircraft models	
	Account for NAVAIDS and weather modifications, etc	
	Account for "automatism" during emergency situation pertaining to changes	
20	in runway, flight plan rerouting and various aircraft emergencies.	
28.	Principles to be adopted during debriefing	
	Pause and restart an exercise from a previous time played Replay part of the exercise and continue from a chosen time.	
	Treplay part of the exercise and continue from a Chosen time.	

No	Requirement	Bidders' response
	Replay immediately or from the archive, all or part of the positions used during the sessions.	•
	Replay with synchronized VCCS s at end of an exercise.	
	When offline/online analyze exercise statistics e.g., aircraft separation and	
	conflict alerts.	
	When offline analyze exercise event (aircraft, pilot and controller actions,)	
29.	Principles to be adopted for Self-teaching capability:	
	Provide self-teaching tools for ATC procedure learning and unusual situation practicing.	
	Program self-teaching standalone instructions	
	Provide a recorded self-teaching tool for debriefing	
30.	Online assistance: Provide for online help documentation for use during	
50.	preparation phases or during simulation at every pilot/exercise preparation	
	/supervisor/instructor positions	
31.	<b>Subsystems:</b> The following subsystem shall allow pilot actions or other	
<b>-</b>	events occurring during the simulation, and aircraft positions or trajectories	
	to be computed accordingly	
	Flight Data Processing System (FDS): Needed to perform trajectory	
	prediction, allocation of flight to sectors and strip printing according to	
	allocation time parameters.	
	Ground Data Processing System (GDPS): Needed to perform trajectory	
	prediction on aerodrome runways.	
	Surveillance Data Processing System (SDPS): Needed to provide surveillance	
	detection data, code conversion.	
	Aircraft Performance Model (tabular model): Needed to provide realistic	
	performances depending mainly on type of aircraft, current altitude, RECAT	
	and aircraft weight.	
	Meteorology Model: Needed for simulating evolution of wind, air pressure	
	and temperature and generating weather reports (METAR, SPECI, etc.)	
	User Displays Systems for pseudo-pilots and controllers: needed to visualize	
	the traffic and perform actions	
	Time Reference System: needed to provide a similar simulated time	
	reference to all the above systems (user display, Flight Data Processing,	
	Radar Data processing, etc.) no connections should be made between two	
	simulation sessions running at the same time with the same exercise,	
	therefore, visual data, radar data, flight plans, recorded data, time reference	
	should be independent between simulation sessions.	
32.	Recording and replay system:	
	System should record synchronized voice communications, simulation	
	commands, display settings modifications and controllers' actions.	
	System should record and archive simulations sessions offline for debriefing	
	System should simulate playback (simulation commands, surveillance	
	displays and controllers' actions fully synchronized with the audio recording	
	that has been performed during the simulation and at different speeds such	
	(x0.5), (x1.0), (x2.0) and (x4.0).	
	System should facilitate play back online just after a session, via the server	
	archive and external device.	
	Playback should be dynamic depending on user configuration with	
	availability to use other positions	
	Provide an interface for replay with or without VCCS.	
	Provide for playback during a normal session in parallel ongoing exercise and	
	other replays.	
	System should allow for session to resume even during a playback where	
	system should start a new independent recording	

No	Requirement	Bidders' response
	System should record all frequencies and telephone communications at the	
	controller working position.	
	Audio recording software system shall be managed from the supervisor position	
	Replay from archive should be available every workstation (pilot, instructor,	
	training supervisor positions).	
	Start of simulation session should automatically trigger the recording system	
	with dialogue window at the supervisor work station requesting if data should be archived or not	
	Recorded database should be independent from of original database used	
33.	Strip printing function	
	Each controlled sector shall be equipped with an Electronic Flight Strip (EFS),	
	paper strip and printer.	
	Strips corresponding to each flight plan in the exercise are automatically	
	displayed or printed at sectors concerned as configured.	
	System should ensure paper strips are printed only when EFS is not	
	operational and can be made available when desired with option to	
	dynamically redirect printing output on an alternate printer automatically without stopping the simulation	
34.	Pseudo Pilot Working Positions	
υт.	System should allow for position to be used for management of flights during	
	simulation and as well be used for off-line design of exercises.	
	The position should offer a generic interface which automatically adapts its	
	basic configuration according to the type of associated sector (Procedural	
	/surveillance).	
35.	Operational Supervisor Working Position	
	System should configure position as simulation manager enabling it to also	
	double up for design and exercise creation, there should be an option to	
	enable other positions perform the function.	
	System should also enable the position to be used as a standard pilot position	
	when required.	
	The position should be equipped with a PC mouse and two screens.	
	The system should allow for operator to choose appropriate functions	
	Design working position: System should allow for design of exercise scenario at any time during session.	
	Technical Supervisor Working Position: This position supports system	
	configuration modification and technical supervision and should also be used	
	as a standard pilot position if required and shall be equipped with server, PC	
	and a mouse.	
36.	Air Traffic Controller Function.	
	The system should provide for Procedural Air Traffic Controller Functions	
	complete with information display (simulation status window including time,	
	sector, weather parameters, NAVAIDS, runway configuration, flight plan	
	window, NOTAMS and service messages window, printing functionality, EFS,	
27	VDF, wind speed direction window.	
37.	Surveillance Air Traffic Controller Positions Function.  The system should provide for an executive and the planning controller.	
	The system should provide for an executive and the planning controller position replicating the ATM operational position.	
	The system should provide for data displays specific to sectors and provide	
	for:  a. simulation time,	
	b. status window,	
	c. Display commands toolbar (scales, views, video maps, filters, range	
	measuring vector),	
	Dogo 20 of 20E	<u>i</u>

No	Requirement	Bidders' response
	<ul> <li>d. controller information toolbar,</li> <li>e. Meteorological information,</li> <li>f. EFS and paper strip, data entry facilities and operator functions,</li> <li>g. surveillance (ADS-B, ADS-C, Radar (PSR, SSR) display, configuration and functions,</li> <li>h. Multi and mono-tracking displays.</li> <li>i. Safety nets,</li> <li>j. Maps,</li> <li>k. Views,</li> <li>l. Label display,</li> <li>m. Velocity vector and vector measurement display,</li> <li>n. History, current and predicted position display,</li> <li>o. Range marker display,</li> <li>p. Level filters,</li> <li>q. Target display highlight,</li> <li>r. Surveillance direction finder,</li> <li>s. Flight plan information management,</li> <li>t. AFTN/AMHS messages,</li> <li>u. EFS and controller input</li> <li>v. Data link (CPDLC, ADS-C,) HMI</li> </ul>	
38.	Tower simulator	
	As a minimum, the major simulation capabilities of the equipment to be provided shall include the following:  a. Traffic Generating system  b. Surveillance Data Processors with Mono and Multi Sensor tracking  c. Data Recording and Playback system  d. Air Situation Display (ASD)  e. clearance position  f. Ground Situation Display/ ASMGCS display  g. Voice Communications and Control System (VCCS)  h. Technical Supervisory and monitoring  i. Master Clock System  j. Data Preparation/exercise preparation  k. Strip printers  l. Consoles with ancillary equipment	
39.	3D Aerodrome visualisation system	
	The ATC simulator shall be able to support ATC training at least in the following skills:  a. Situational awareness b. Traffic analysis and planning c. Communications d. Coordination and transfer of control e. Workload management f. Self management g. Separation and conflict resolution h. Management of unusual situation i. Strip marking and board management	

No	Req	uirement	Bidders' response
40.	The	simulator shall provide the following features as a minimum:	-
	a.	Ability to accurately simulate Aerodrome (Tower) and Ground control	
		procedures	
	b.	Visual high-resolution 3D ATC Tower simulation including fixed wing	
		aircraft, rotary wing aircraft, UAVs and airport ground vehicles and	
		relevant aviation stakeholders/airside ops characters	
	C.	Various animals, to include flocks of birds, and other wildlife.	
	d.	Accurate aircraft and vehicle performance modelling, which should be	
		customisable with no specific limitations and support BADA plug in.	
	e.	Preparation and planning of ATC training courses	
	f.	Centralised control and monitoring of all modules/sub-systems of the	
	_	simulator	
	g.	Practice of abnormal and emergency situations	
	h.	Integrated voice communications between the controllers and all	
		entities under control (aircraft and vehicles)	
	i.	Recording and playback of all session data fully synchronised with the	
		records of radar, data communications and display systems, including recordings of controller and pseudo pilot displays	
	j.	Presentation and manipulation of metrics data extracted from the	
	J.	simulator	
	k.	Application and analysis of special procedures	
	l.	Reproduction of audio and visual data from simulation exercises	
	m.	Simulation of aircraft emergencies	
	n.	An integrated Approach (APP) and En-route (ACC) radar simulator that	
	'''	uses the same airspace and exercise database which can be activated	
		in line with future requirements	
	0.	Provide instructor note taking and debrief tool	
	p.	Collation of training data to enhance safety and operational efficiency	
	'	through post simulation review of data	
	q.	Application and analysis of special procedures	
	r.	Reproduction of audio and visual data from simulation exercises	
	S.	Simulation of aircraft emergencies	
	t.	The simulator shall be able to run individual training exercises	
		simultaneously, and it shall have the capability to run integrated	
		simulation scenarios involving all elements in one simulation scenario.	
	u.	The system shall, through an easy-to-use HMI, have the capability to	
		prepare and manage all the data required for the exercise simulations,	
		including all environment data.	
	٧.	The simulator shall be delivered with a comprehensive library of	
		aircraft and ground vehicle 3D models. KCAA staff shall be empowered	
		to create new 3D models for use in the simulator.	
	W.	The simulator shall be delivered with a comprehensive aircraft	
		performance database including airborne and ground performance	
		data. KCAA staff shall be empowered to add new aircraft/vehicle types	
		and modify all elements of any performance data, and delete obsolete	
		performance data and types from the database without support of the tenderer.	
	х.	Simulator shall be able to simulate aerodrome visual signals (signalling	
		lamp).	
l	1		

No	Requirement	Bidders' response
	Software Features	
41.	The ATC simulator shall provide a visual terrain model representative of real-world line of sight, to the furthest discernible horizon object or terrain. As a minimum, the terrain map shall cover a 25 NM line of sight distance from the tower, in any direction.	
42.	The simulator shall be delivered with a 3D Model Editing workstation that shall allow KCAA staff to build these airports as well as modify the models when required	
43.	All lighting on taxiways and runways at the provided airports shall be drawn and represented with their maximum light intensity, resembling the actual lighting systems. It shall also be possible to adjust the light intensity to any level between 0% and 100% of the maximum light intensity.	
44.	The ATC simulator shall support animated features for rotating radars	
45.	The ATC simulator shall support more than one windsock, with the movement affected by the wind	
46.	The ATC simulator shall have realistic and detailed ground surface textures.	
47.	The ATC simulator shall allow for the evaluation of operational procedures and the development of exercises together with aerodrome control.	
48.	The ATC simulator visualisation and the simulator configuration shall be based upon the relative location and height of the ATC tower to aircraft movement areas (runways, taxiways, aprons, and other areas where aircraft movements occur) selected airports. It shall provide an accurate replication in high resolution of the environment and topography with the controllers' familiar reference points observed from the tower at nominal eye level.	
49.	The ATC simulator shall include a dynamic weather and environmental display where changes are realistically applied as required in the training scenarios. The effects shall include but not be limited to:  a. day and night operations with realistic depiction of the sunlight and lit objects (shadowing), stars and moon positions  b. Visual/instrument meteorological conditions	
50.	The ATC simulator shall allow the ability to switch on phenomena like rain, sleet, snow, fog, haze and to select the cloud type and layers for the out-the-window view. Weather effects shall be capable of being turned on/off manually or created as timed events during a simulation scenario to provide true dynamic weather reflecting all aspects of how weather builds and dissipates.	
51.	The ATC simulator shall be able to show the aircraft on the airport manoeuvring area and on approach and departure procedures up to a distance of 25 NM	
52.	Configurable scale factors on an aircraft size basis that increase over distance to ensures that aircraft at all distances up to 10NM present a realistic representation on the display	
53.	The ATC simulator shall be able to handle all normal airport procedures and special operations including:	
	<ul> <li>a. push-back, including a push/pull capability</li> <li>b. aircraft towing</li> <li>c. flight path changes</li> <li>d. missed approaches</li> <li>e. Aircraft in the aerodrome circuit</li> <li>f. runway changes</li> <li>g. touch-and-go</li> <li>h. stop-and-go</li> </ul>	

No	Requirement	Bidders' response
	<ul> <li>i. stop on runway</li> <li>j. Immediate departures</li> <li>k. low approach at selectable heights</li> <li>l. aborted take-off</li> <li>m. backtrack</li> <li>n. runway exit</li> <li>o. line-up changes</li> <li>p. short-field take-off</li> <li>q. helicopter departure and landing anywhere within the airport perimeter</li> <li>r. automated Helipad arrivals and departures</li> <li>s. Formations departures and arrivals</li> </ul>	
54.	The ATC simulator shall have the capability to be programmable to accommodate different airport configurations which can be used in both individual airport training scenarios and multiple airport training scenarios within the same exercise.	
55.	The ATC simulator shall support the following detailed 3D visualisation requirements:  a. Visualisation of an airport (runway/taxiway area, buildings, boarding gates, other installations, landscape around the airport, etc.)  b. Real time movement of the selected elements including, but not limited to, fixed wing, helicopter, UAV, vehicle traffic, pedestrians and other characters  c. It shall be possible to display history tracks on the 3D image for vehicles, arrival aircraft and departure aircraft in the pseudo-pilot positions  d. History tracks in the 3D scene shall be multi-coloured based on arrival/departure/vehicle  e. It shall be possible to overlay labels in the 3D image for vehicles, arrival aircraft and departure aircraft. Each label shall display callsign, aircraft type, current position and SID/STAR  f. The system shall support the following dynamic environmental effects (animated):  1) Cloud formations/ types  i. Cloud types shall include: Cumulus, Stratus, Cirrostratus, Cirrus, Altocumulus, Altostratus, Nimbostratus, Stratocumulus, Cumulonimbus among others  ii. cloud layers, cloud bases and cloud cover (sky clear, few, scattered, broken, overcast)  iii. cloud movement according to wind direction and speed iv. clouds casting shadows on the ground  v. sheet and fork lightning illuminated the clouds  2) Effect of wind speed and direction on the behaviour of aircraft including unstable approaches and crabbing due to wind  3) Thunderstorms, Sandstorms, Conical storms, such as dust-devils  4) Rain, Water accumulation on the ground and associated splash effects for aircraft taking off / landing, Snow, Snow accumulation on the ground, Snow clearing by snow clearing vehicles  5) Smoke, Ground Fog and moving fog banks, Haze  6) Moving weather front systems with associated fork and sheet lightning effects  7) Thunder sound effects  8) Night-time with realistic moon and star representations	

No	Requirement	Bidders'
	9) Transition day-night and night-day with smooth light transition 10) Visibility conditions affected by weather conditions 11) Illumination in accordance with environmental conditions 12) Programmable levels of visibility ranging from clear to zero 13) Simulated signalling lamp 14) UAVs including commercial drone activity 15) Shadows for aircraft and buildings shall be accurately created and realistic based on the position of the sun 16) Support background airport ground traffic to enhance the realism of the scene.  g. Illumination:  1) All the lighting and airfield lighting systems that an aerodrome should have for its installations including: runways, approach, obstacles, taxiways, airport beacon, stop lights, lit windsock 2) All lights displayed by an aircraft or vehicles  h. Special Animated Effects: i. Movement of the landing gear and failure of individual landing gear elements ii. Aircraft models have rotating nose wheels so that they do not appear to 'slide' around corners iii. Fire and Smoke from aircraft including engines, fuselage and landing gear iv. Fire/smoke on aerodrome surfaces or buildings v. Pools of water and other contaminants on the runway vi. Realistic helicopter rotor start and stop animation vii. Characteristic movements of the aircraft in flight viii. Realistic helicopter movements e.g. nose down when accelerating and nose up when decelerating ix. Collision between aircraft and between aircraft and obstructions x. Aircraft engine fires and explosion xi. Realistic fire truck extinguish function with water and foam xii. Tyre smoke when touching down in dry conditions and spray effect when taking off xiv. Simulate moving targets, including people, animated birds or flocks of birds and others.	response
56.	The ATC simulator shall support aircraft emergencies including:  a. Engine failure, with the ability to fail specific engines and display smoke, fire and explosions from the engines  b. Undercarriage failure, with individual elements being able to be failed Up or Down and to add fire and/or smoke effects  c. Runway incursion/excursion  d. Radio communication failure (RCF)	
57.	3D Visual Display  The 3D Visual Display shall be 360° 3D view with the ability to rotate the view via a trackball, mouse, or other device.	
58.	The 3D Visual Display shall allow the eyepoint to be moved dynamically to any point in space at any time.	

No	Requirement	Bidders' response
59.	When the eye point is moved dynamically or via scripts and events, or assigned to a moving vehicle there shall be no change to the look and feel of the surrounding terrain and airport buildings 3D models and textures.	Теэропэс
60.	The 3D Visual Display shall be capable of whole earth rendering.	
61.	The 3D Visual Display shall allow an unlimited number of airfield models to be present in the single earth model, and the user should be able to move the eyepoint to any airfield dynamically or via scripts, in real time during a scenario.	
62.	As a minimum, the Supplier shall provide a simulator that has the following working positions:  a. one (1) Tower Controller working position b. one (1) Ground Controller working position c. one (1) Clearance delivery working position d. one (1) Supervisor working position e. six (6) Pseudo Pilot working positions f. 1 x System Manager working position g. 1 x Data Preparation (including 3D modification and creation) working position h. Accompanying VCCS positions i. ATC consoles and pseudo pilot/supervisor consoles shall be provided in the tender.	
	Other functions for the simulator to include:	
63.	Provision of information on sequencing tools (AMAN/DMAN) in an integrated	
05.	platform.	
64.	Configuration of each working position to be as tactical, planner or feeder position for either controlling en-route, area or approach (terminal area) traffic.	
65.	Customization of simulator to create different operating environmental conditions.	
66.	Provision of automatic or manual warning or information messages to pseudo-pilot	
67.	Capability to include in simulator all APP and ACC procedures, STARs, SIDs, change route, Holding, EAT, etc.	
68.	Allow for automatic pseudo pilot commands for aircrafts unless pseudo pilot overrides the commands.	
	Simulator system shall also be able to accommodate the following functions:	
69.	Intuitive exercise development.	
70.	Real-time display of newly created exercises.	
71.	Automatic evaluation of student workload during exercises	
72.	Creation of temporary airspace training scenario.	
73.	Definition of FDPS rules, strips format.	
74.	Combination of positions (control or pseudo-pilot) to form multi-sector exercises with hand-over and coordination functions.	
75.	Sector boundaries definitions as either horizontally or vertically with other adjacent sectors.	
76.	Provide tools to manage datasets imported from the ATC system and enable management of database, this will enable simulation of a traffic scenario.	
77.	Simulate civil airspace integration of RPAS in controlled and non-segregated airspace.	
78.	Simulate different scenarios such as a loss of data link, engine failures and communication failures to evaluate procedures	

No	Requirement	Bidders' response
79.	<b>Technical supervision:</b> to monitor and supervise simulator system and	
	functions and provide for Simulator Data base management platform.	
	Voice Communication and Control System (VCCS) Simulator Requirements	
80.	The tenderer shall provide, install and test a VCCS, computer based, and	
00.	fully digital (VoIP), and that integrates all communications within the	
	Simulator Systems.	
81.	The VCCS shall be supplied with customised VCCS panels that simulate	
	features of an operational system.	
82.	The VCCS shall simulate the use of at least ten (10) different frequencies for	
	the voice communications between controller, instructor and pseudo pilot	
	positions. These frequencies shall be configurable as part of exercise data	
02	preparation.	
83.	The VCCS panel shall provide Receive (Rx) and Transmit (Tx) buttons for each frequency	
84.	The VCCS shall play an audible RT squeal when the transmitting frequency	
04.	is blocked	
85.	The VCCS shall simulate the use of telephone lines for the voice	
	communication between controller and pseudo pilot positions. It shall be	
	possible for the pseudo pilots to play the role of external parties like fire	
	station, police among others. The telephone communication lines shall be	
	configurable as part of exercise data preparation.	
86.	The VCCS panel shall provide multiple pages, with direct access buttons for	
	controllers to make simulated telephone calls to external parties and	
07	agencies played by pseudo pilots.	
87.	The VCCS panel shall be able to display at least 25 telephone buttons per page.	
88.	The VCCS panel shall provide a dial pad to allow users to dial a simulated	
00.	telephone number directly, instead of using the direct access buttons	
89.	The VCCS shall allow for telephone coordination between controllers and	
	adjacent Units.	
90.	The VCCS shall have a crash alarm.	
91.	The VCCS shall enable the connection for parallel listening for the instructor	
	headset on each controller position	
92.	The VCCS shall allow the instructor to override the student on-frequency	
93.	The VCCS shall allow for discreet communications between an instructor and	
04	a pseudo pilot.	
94.	The VCCS shall support standard ethernet-based voice communication protocols.	
95.	The VCS panel shall allow the user to adjust the sound volume for master	
55.	volume and ringing volume.	
96.	The VCCS shall support conference calls.	
97.	The VCCS shall support noise effects overlay on a single frequencies or	
	multiple frequency at a configurable volume.	
98.	The VCCS shall support putting a call on hold.	
99.	The VCCS shall support a call queue and caller ID.	
100.	The VCCS shall support cross-coupling of frequencies.	
101.	The VCCS editor shall allow the user to apply different skins to the VCCS	
102	panels to quickly modify the look and feel of the panels.	
102.	The VCCS editor shall allow the user to define the layout of the direct access	
103.	buttons for each position  VCCS shall be provided with speakers for each position	
105.	1 vees shall be provided with speakers for each position	

No	Requirement	Bidders' response
104.	It shall be possible to record least six (6) hours of voice communications within an exercise.	•
105.	During the playback of exercises, the voice and video shall be played back in a synchronised manner.	
106.	As a minimum, the tenderer shall supply an equivalent number of headsets and handsets as spares for the controllers	
	Modeling	
107.	The bidder shall model two airports in Kenya, namely; Jomo Kenyatta International Airport and Wilson Airport	
108.	The user will be enabled to switch between the two airports during running of exercises in the simulator	
109.	The bidder will supply a modeling system	
110.	The Data Preparation position shall be developed from a commercial database to allow creation and modification of all information stored as:  i. Radar parameters ii. Variable System Parameters iii. Airport data iv. Notification Points v. Geographic Maps vi. Routes	
111.	KCAA staff shall be empowered to modify aspects of the airport layout and infrastructure which effect the piloting capability and 3D scene without prior approval from the tenderer. The aspects for modification must be made within an airport editing tool delivered as part of the simulator installation and shall include:  i. Runways ii. Taxiways iii. Helipads iv. Aprons v. Rapid exit taxiways vi. Taxi Stands vii. Nose-in-Stands viii. Multiple touchdown points, per-wake vortex category, per runway ix. Runway thresholds x. Holding points xi. Stop bars xii. Vehicle routes xiii. Width restrictions xiv. Ground fixes	
	Hardware/Software/Architecture	
112.	Dual servers (Hot standby)- Air Traffic Generating system, VCCS, Recording and Playback system and any other critical system connected directly to clients	
113.	Workstations	
114.	360º degrees cylindrical LCD display	
115.	Session managers	
116.	Redundant (Duplicated) LAN.	
117.	Printers.	
118.	Equipment cabinets: server cabinet (cabinet / rack) shall include ventilation, KVM console and accessories	
119.	Operating System	
120.	Application Software	
121.	Antivirus software for servers and workstations	
122.	All the necessary cables, cable trays and accessories	

Technology Upgrade  124. The bidder shall provide the latest version of software, hardware and associated documentation at no extra cost if newer technology or developments have occurred within the warranty period  125. The bidder shall provide the latest version of software, hardware and associated documentation at no extra cost if newer technology or developments have occurred within the warranty period  126. The bidder will commit to deliver the documentation corresponding to the technical upgrades carried out to the equipment, during the useful life of the equipment/system.  ATC Standards  126. All designs, materials, manufacturing techniques and workmanship shall be in accordance with the highest accepted international standards for this type of equipment.  127. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy  ii. Firewall policy  iii. Password policy  iii. Passwor	No	Requirement	Bidders'
system operate optimally (bidder to provide a list where applicable)  Technology Upgrade  124. The bidder shall provide the latest version of software, hardware and associated documentation at no extra cost if newer technology or developments have occurred within the warranty period  125. The bidder will commit to deliver the documentation corresponding to the technical upgrades carried out to the equipment, during the useful life of the equipment/system.  ATC Standards  126. All designs, materials, manufacturing techniques and workmanship shall be in accordance with the highest accepted international standards for this type of equipment.  127. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9822.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy  ii. Firewall policy  iii. Password policy  iii.	122	All other components, not explicitly mentioned herein, that would make the	response
Technology Upgrade The bidder shall provide the latest version of software, hardware and associated documentation at no extra cost if newer technology or developments have occurred within the warranty period  125. The bidder will commit to deliver the documentation corresponding to the technical upgrades carried out to the equipment, during the useful life of the equipment/system.  ATC Standards  126. All designs, materials, manufacturing techniques and workmanship shall be in accordance with the highest accepted international standards for this type of equipment.  127. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy  ii. Firewall policy  iii. Password policy  iv. Operating system update and patch process.  v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least least 24"  133. Airfield lighting and control display  Approach  140. Three (3) CWPs. Display should be at least least least least experiment with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least least 24"  142. Session manag	125.		
124. The bidder shall provide the latest version of software, hardware and associated documentation at no extra cost if newer technology or developments have occurred within the warranty period  125. The bidder will commit to deliver the documentation corresponding to the technical upgrades carried out to the equipment, during the useful life of the equipment/system.  ATC Standards  126. All designs, materials, manufacturing techniques and workmanship shall be in accordance with the highest accepted international standards for this type of equipment.  127. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9822.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy  ii. Password policy  iii. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) Strip printers  139. Signaling lamp  Approach  140. Three General Approach  141. Six (6) Pseudo pilot positions. The displays shall be at least least			
developments have occurred within the warranty period  The bidder will commit to deliver the documentation corresponding to the technical upgrades carried out to the equipment, during the useful life of the equipment/system.  ATC Standards  126. All designs, materials, manufacturing techniques and workmanship shall be in accordance with the highest accepted international standards for this type of equipment.  127. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9822.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  The system should be the latest in the market during the time of delivery security. Including complying with:  i. Anti-Virus policy  iii. Password policy  iv. Operating system update and patch process.  v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  133. Airfield lighting and control display  34. Navigation aid monitoring display  135. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" three of the position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  247 for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used prima	124.		
125. The bidder will commit to deliver the documentation corresponding to the technical upgrades carried out to the equipment, during the useful life of the equipment/system.  ATC Standards  126. All designs, materials, manufacturing techniques and workmanship shall be in accordance with the highest accepted international standards for this type of equipment.  127. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy  ii. Firewall policy  iii. Password policy  iii. Password policy  iii. Password policy  iii. Password policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) Strip printers  139. Signaling lamp  Approach  40. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used p		associated documentation at no extra cost if newer technology or	
technical upgrades carried out to the equipment, during the useful life of the equipment/system.  ATC Standards  126. All designs, materials, manufacturing techniques and workmanship shall be in accordance with the highest accepted international standards for this type of equipment.  127. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 982.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy  ii. Firewall policy  iii. Password policy  iv. Operating system update and patch process.  v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least east 24"  132. Session manager. The displays shall be at least least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  1360 3D LCD display  137. 360° 3D LCD display  138. Three (3) Strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" or EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.			
equipment/system.  ATC Standards  126. All designs, materials, manufacturing techniques and workmanship shall be in accordance with the highest accepted international standards for this type of equipment.  127. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy  iii. Password policy  iv. Operating system update and patch process.  v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Three (3) CVPs circuments of the display shall be at least least 24"  137. 360 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" East 24	125.	i i	
126. All designs, materials, manufacturing techniques and workmanship shall be in accordance with the highest accepted international standards for this type of equipment.  127. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy ii. Firewall policy iii. Password policy iv. Operating system update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Three (3) Strip printers  137. 360° 3D LCD display  138. Three (3) Strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 24" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least least least 24"  142. Session manager. The displays shall be at least least least 24			
126. All designs, materials, manufacturing techniques and workmanship shall be in accordance with the highest accepted international standards for this type of equipment.  127. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy  iii. Password policy  iii. Password policy  iii. Password policy  iii. Password policy  iv. Operating system update and patch process.  v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Three (3) LCD display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFF will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displa			
in accordance with the highest accepted international standards for this type of equipment.  127. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy ii. Firewall policy iii. Password policy iv. Operating system update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" or EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS	126		
of equipment.  Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  The system should be the latest in the market during the time of delivery  The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy  iii. Password policy  iii. Password policy  iii. Password policy  iv. Operating system update and patch process.  v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  140. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  151. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  152. Session manager. The displays shall be at least least 24"  153. Alfore EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack	120.		
127. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy ii. Firewall policy iii. Password policy iv. Operating system update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  Navigation aid monitoring display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS		,	
exceed requirements of the following documents:  All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  The system should be the latest in the market during the time of delivery  The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy iii. Password policy iii. System update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360°3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" of EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS	127.		
All applicable ICAO Annexes  The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified  All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  The system should be the latest in the market during the time of delivery  The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy iii. Parsword policy iii. Parsword policy iii. Password policy iv. Operating system update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Metorological information display  136. Ten (10) VCCS sets or as applicable  137. 360°3D LCD display  138. Three (3) Strip printers  139. Signalling lamp  Approach  Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" can control shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  143. All consoles are fitted with VCCS	,		
Certified All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882. The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  The tender shall ensure the system complies with best practice cyber security. Including complying with:			
All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy ii. Firewall policy iii. Password policy iv. Operating system update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS		The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent	
ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882.  The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy ii. Firewall policy iii. Password policy iii. Password policy iv. Operating system update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable 137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS			
DOC 9882. The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:			
The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.  128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy ii. Firewall policy iii. Password policy iv. Operating system update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs 3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS		· · · · · · · · · · · · · · · · · · ·	
whole, or any specific part, of the equipment complies.  The system should be the latest in the market during the time of delivery  The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy  ii. Firewall policy  iii. Password policy  iv. Operating system update and patch process.  v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS			
128. The system should be the latest in the market during the time of delivery  129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy ii. Firewall policy iii. Password policy iiv. Operating system update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360°3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS		i i i i i i i i i i i i i i i i i i i	
129. The tender shall ensure the system complies with best practice cyber security. Including complying with:  i. Anti-Virus policy ii. Firewall policy iii. Password policy iv. Operating system update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs 3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS	128		
security. Including complying with:  i. Anti-Virus policy  ii. Firewall policy  iii. Password policy  iv. Operating system update and patch process.  v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS	-		
i. Anti-Virus policy ii. Firewall policy iii. Password policy iv. Operating system update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs 3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS	123.		
ii. Firewall policy iii. Password policy iv. Operating system update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS		, , , , , ,	
iv. Operating system update and patch process. v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS		· · ·	
v. Removable media policy  Description of Operational Requirements for CWPs  3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS		• •	
Description of Operational Requirements for CWPs 3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS			
3D tower:  130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS			
130. Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS			
situation display and EFS display. The displays shall be at least least 24"  131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  132. Session manager. The displays shall be at least least 24"  133. Airfield lighting and control display  134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS	120		
<ul> <li>131. Six (6) Pseudo pilot positions. The displays shall be at least least 24"</li> <li>132. Session manager. The displays shall be at least least 24"</li> <li>133. Airfield lighting and control display</li> <li>134. Navigation aid monitoring display</li> <li>135. Meteorological information display</li> <li>136. Ten (10) VCCS sets or as applicable</li> <li>137. 360° 3D LCD display</li> <li>138. Three (3) strip printers</li> <li>139. Signaling lamp</li> <li>Approach</li> <li>140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.</li> <li>141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"</li> <li>142. Session manager. The displays shall be at least least 24"</li> <li>143. All consoles are fitted with VCCS</li> </ul>	130.		
<ul> <li>132. Session manager. The displays shall be at least least 24"</li> <li>133. Airfield lighting and control display</li> <li>134. Navigation aid monitoring display</li> <li>135. Meteorological information display</li> <li>136. Ten (10) VCCS sets or as applicable</li> <li>137. 360° 3D LCD display</li> <li>138. Three (3) strip printers</li> <li>139. Signaling lamp</li> <li>Approach</li> <li>140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.</li> <li>141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"</li> <li>142. Session manager. The displays shall be at least least 24"</li> <li>143. All consoles are fitted with VCCS</li> </ul>	131		
<ul> <li>133. Airfield lighting and control display</li> <li>134. Navigation aid monitoring display</li> <li>135. Meteorological information display</li> <li>136. Ten (10) VCCS sets or as applicable</li> <li>137. 360° 3D LCD display</li> <li>138. Three (3) strip printers</li> <li>139. Signaling lamp <ul> <li>Approach</li> </ul> </li> <li>140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.</li> <li>141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"</li> <li>142. Session manager. The displays shall be at least least 24"</li> <li>143. All consoles are fitted with VCCS</li> </ul>			
134. Navigation aid monitoring display  135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS			
135. Meteorological information display  136. Ten (10) VCCS sets or as applicable  137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32″ for ASD display and at least 24″ for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24″  142. Session manager. The displays shall be at least least 24″  143. All consoles are fitted with VCCS			
137. 360° 3D LCD display  138. Three (3) strip printers  139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32″ for ASD display and at least 24″ for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24″  142. Session manager. The displays shall be at least least 24″  143. All consoles are fitted with VCCS			
<ul> <li>138. Three (3) strip printers</li> <li>139. Signaling lamp</li> <li>Approach</li> <li>140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.</li> <li>141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"</li> <li>142. Session manager. The displays shall be at least least 24"</li> <li>143. All consoles are fitted with VCCS</li> </ul>			
139. Signaling lamp  Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS			
Approach  140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS			
<ul> <li>140. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.</li> <li>141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"</li> <li>142. Session manager. The displays shall be at least least 24"</li> <li>143. All consoles are fitted with VCCS</li> </ul>	139.		
24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS	140		
Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS	140.		
primarily with paper strip as backup.  141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"  142. Session manager. The displays shall be at least least 24"  143. All consoles are fitted with VCCS		· ·	
<ul> <li>141. Six (6) Pseudo pilot positions. The displays shall be at least least 24"</li> <li>142. Session manager. The displays shall be at least least 24"</li> <li>143. All consoles are fitted with VCCS</li> </ul>			
<ul><li>142. Session manager. The displays shall be at least least 24"</li><li>143. All consoles are fitted with VCCS</li></ul>	141.		
143. All consoles are fitted with VCCS			
Enroute			
		Enroute	

No	Requirement	Bidders' response
144.	Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.	
145.	Six (6) Pseudo pilot positions. The displays shall be at least least 24"	
146.	Session manager. The displays shall be at least least 24"	
147.	All consoles are fitted with VCCS	
	Control and monitoring	
148.	Two exercise preparion	
149.	Technical supervisor	
150.		
151.	Colour printer	
	Auxiliary Systems and Facilities	
152.	The bidder shall supply, deliver, install and commission auxiliary systems comprising air conditioning, power supply and distribution equipment;  i. The Air Conditioning System of <b>24,000BTU/HR</b> shall be supplied ten (10) in number  ii. The AC system shall be supported by the building regulated MAINS or	
	Standby Generator system but not tied into the UPS;  iii. The proposed UPS and air conditioning system shall be field-proven renowned brands that have local authorized and qualified firms to ensure expeditious supply of spare parts and effective service and	
	maintenance;  iv. Air conditioning to provide adequate cooling shall be ensured for equipment/server room, tower, approach, area technical room rooms taking account of human factors vis-à-vis equipment cooling	
	requirements; v. Operational Parameters: The mechanical system shall be capable of achieving the following: 1. Temperature: 15°C to 25°C; 2. Relative Humidity: 45% to 55%;	
	All other specification are provided in the technical specifications section.	
153.	The bidder shall undertake civil works for the rooms occupied by the simulator to make them conducive. These will include and not limited to tiling, painting, trunking, curtains, ceiling, lighting	
154.	The bidder shall supply applicable furniture including ergonomic chairs, magnetic portable flip chart stand	
155.	The rooms for the installation of the simulator are currently being occupied by another simulator which will be decommissioned. The bidder shall uninstall the current simulator and prepare the rooms for the installation of the new simulator	
156.	The bidder shall supply three sets of telecommunication tool kits	
157.		
158.	MAINS electrical power will be tapped from the building's main power distribution board through protective accessories of an Isolator and Miniature Circuit Breakers (MCBs) to the UPS input terminals;	
159.	Protection of the power supply units and all equipment from short-circuit faults will be ensured by proper earthing and grounding connections. The signal ground shall be connected to the building ground;	
160.	The Bidder shall propose any other necessary accessory, requirement or procedure that will ensure adequate and proper operating environment for	

No	Requirement	Bidders' response
	sensitive microprocessor-based equipment recommended by ICAO or other standards organizations for ATM systems;	
161.	The bidder shall include in the proposal all other necessary accessories required to install the equipment to operational status which will include but not limited to cables, circuit breakers, fuses, relays etc.	
	TRAINING:	
162.	The bidder shall provide a training plan and course syllabus for approval by KCAA covering training for technical and operational staff for the ATC simulator	
163.	There shall be a factory training course(s) that will be held before FAT and on-site training for personnel to be conducted on site before SAT.	
164.	Factory training The maximum number of participants for both technical and operational factory training are eight (8) where 4 will be Engineering staff and 4 ATC Personnel. Out of the eight, two (2) will remain to perform FAT and will be joined by one (1) management representative. Factory Training shall be conducted for 15 working days and the FAT shall be conducted for 5 working days.	
165.	Site training	
	<ul> <li>i. Prior to the commissioning of the system, site training shall be conducted for maintenance and operations personnel for ten (10) working days.</li> <li>ii. The participants for both technical and operational site training shall be</li> </ul>	
166.	at least ten (10) ATC and ten (10) Engineering personnel.	
100.	<ul> <li>i. The level of training for technical personnel required should be as comprehensive and relevant to enable trainees to competently operate the system and resolve faults by following the correct chronology, adequate methods and analyse the system.</li> <li>ii. They should also be able to resolve complex faults and minor modifications under Factory guidance.</li> <li>iii. Training should include, among others, all the areas as indicated in the technical specifications.</li> </ul>	
167.	Factory Acceptance Testing (FAT)  FAT shall be carried out at contractor's premises/factory in the country of origin. The FAT shall be immediately after the factory training as indicated in the technical specifications.	
168.	Site Acceptance Tests (SAT)	
	All components of the system shall be tested during SAT. A Test Record shall be completed. Every recording, listing, print out created during the SAT shall be added to the test report as evidence as detailed in the technical specifications section	
	Spare Parts	
169.	<ul> <li>i. The spares to be supplied shall be of the same quality as the originally installed parts, and equipment</li> <li>ii. The spares shall be tested in factory before shipment on site.</li> <li>iii. Tenderer shall guarantee the ability to furnish spare parts or to repair the equipment under offer for a period of at least ten (10) years after end of warranty.</li> <li>iv. The tenderer shall provide a list of critical spares to be supplied with</li> </ul>	
	the equipment. The cost of these spares SHOULD be included in the bid price. The spares shall include as a minimum; VCCS server spare, eight (8) workstation set, spares for visual generation displays, session manager etc	

No	Requirement			
	v. Provide a list of the spares indicating the cost of each. The cost is to be firm for five years and SHOULD NOT be included in the bid price.			
170.	Documentation  1. The documentation shall:  a. Be written in English language, b. Present information in a clear and logical manner, c. Contain drawings, d. Contain glossaries and abbreviations.  2. All documentation shall be delivered both in printed form and as computer readable files.  3. The documentation shall consist at least of the following parts: a. System specifications documentation b. Interface control documentation c. Operator handbook documentation d. Installation documentation – for both hardware and software. e. Maintenance documentation f. Project Management Plan – describing the implementation of the project alongside the schedule of works and services. g. Risk Management Plan – describing potential risk during implementation of the project and how to mitigate. h. Transition Plan – describes transition from current system to the new one. i. Training Plan j. Safety Management Plan which shall include functional hazard assessment, preliminary system assessment, system safety assessment and safety case. k. Test Documentation which shall include test plan, test design, test procedure, test cases and test reports for FAT and SAT. l. System Design Documentation m. One – off of all applicable licenses  4. The contractor shall supply the documentation for the simulator, as follows: a. Three (3) paper copy set b. Three (3) paper copy set b. Three (3) peper copy set b. Three (3) peper copy set copy on CD in commercial format (Word, Excel, PDF etc.)  5. The Contractor shall provide complete information on the electrical interconnections at the equipment level distribution. 6. The technical manuals shall cover, as a minimum, the following subjects were applicable: i. Theory of operation including, block diagrams, schematic drawings. ii. Installation procedures including all electrical cabling and interconnections. iii. Maintenance and troubleshooting procedures. iv. List of spares with part numbers so that future replacement of any particular component can be quickly achieved. v. All manuals shall be curr			
	applicable up to date of delivery.  The supplier shall deliver operating system, applications and database software with licenses.			

No	Requirement	Bidders' response
	Warranty and Post Warranty	_
171.	<ul> <li>i. The warranty period will be three (3) years after successful commissioning of the system. Commissioning here means putting into operation the relevant component of the supplied system at EASA.</li> <li>ii. The contractor shall replace or repair any item that fails during the warranty period at no additional cost to KCAA. ALL the costs of such components, including transportation, duties and taxes shall be borne by the contractor.</li> <li>iii. Any item that fails during the warranty period shall have a turnaround period of not more than sixty (60) days.</li> <li>iv. The contractor shall give a commitment in writing, that all system components (as spare parts) shall be available 10 years after the end of the warranty period.</li> </ul>	
172.	The contractor shall submit a proposal for the system support and maintenance in the installed systems for a period of 5 years after expiry of the warranty. The cost of the maintenance shall not be part of the bid price and may be considered after the warranty period. KCAA is however not bound to accept the proposal.  REMARKS	

#### **FINANCIAL EVALUATION**

#### The financial evaluation will be done as per the notes indicated below.

The Authority will consider the price, carry out negotiations and if successful make recommendations for award of contract.

## **Due diligence:**

KCAA may carry out a due diligence after tender evaluation process and before award of tender which may include but not limited to:

- Interviewing technical staff
- Verification of company premises
- Visiting or contacting referee's sites
- Verification of performance of the simulator at refereed sites
- Demonstration of the proposed system at a site to be agreed

#### **GENERAL NOTES ON FINANCIAL EVALUATION**

Upon completion of the technical evaluation the evaluation committee shall conduct a financial evaluation and comparison to determine the evaluated price of each tender.

The evaluated price for each bid shall be determined by: - a taking the bid price in the tender form; b taking into account any minor deviation from the requirements accepted by a procuring entity c where applicable, converting all tenders to the same currency, using the Central Bank of Kenya exchange rate prevailing at the tender opening date; d applying any margin of preference indicated in the tender document.

**Note**: Any errors in the submitted tender arising from a miscalculation of unit price, quantity, subtotal and total bid price shall be considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive.

#### Ranking of Tenders

Tenders shall be ranked according to their evaluated price and the successful tender shall be the lowest evaluated tender

#### Post qualification and Contract award (ITT 39), more specifically,

- a) In case the tender <u>was subject to post-qualification</u>, the contract shall be awarded to the lowest evaluated tenderer, subject to confirmation of prequalification data, if so required.
- b) In case the tender <u>was not subject to post-qualification</u>, the tender that has been determined to be the lowest evaluated tenderer shall be considered for contract award, subject to meeting each of the following conditions.
  - The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow of Kenya Shillings
  - ii) Minimum <u>average</u> annual construction turnover of Kenya Shillings\_\_\_\_*[insert amount]*, equivalent calculated as total certified payments received for contracts in progress and/ or completed within the last\_*[insert of year]* years.
  - iii) At least \_\_\_\_\_\_(insert number) of contract (s) of a similar nature executed within Kenya, or the East African Community or abroad, that have been satisfactorily and substantially completed as a prime contractor, or joint venture member or sub-contractor each of minimum value Kenya shillings \_\_\_\_\_\_equivalent.
  - iv) Contractor's Representative and Key Personnel, which are specified as\_
  - v) Contractors key equipment listed on the table "Contractor's Equipment" below and more specifically listed as [specify requirements for each lot as applicable]
  - iv) Other conditions depending on their seriousness.

#### a) **History of non-performing contracts**:

Tenderer and each member of JV in case the Tenderer is a JV, shall demonstrate that Non- performance of a contract did not occur because of the default of the Tenderer, or the member of a JV in the last\_(specify years). The required information shall be furnished in the appropriate form.

#### b) Pending Litigation

Financial position and prospective long-term profitability of the Single Tenderer, and in the case the Tenderer is a JV, of each member of the JV, shall remain sound according to criteria established with respect to Financial Capability under Paragraph (i) above i fall pending litigation will be resolved against the Tenderer. Tenderer shall provide information on pending litigations in the appropriate form.

#### c) Litigation History

There shall be no consistent history of court/ arbitral award decisions against the Tenderer, in the last\_(specify years). All parties to the contract shall furnish the information in the appropriate form about any litigation or arbitration resulting from contracts completed or ongoing under its execution over the years specified. A consistent history of awards against the Tenderer or any member of a JV may result in rejection of the tender.

## i) Life Cycle Costs

[Lifecycle costing should be used when the costs of operation and/ or maintenance over the specified life of the goods or works are estimated to be considerable in comparison with the initial cost and may vary among different Tenders/proposals. It shall be evaluated on a net present value basis. When using lifecycle costing, the Procuring Entity shall specify the following information:]

Since the operating and maintenance costs of the facilities being procured form a major part of the **life cycle cost** of the facilities, these costs will be evaluated according to the principles given here after, including the cost of spare parts for the initial period of operation stated below and based on prices furnished by each Tenderer in Price Schedule Nos. 1 and 2, as well as on past experience of the Procuring Entity or other Procuring Entity's similarly placed. Such costs shall be added to the Tender price for evaluation. The operating and maintenance costs factors for calculation of the life cycle cost are:

- *i*) Number of years for lifecycle: [Insert number of years]
- Operating costs [state how they will be determined] iii) Maintenance costs, including the cost of spare parts for the initial period of operation [state how they will be determined], and iv) Discount rate: [insert discount rate in percent] to be used to discount to

present value all annual future costs calculated under (ii) and (iii) above for the period specified in (i).

The price of recommended spare parts quoted in Price Schedule No.6 shall not be considered for evaluation.

#### (v) Functional Guarantees of the Facilities

The minimum (or maximum) requirements stated in the Specification for functional guarantees required in the Specification are:

Functional Guarantee	Minimum (or Maximum, as appropriate) Requirement
1.	
2.	
3.	

For the purposes of evaluation, for each percentage point that the functional guarantee of the proposed Plant and Installation Services is below the norm specified in the Specification and in the above table, but above the minimum acceptable levels also specified there in, an adjustment

\_\_\_\_\_will be added

to the Tender price. If the drop below the norm or the excess above the minimum acceptable levels is less than one percent, the adjustment will be appropriated accordingly. vi) Work, services, facilities, etc., to be provided by the Procuring Entity.

Where Tenders include the under taking of work or the provision of services or facilities by the Procuring Entity in excess of the provisions allowed for in the Tendering document, the Procuring Entity shall assess the costs of such additional work, services and/or facilities during the duration of the contract. Such costs shall be added to the Tender price for evaluation.

vii) Specific addition criteria The relevant evaluation method, if any, shall be as follows:

Any adjustments in price that result from the above procedures shall be added, for purposes of comparative evaluation only, to arrive at an "Evaluated Tender Price." Tender prices quoted by Tenderers shall remain unaltered.

#### **3** Multiple Contracts (ITT 35.6)

3.1 Multiple contracts will be permitted in accordance with ITT 35.4. Tenderers are evaluated on basis of Lots and the lowest evaluated tenderer identified for each Lot. The Procuring Entity will select one Option of the two Options listed below for award of Contracts.

#### **OPTION1**

- i) If a tenderer wins only one Lot, the tenderer will be awarded a contract for that Lot, provided the tenderer meets the Eligibility and Qualification Criteria for that Lot.
- ii) If a tenderer wins more than one Lot, the tender will be awarded contracts for all won Lots, provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the Lots. The tenderer will be awarded the combination of Lots for which the tenderer qualifies and the others will be considered for award to second lowest the tenderers.

#### **OPTION 2**

The Procuring Entity will consider all possible combinations of won Lots [contract(s)] and determine the combinations with the lowest evaluated price. Tenders will then be awarded to the Tenderer or Tenderers in the combinations provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the won Lots.

#### 9 Personnel

The Tenderer must demonstrate that it will have the personnel for the key positions that meet the following requirements:

No.	Position	Total Work Similar Experience (years)	In Similar Works Experience (years)
1			
2			
3			

The Tenderer shall provide details of the proposed personnel and their experience records in the relevant Forms included in Section IV, Tendering Forms.

#### 10. Equipment

The Tenderer must demonstrate that it will have access to the key Contractor's equipment listed hereafter:

No.	Equipment Type and Characteristics	Minimum Number required
1		
2		
3		

The Tenderer shall provide further details of proposed items of equipment using the relevant Form in Section IV.

#### 11. Subcontractors

Subcontractors/ manufacturers for the following major items of supply or services ('Specialized Subcontractors') must meet the following minimum criteria, here in listed for that item:

Item No.	Description of Item	Minimum Criteria to be met
1		
2		
3		

Failure to comply with this requirement will result in rejection of the subcontractor.

In the case of a Tenderer who offers to supply and install major items of supply under the contract that the Tenderer did not manufacture or otherwise produce, the Tenderer shall provide the manufacturer's authorization, using the form provided in Section IV, showing that the Tenderer has been duly authorized by the manufacturer or producer of the related plant and equipment or component to supply and install that item Kenya. The Tenderer is responsible for ensuring that the manufacturer or producer complies with the requirements of ITT 4 and 5 and meets the minimum criteria listed above for that item.

#### 1. FORM OF TENDER

#### INSTRUCTIONS TO TENDERERS

- i) The Tenderer must prepare this Form of Tender on stationery with its letterhead clearly showing the Tenderer's complete name and business address.
- ii) All italicized text is to help Tenderer in preparing this form.
- iii) Tenderer must complete and sign and TENDERER'S ELIGIBILITY- CONFIDENTIAL BUSINESS QUESTIONNAIRE, CERTIFICATE OF INDEPENDENT TENDER DETERMINATION and the SELF DECLARATION OF THE TENDERER, all attached to this Form of Tender.
- iv) The Form of Tender shall include the following Forms duly completed and signed by the Tenderer.
  - Tenderer's Eligibility-Confidential Business Questionnaire
  - Certificate of Independent Tender Determination
  - Self-Declaration of the Tenderer
  - Date of this Tender submission: [insert date (as day, month and year) of Tender submission]
  - ITT No.: [insert number of ITT process] Alternative No.: [insert identification No if this is a Tender for an alternative]
  - To: [insert complete name of Procuring Entity]
- a) **No reservations:** We have examined and have no reservations to the Tendering document, including Addenda issued in accordance with ITT 8;
- b) **Eligibility:** We meet the eligibility requirements and have no conflict of interest in accordance with ITT 4;
- c) **Tender-Securing Declaration:** We have not been suspended nor declared ineligible by the Procuring Entity based on execution of a Tender Securing Declaration or Proposal-Securing Declaration in Kenya in accordance with ITT 4.7;
- d) **Conformity**: We offer to provide design, supply and installation services in conformity with the Tendering document of the following: [insert a brief description of the Plant, Design, Supply and Installation Services];
- e) **Tender Price:** The total price of our Tender, excluding any discounts offered in item (f) below is: [Insert one of the options below as appropriate]
  - Option1, in case of one lot: Total price is: [insert the total price of the Tender in words and figures, indicating the various amounts and the respective currencies];
  - Or Option 2, in case of multiple lots: (a) Total price of each lot [insert the total price of each lot in words and figures, indicating the various amounts and the respective currencies]; and (b) Total price of all lots (sum of all lots) [insert the total price of all lots in words and figures, indicating the various amounts and the respective currencies];
- f) **Discounts:** The discounts offered and the methodology for their application are:
  - The discounts offered are: [Specify in detail each discount offered.] ii) The exact method of calculations to determine the net price after application of discounts is shown below: [Specify in detail the method that shall be used to apply the discounts];

- g) **Tender Validity Period:** Our Tender shall be valid for the period specified in TDS 19.1 (*as amended if applicable*) from the date fixed for the Tender submission deadline specified in TDS 23.1 (as amended if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- h) **Performance Security:** If our Tender is accepted; we commit to obtain a Performance Security in accordance with the Tendering document;
- i) **One Tender Per Tenderer:** We are not submitting any other Tender (s) as an individual Tenderer, and we are not participating in any other Tender (s) as a Joint Venture member, and meet the requirements of ITT 4.3, other than alternative Tenders submitted in accordance with ITT 13;
- Suspension and Debarment: We, along with any of our subcontractors, suppliers, consultants, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension. Further, we are not ineligible under the Kenya laws or official regulations or pursuant to a decision of the United Nations Security Council;
- k) **State-owned enterprise or institution:** [select the appropriate option and delete the other] [We are not a state- owned enterprise or institution]/ [We are a state-owned enterprise or institution but meet the requirements of ITT 4.6];
- Commissions, gratuities and fees: We have paid, or will pay the following commissions, gratuities, or fees with respect to the Tendering process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity]

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none.")

- m) Binding Contract: We understand that this Tender, together with your written acceptance thereof included in your Form of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- n) Not Bound to Accept: We understand that you are not bound to accept the lowest evaluated cost Tender, the
  - Best Evaluated Tender or any other Tender that you may receive; and
- o) Fraud and Corruption: We hereby certify that we have taken steps to ensure that no person acting for us or on our behalf engages in any type of Fraud and Corruption.
- p) Collusive practices: We hereby certify and confirm that the tender is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the "Certificate of Independent tender Determination" attached below.
- q) Code of Ethical Conduct: We undertake to adhere by the Code of Ethical Conduct for Persons Participating in Public Procurement and Asset Disposal Activities in Kenya, copy available from www.pppra.go.ke during the procurement process and the execution of any resulting contract.
- r) We, the Tenderer, have fully completed and signed the following Forms as part of our Tender:

- *i*) Tenderer's Eligibility; Confidential Business Questionnaire to establish we are not in any conflict to interest.
- *ii)* Certificate of Independent Tender Determination to declare that we completed the tender without colluding with other tenderers.
- iii) Self-Declaration of the Tenderer to declare that we will, if awarded a contract, not engage in any form of fraud and corruption.
- *iv)* declaration and commitment to the code of ethics for Persons Participating in Public Procurement and Asset Disposal Activities in Kenya,
- s) Further, we confirm that we have read and understood the full content and scope of fraud and corruption as informed in **"Appendix 1- Fraud and Corruption**" attached to the Form of Tender.

Name of the Tenderer: \*[insert complete name of person signing the Tender]

Name of the person duly authorized to sign the Tender on behalf of the Tenderer: \*\*[insert complete name of person duly authorized to sign the Tender]

**Title of the person signing the Tender**: [insert complete title of the person signing the Tender]

**Signature of the person named above**: [insert signature of person whose name and capacity are shown above] **Date signed** [insert date of signing] **day of** [insert month], [insert year].

# TENDERER'S ELIGIBILITY - CONFIDENTIAL BUSINESS QUESTIONNAIRE

#### Instruction to Tenderer

Tender is instructed to complete the particulars required in this Form, one form for each entity if Tender is a JV. Tenderer is further reminded that it is an offence to give false information on this Form.

# a) Tenderer's details

	ITEM	DES	SCRIPTION
1	Name of the Procuring Entity		
2	Reference Number of the Tender		
3	Date and Time of Tender Opening		
4	Name of the Tenderer		
5	Full Address and Contact Details of the Tenderer.	1. 2. 3. 4. 5. 6. 7.	Country City Location Building Floor Postal Address Name and email of contact person.
6	Current Trade License Registration Number and Expiring date	, ,	p
7	Name, country and full address ( <i>postal and physical addresses, email, and telephone number</i> ) of Registering Body/Agency		
8	Description of Nature of Business		
9	Maximum value of business which the Tenderer handles.		
10	State if Tenders Company is listed in stock exchange, give name and full address ( <i>postal and physical addresses, email, and telephone number</i> ) of state which stock exchange		

	Genera	l and	Speci	fic I	Deta	ails
--	--------	-------	-------	-------	------	------

b)	Sole Proprietor,	provide the fo	llowing details.	
	Name in full	Age	Nationality_Country of Origin	Citizenship
c)	Partnership, provide the following details.			

	Names of Partners	Nationality	Citizenship	% Shares owned
1				
2				
3				

d) Registered Company, provide the following details.

i) Private or public Company ii) State the nominal and issued capital of the Company: -Nominal Kenya Shillings (Equivalent)

iii) Give details of Directors as follows.

	Names of Director	Nationality	Citizenship	% Shares owned
1				
2				
3				

e)	DISCLOSURE OF	INTEREST-Interest of	the Firm in the	Procuring Entity.
----	---------------	----------------------	-----------------	-------------------

i)	Are there any person/ p	ersons	
	in		(Name of
Procuring En in this firm?	tity) who has/ have an in	terest or relationship	
Yes/No		If ves, provide (	details as follows

	Names of Person	Designation in the Procuring Entity	Interest or Relationship with Tenderer
1			
2			
3			

#### ii) Conflict of interest disclosure

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
1	Tenderer is directly or indirectly controls, is controlled by or is under common control with another tenderer.		
2	Tenderer receives or has received any direct or indirect subsidy from another tenderer.		
3	Tenderer has the same legal representative as another tenderer		
4	Tender has a relationship with another tenderer, directly or through common third parties, that puts it in a position to influence the tender of another tenderer or influence the decisions of the Procuring Entity regarding this tendering process.		
5	Any of the Tenderer's affiliates participated as a consultant in the preparation of the design or technical specifications of the works that are the subject of the tender.		

	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
6	Tenderer would be providing goods, works, nonconsulting services or consulting services during implementation of the contract specified in this Tender Document.		
7	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who are directly or indirectly involved in the preparation		
	Type of Conflict	Disclosure YES OR NO	If YES provide details of the relationship with Tenderer
	of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract.		
8	Tenderer has a close business or family relationship with a professional staff of the Procuring Entity who would be involved in the implementation or supervision of the such Contract.		
9	Has the conflict stemming from such relationship stated in item 7 and 8 above been resolved in a manner acceptable to the Procuring Entity		

	١ .	C -	1:0		1.	
Ť	) /	$\boldsymbol{\rho}$	rtifi	ca	たい	n
1	, (			Lu	uv	,,

On behalf of the Tenderer, I certify that the information given above is complete, current and accurate as at the date of submission.				
Full Name	Title or Designation			
(Signature)	(Date)			

#### CERTIFICATE OF INDEPENDENT TENDER DETERMINATION

I, the under signed, in submitting the accomp	anying Letter of Tender to the	<i>Name</i>
	of	
Procuring Entity] for:[Name and numerous made by: following statements that I certify to be true	<i>[Name of Tenderer]</i> do here by mak	
I certify, on behalf of	[Name of Tenderer] that:	
1. I have read and I understand the conte	ents of this Certificate;	

- 2. I understand that the Tender will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am the authorized representative of the Tenderer with authority to sign this Certificate, and to submit the Tender on behalf of the Tenderer;
- 4. For the purposes of this Certificate and the Tender, I understand that the word "competitor" shall include any individual or organization, other than the Tenderer, whether or not affiliated with the Tenderer, who:
  - a) Has been requested to submit a Tender in response to this request for tenders;
  - b) could potentially submit a tender in response to this request for tenders, based on their qualifications, abilities or experience;
- 5. The Tenderer discloses that [check one of the following, as applicable]:
  - a) The Tenderer has arrived at the Tender independently from, and without consultation, communication, agreement or arrangement with, any competitor;
  - The Tenderer has entered into consultations, communications, agreements or arrangements with one or more competitors regarding this request for tenders, and the Tenderer discloses, in the attached document(s), complete details thereof, including the names of the competitors and the nature of, and reasons for, such consultations, communications, agreements or arrangements;
- 6. In particular, without limiting the generality of paragraphs (5) (a) or (5) (b) above, there has been no consultation, communication, agreement or arrangement with any competitor regarding: a) prices;
  - b) methods, factors or formulas used to calculate prices;
  - c) the intention or decision to submit, or not to submit, a tender; or
  - d) the submission of a tender which does not meet the specifications of the request for Tenders; except as specifically disclosed pursuant to paragraph (5) (b) above;
- 7. In addition, there has been no consultation, communication, agreement or arrangement with any competitor regarding the quality, quantity, specifications or delivery particulars of the works or services to which this request for tenders relates, except as specifically authorized by the procuring authority or as specifically disclosed pursuant to paragraph (5) (b) above;

- 1	Tenderer, dire tender openin	ctly or indirectly, ng, or of the av	to any competi varding of the	tor, prior to th Contract, w	, knowingly discl ne date and time of hichever comes Irsuant to parag	of the officia first, unless
Name agent	e Ti <i>t of</i>	tle	Date	[Name, title o	and signature of	authorized
Tend	lerer and Date	7				

# **SELF DECLARATION FORMS**

# FORM SD1

# SELF DECLARATION THAT THE PERSON /TENDERER IS NOT DEBARRED IN THE MATTER OF THE PUBLIC PROCUREMENT AND ASSET DISPOSAL ACT 2015.

	, of Post Office Box in the Republic of		
	ement as follows: -	do neres,	make a
1. Offic	cer/	tive/ Managing Directo	r/ Principal
	Director of (insert name of	<i>the Company)</i> who is a	Bidder in respect
	of Tender No(insert tender(insert name of the Procuring en competent to make this statement.		ed and
3.	m participating in procurement proceeding under Pa	art IV of the Act.	
Title	e) (Signature)	(Date)	Bidder's

Official Stamp

#### FORM SD2

# SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE.

I,				of P. O.			
Box.				being	a resident of		
		in the	Republic of			do her	eby make a
staten	nent as follow	s: -					
1.	THAT I Officer/			Executive/	Managing	Director/	Principal
	,		(in	sert name of t	he Company) v	who is a Biddei	r in respect
	of Tender No		•		,,,		
		for		insert tender t	ritle/description	<i>)</i> for	
			•			mpetent to ma	
	statement.						
2.	THAT the afo	ore said Bido	der, its serva	ants and/ or a	aents/ subcont	ractors will not	t engage in
					_	pay any indu	
	•		-		•	and/or agents	
		(insert r	name of the	Procuring ent	ity) which is th	e procuring en	tity.
3.	THAT the afo	oresaid Bidd	er, its serva	nts and/ or ac	ents/ subconti	actor shave no	ot offered
	any inducem	ent to any n	nember of t	he Board, Mar	nagement, Staf	f and/ or empl	
	or agents of		(name	of the procuri	ng entity).		
4.					ot engaged in a	any corrosive p	ractice with
	other bidders	s participatir	ng in the sui	bject tender.			
5.	THAT what is and belief.	s deponed to	o here in ab	ove is true to	the best of my	knowledge in	formation
	and belief.						
(Title)			gnature)		(Date)		
		Bidde	r's Official S	Stamp			

DECLARATION AND COMMITMENT TO THE CODE OF ETHICS
I,
<i>n)</i> on behalf of
(Name of the Business/ Company/ Firm) declare that
I have read and fully understood the contents of the Public Procurement & Asset Disposal Act, 2015, Regulations and the Code of Ethics for persons participating in Public Procurement and Asset Disposal and my responsibilities under the Code.
I do hereby commit to abide by the provisions of the Code of Ethics for persons participating in Public Procurement and Asset Disposal.
Name of Authorized signatory
Sign
Position
Office addressTelephone
E-mail
Name of the Firm/Company
Date
(Company Seal/ Rubber Stamp where applicable)
Witness
Name
Sign

# THIS IS A BLANK PAGE

# SCHEDULE OF RATES AND PRICES

# Schedule No. 1. Plant and Mandatory Spare Parts Supplied from Abroad

# (BIDDERS MAY AMEND THE ROWS TO FIT THE ITEMS IN THEIR PROPOSAL)

Item	Description	Code <sup>1</sup>	Qty.	Unit I	Price <sup>2</sup>	Total Price <sup>2</sup>
					DDP	
			(1)	(2)	(3)	(1) x (3)
1.						
2.						
3.						
4.						
	TOTAL (to Schedule	No. 5. Grand Sum	mary)		l	

	Authorized Official:
Name	Signature, date and official stamp

Country of Origin Declaration Form

	Description	Code	Country
Item			

Schedule No. 2. Plant and Mandatory Spare Parts Supplied from Within Kenya (Where applicable)

Item	Description	Qty.	EXW Unit Price <sup>1</sup>	EXW Total Price <sup>1</sup>
		(1)	(2)	(1) x (2)
TOTAL (	l to Schedule No. 5. Grand	   Summar	<u>'</u> γ	
Name o	f Tender			
Signatur <sup>1</sup> Speci	e fy currency in accordance	with ITT	18	

Schedule No. 3. Design Services (Where applicable)

Item	Description	Qty.	Unit Price <sup>1</sup>		Total
			Local Currency Portion	Foreign Currency Portion	Price <sup>1</sup>
		(1)	(2)	(optional)	(1) x (2)
TOTAL (	(to Schedule No. !	5. Grand	d Summary)		

Name of Tenderer Signature	Name of Tenderer <sub>.</sub>	Signature
----------------------------	-------------------------------	-----------

# Schedule No. 4. Installation and Other Services

Item	Description	Qty.	Unit Price <sup>1</sup>		Total Price <sup>1</sup>	
			Foreign Currency Portion	Local Currency Portion	Foreign	Local
		(1)	(2)	(3)	(1) x (2)	(1) x (3)
TOTA	L (to Schedule I	 No. 5.   0	 Grand Summa	nry)		

Name of Tenderer	Signature
	¹ Specify currency in accordance with ITT 18

#### SCHEDULE NO. 5. GRAND SUMMARY

Item	Description	Total Price <sup>1</sup>	
		Foreign	Local
1.	Total Schedule No. 1. Plant, and Mandatory Spare Parts Supplied from Abroad		
2.	Total Schedule No. 2. Plant, and Mandatory Spare Parts Supplied from Within Kenya		
3.	Total Schedule No. 3. Design Services		
4.	Total Schedule No. 4. Installation and Other Services		
5.	Total cost before Value Added Tax (VAT) and other taxes		
6.	Capacity Building Levy (CBL) – 0.03% of the total cost before Value Added Tax (VAT) and other taxes		
7.	Total cost inclusive of CBL before VAT and other taxes		
8.	Value Added Tax (VAT)		
9.	Any other applicable taxes		
	nclusive of all applicable taxes to be erred to the Form of Tender	<u> </u>	

Name of Tenderer	Signature
<sup>1</sup> Specify currency in accordance	with ITT 18. Create and use as many columns
for Foreign Currency requireme	nt as there are foreign currencies

Schedule No. 6. Recommended Spare Parts

Description	Qty.	J	Unit Price	
	CIF or CIP (foreign parts)	EXW (local parts)		
	(1)	(2)	(3)	(1) x (2) or (3)

Name of Tenderer	Signature
Name of Tenderer	Signature

#### NOTE:

- > Bidders must attach a detailed price schedule for all the equipment and services quoted for.
- > Prices must be inclusive of all the applicable taxes.

# TECHNICAL PROPOSAL

- Site Organization
- Method Statement
- Mobilization Schedule
- Detailed system specifications and brochures
- Detailed designs

### SITE ORGANIZATION

### **METHOD STATEMENT**

### **MOBILIZATION SCHEDULE**

### Personnel

### Form PER -1- Proposed Personnel

Tenderers should provide the names of suitably qualified personnel to meet the specified requirements stated in Section III. The data on their experience should be supplied using the Form below for each candidate.

1.	Title of position*		
	Name		
2.	Title of position*		
	Name		
3.	Title of position*		
	Name		
4.	Title of position*		
	Name		

### **Form PER-2 Resume of Proposed Personnel**

Name of Tenderer	

Position			
Personnel information	Name	Date of birth	
	Professional qualifications		
Present employment	Name of Procuring Entity		
	Address of Procuring Entity		
	Telephone	Contact (manager / personnel officer)	
	Fax	E-mail	
	Job title	Years with present Procuring Entity	

<sup>\*</sup>As listed in Section III.

Summarize professional experience over the last 20 years, in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

From	То	Company / Project / Position / Relevant technical and management experience	

Proposed Subcontractors for Major Items of Plant and Installation Services

A list of major items of <u>Plant and Installation Services is provided below.</u>

The following Subcontractors and/or manufacturers are proposed for carrying out the item of the facilities indicated. Tenderers are free to propose more than one for each item

Major Items of Plant and Installation Services	Proposed Subcontractors/Manufacturers	Nationality

### **Others - Time Schedule**

(to be used by Tenderer when alternative Time for Completion is invited in ITT 13.2)

### Form ELI 1.1 Tenderer Information Sheet

JV agreement, in accordance with ITT 4.1 and ITT 11.2.

Date:

ITT No.:	
1. Tenderer's Legal Name	
	_
2. In case of JV, legal name of each party:	
3. Tenderer's actual or intended Country of Registration:	
4. Tenderer's Year of Registration:	
5. Tenderer's Legal Address in Country of Registration:	
6. Tenderer's Authorized Representative Information	
Name:	
Address:	
Telephone/Fax numbers:	
Email Address:	
7. Attached are copies of original documents of:	
Articles of Incorporation or Registration of firm named in 1, above, in acce 4.1 and ITT 4.4. In case of JV, Form of intent to form JV including a draft	

Please note that a written authorization needs to be attached to this sheet as required by  $ITT\ 21.3$ 

under the supervision of the Procuring Entity in accordance with ITT 4.6.

In case of state-owned enterprise or institution from Kenya, documents establishing legal and financial autonomy and compliance with the principles of commercial law, and is not

### Form ELI 1.2

Party to JV Information Sheet

Date:
ITT No.:
1. Tenderer's Legal Name:
2. JV's Party legal name:
3. JV's Party Country of Registration:
4. JV's Party Year of Registration:
5. JV's Party Legal Address in Country of Registration:
6. JV's Party Authorized Representative Information
Name:
Address:
Telephone/Fax numbers:
Email Address:
7. Attached are copies of original documents of:
Articles of Incorporation or Registration of firm named in 1, above, in accordance with ITT

Articles of Incorporation or Registration of firm named in 1, above, in accordance with ITT 4.1 and ITT 4.4.

In case of state-owned enterprise or institution from Kenya, documents establishing legal and financial autonomy and compliance with the principles of commercial law and is not under the supervision of the Procuring Entity, in accordance with ITT 4.6.

### Form CON – 2 Historical Contract Non-Performance

7	Tenderer's Legal	Name:	
	Date:		
J	V Member Lega	l Name:	
IΠ	Г No.:		
Criteria  Gection	Contract non-pe III, Evaluation a Contract(s) not	ts in accordance with Section III, Evaluation a erformance did not occur since 1 <sup>st</sup> January / and Qualification Criteria, Sub-Factor 2.1. performed since 1 <sup>st</sup> January [insert year] spec- ation Criteria, requirement 2.1	insert year] specified in
Year	Non- performed portion of contract	Contract Identification	Total Contract Amount (current value, currency, exchange rate and K Shilling equivalent)
[insert year]	[insert amount and percentage]	Contract Identification: [indicate complete contract name/ number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert City/ street/building/floor number/room number/country] Reason(s) for nonperformance: [indicate main reason(s)]	[insert amount]
Pending	Litigation, in ad	ccordance with Section III, Evaluation and Qu	alification Criteria.
Criteria, □ I	SubFactor 2.3. Pending litigatio	ation in accordance with Section III, Evaluation in accordance with Section III, Evaluation a as indicated below.	•

Year of dispute		Contract Identification	Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate)
		Contract Identification:	
		Name of Procuring Entity:	
		Address of Procuring Entity:	
		Matter in dispute:	
		Party who initiated the dispute:	
		Status of dispute:	
		Contract Identification:	
		Name of Procuring Entity:	
		Address of Procuring Entity:	
		Matter in dispute:	
		Party who initiated the dispute:	
		Status of dispute:	
Year of	Amount in	Contract Identification	<b>Total Contract Amount</b>
dispute	_		(currency), Kenya
	(currency)		Shilling Equivalent (exchange rate)
Litigation	History in acc	cordance with Section III, Evaluation a	and Qualification Criteria
Criteria, □ L	Sub Factor 2.4 itigation Histor	story in accordance with Section III, E ry in accordance with Section III, Eval las indicated below.	_
[insert year]	[insert percentage]	Contract Identification: [indicate complete contract name, number, and any other identification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert City/ street/ building/floor number/room number/ country] Matter in dispute: [indicate main issues in dispute] Party who initiated the dispute: [indicate "Procuring Entity" or "Contractor"] Reason(s) for Litigation and award decision	[insert amount]

### Form CCC Current Contract Commitments / Works in Progress

Tenderers and each member to a JV should provide information on their current commitments on all contracts that have been awarded, or for which a Form of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

Name of contract	Procuring Entity, contact address/tel	Value of outstanding work (current Kenya Shilling equivalent)	Estimated completion date	Average monthly invoicing over last six months (Kenya Shilling /month)
1.				
2.				
3.				
4.				
5.				
etc.				

### **Form FIN - 3.1**

Financial Situation Historical Financial Performance

Tenderer's Legal Name: \_\_\_\_\_

Financial information in Kenya Shilling equivalent	Historic information for previous () years (Kenya Shilling equivalent in 000s)						
	Year 1	Year 2	Year 3	Year	Year n	Avg.	Avg. Ratio
Information from	Balance	Sheet					·
Total Assets (TA)							
Total Liabilities (TL)							
Net Worth (NW)							
Current Assets (CA)							
Current Liabilities (CL)							
Information from	Income	Stateme	ent	1	1	1	1
Total Revenue (TR)							
Profits Before Taxes (PBT)							

Date: \_\_\_\_\_

Attached are copies of financial statements (balance sheets, including all related notes, and income statements) for the years required above complying with the following conditions:

- a) Must reflect the financial situation of the Tenderer or member to a JV, and not sister or parent companies.
- b) Historic financial statements must be audited by a certified accountant.
- c) Historic financial statements must be complete, including all notes to the financial statements.

d) Historic financial statements must correspond to accounting periods already completed and audited (no statements for partial periods shall be requested or accepted).

### **Form FIN - 3.2**

Average Annual Turnover

Tenderer's	Legal Name:	Date:
JV Member	Legal Name:	ITT No.:
Annual tu	ırnover data	
Year	Amount and Currency	KSHILLING equivalent
*Average		
Annual		
Turnover		
*Average a	annual turnover calculated as total certified	payments received for work in

### Form FIN3.3

**Financial Resources** 

Specify proposed sources of financing, such as liquid assets, unencumbered real assets, lines of credit, and other financial means, net of current commitments, available to meet the total cash flow demands of the subject contractor contracts as indicated in Section III, Evaluation and Qualification Criteria.

Source of financing	Amount (Shilling equivalent)
1.	
2.	
3.	
4.	

<sup>\*</sup>Average annual turnover calculated as total certified payments received for work in progress or completed, divided by the number of years specified in Section III, Evaluation Criteria, Sub-Factor 2.3.2.

### Form EXP 4.1

### General Experience

Tenderer's Legal Name: _	
JV Member Legal Name: _	
ITT No.:	
Dato:	

Starting Month / Year	Ending Month / Year	Years*	Contract Identification	Role of Tenderer
			Contract name: Brief Description of the Works performed by the Tenderer: Name of Procuring Entity: Address:	
			Contract name: Brief Description of the Works performed by the Tenderer: Name of Procuring Entity: Address:	
			Contract name: Brief Description of the Works performed by the Tenderer: Name of Procuring Entity: Address:	
			Contract name: Brief Description of the Works performed by the Tenderer: Name of Procuring Entity: Address:	
			Contract name: Brief Description of the Works performed by the Tenderer: Name of Procuring Entity: Address:	
			Contract name: Brief Description of the Works performed by the Tenderer: Name of Procuring Entity: Address:	

<sup>\*</sup>List calendar year for years with contracts with at least nine (9) months activity per year starting with the earliest year

### Form EXP -4.2(a)

Specific Experience

Tenderer's Legal Name:	
JV Member Legal Name: _	

Similar Contract No [insert specific number] of [total number of contracts]	Information
required	Information
Description of the similarity in accordance with Sub- Factor 4.2a) of Section III:	
Amount	
Physical size	
Complexity	
Methods/Technology	
Physical Production Rate	

### Form **EXP -4.2(b)**

Specific Experience in Key Activities

Tende	rer's Legal Name	e:		Date:
JV Member Legal Name:		ITT No	).:	·····
Subcontractor's Legal Name				
	Information			
Contract Identification				
Award date				
Completion date				
Role in Contract	Contractor	Management Contractor	• Subcontractor	
Total contract amount			K SHILLING	
If member in a JV or subcontractor, specify participation of total contract amount		%	K SHILLING	
Procuring Entity's Name:				
Address:				
Telephone/fax number: E-mail:				

### FORM OF TENDER SECURITY-[Option 1—Demand Bank Guarantee]

	st for Tenders No:	
TENDE	R GUARANTEE No.:	
Guara	ntor:	
1. We ha	ive been informed that "the	(here inafter
	c") has submitted or will submit to the Beneficial ender") for the execution of under Request for	
	ermore, we understand that, according to the Ber be supported by a Tender guarantee.	neficiary's conditions, Tenders
the Be receipt statem	request of the Applicant, we, as Guarantor, here eneficiary any sum or sums not exceeding in to t by us of the Beneficiary's complying demand nent, whether in the demand itself or a separate ntifying the demand, stating that either the Applic	otal an amount of(_) upon , supported by the Beneficiary's signed document accompanying
Applica	withdrawn its Tender during the period of Tant's Letter of Tender ("the Tender Validity Pered by the Applicant; or	•
Tende	ng been notified of the acceptance of its Tende or Validity Period or any extension there to provide ocute the contract agreement, or (ii) has failed to	ed by the Applicant, (i) has failed
receip Securi (i) our	juarantee will expire: (a) if the Applicant is the tof copies of the contract agreement signed by the ty and, or (b) if the Applicant is not the success receipt of a copy of the Beneficiary's notification endering process; or (ii) thirty days after the end	ne Applicant and the Performance ful Tenderer, upon the earlier of to the Applicant of the results of
	quently, any demand for payment under this gua fice indicated above on or before that date.	arantee must be received by us at

### **TENDER GUARANTEE No.:**

dated [Date of submissio	tenderer] (hereinafter called "the tenderer") has submitted its tender on of tender] for the [Name and/or description of the tender] for the execution of _under Request for Tenders No("the ITT").
<b>Insurance Company</b> ] having ou bound unto [ <i>Name o</i> Procuring Entity") in the sum of	esents that WE
Sealed with the Common Seal of	the said Guarantor thisday of 20
3.NOW, THEREFORE, THE CONI	DITION OF THIS OBLIGATION is such that if the Applicant:
	ng the period of Tender validity set forth in the Principal's Letter ity Period"), or any extension thereto provided by the Principal;
Tender Validity Period or any the Contract agreement; or (	e acceptance of its Tender by the Procuring Entity during the extension thereto provided by the Principal; (i) failed to execute ii) has failed to furnish the Performance Security, in accordance erers ("ITT") of the Procuring Entity's Tendering document.
amount upon receipt of the P having to substantiate its dem	to immediately pay to the Procuring Entity up to the above rocuring Entity's first written demand, without the Procuring Entity hand, provided that in its demand the Procuring Entity shall state the occurrence of any of the above events, specifying which
copies of the contract agreem (b) if the Applicant is not the of the Beneficiary's notificatio (ii)twenty-eight days after the	) if the Applicant is the successful Tenderer, upon our receipt of the signed by the Applicant and the Performance Security and, or successful Tenderer, upon the earlier of (i) our receipt of a copy on to the Applicant of the results of the Tendering process; or end of the Tender Validity Period.  The payment under this guarantee must be received by us
at the office indicated above or	
	[Signature of the Guarantor]
[Witness]	

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

# MANUFACTURER'S AUTHORIZATION FORM Date:\_\_\_\_\_\_ ITT No.:\_\_\_\_\_ To: \_\_\_\_\_\_ WHEREAS We \_\_\_\_\_\_\_, who are official manufacturers of \_, having factories at \_, do hereby authorize to submit a Tender the purpose of which is to provide the following goods, manufactured by us \_, and to subsequently negotiate and sign the Contract. We hereby extend our full guarantee and warranty in accordance with Clause 27 of the General Conditions, with respect to the goods offered by the above firm. Signed: \_\_\_\_\_\_\_ Name: \_\_\_\_\_\_

Duly authorized to sign this Authorization on behalf of:

Dated on\_\_\_\_\_\_,\_\_\_\_\_

# PART 2 - PROCURING ENTITY'S REQUIREMENTS

# TECHNICAL SPECIFICATIONS FOR SUPPLY, DELIVERY, INSTALLATION, TRAINING AND COMMISSIONING OF 3D PANORAMIC TOWER, APPROACH AND AREA AIR TRAFFIC CONTROL TRAINING SIMULATOR

### 1. Introduction

- **1.1.** The East African School of Aviation (EASA) is the training directorate of the Kenya Civil Aviation Authority (KCAA) which is in the Ministry of Roads and Transport. The school offers a variety of Aviation, Technical and Management programmes among them Air Traffic Control (ATC) Training.
- **1.2.** ATC training includes Basic control, Aerodrome control, Approach control procedural and surveillance, Area control procedural and surveillance, refresher courses among others. The trainings are conducted using well designed simulators appropriate for the rating sought.
- **1.3.** KCAA intends to procure simulators for ATC training which include Aerodrome simulator, Approach simulator and Area simulator. The simulators will be equipped with controller working positions, pseudo pilots, session managers, voice communication control system, air traffic generation, recording and playback system, strip printers, servers, technical supervisor positions, exercise preparation positions, modelling positions, 360° LCD cylindrical visual display units for the aerodrome in use and technical positions.
- **1.4.** The simulator VCCS shall function as an integrated radio/telephony system allowing controller to contact pilots, other controllers or neighbouring sectors or centers.
- **1.5.** The simulator shall include a simulated ATC radio and telephone communication and control system. This shall be implemented using a Voice Over IP (VOIP) Voice Communication and Control System (VCCS) that links each training position, pseudo pilot, and supervisor positions.
- **1.6.** The VCCS shall include a multi-channel voice communication system that enables simultaneous radio, telephone, intercommunications through an intuitive and user configurable touch screen interface.
- **1.7.** The VCCS supports conference calls, putting a call on hold, cross-coupling frequencies, overlaying noise effects for one or a number of selected frequencies and a priority call.
- **1.8.** VCCS shall provide for crash alarm
- **1.9.** The VCCS shall be installed with the simulator to provide an integrated training environment.
- **1.10.** Wired headsets shall be used by the trainees, pseudo pilots, instructors and the supervisor.
- **1.11.** All voice communications shall be recorded for training purposes and be fully synchronised with surveillance and flight data, communications, and display systems.
- **1.12.** The simulator should allow for multi-sensor coverage of control areas.
- **1.13.** The simulator should have a recording and playback system
- **1.14.** School of Aviation (EASA). The simulator shall be used for training and shall meet the following among others:

- a. 3D LCD panoramic cylindrical 360<sup>o</sup> display with minimum of 4K resolution
- b. Procedural and Surveillance (Radar, ADS-B, ADS-C) Air Traffic Controller working position(s)
- c. Data link (CPDLC) and DCL
- d. Meteorological report positions e,q AWOS
- e. ATFM including DMAN/AMAN, capacity manager among others
- f. VCCS
- g. Modeling
- h. Recording and Playback system
- i. Master Clock System
- **1.15.** The simulator will include controller working positions, Pseudo-Pilot working position(s), Supervisor (exercise coordination) working position, Simulator Administrator (site manager) working position, all allowing for either independent exercises or multi-sector exercises to be simulated simultaneously on different working positions by several working simulation and all other accessories for the optimum operation of the simulator.

### 2. Core Features:

### **Scope of Supply:**

- **2.1.** The scope includes delivery, installation, commissioning and training of the ATC simulator Provide ATC simulation including the ATC consoles and furniture as per the specified requirement.
- **2.2.** All hardware including servers, displays, UPS, etc. supplied shall be able to operate with voltages of 230 +/- 10% V ac, 50+/- 5% Hz. All accessories required for the complete installation of the ATC simulator shall be supplied as part of the simulator.
- **2.3.** All the Commercial off the Shelf (CoTS) should meet the international set standards having an MTBF of 25,000 hours or better.
- **2.4.** Workstation Ergonomics: The ergonomics of the pilot and controller working positions should benefit from the experience gained on actual ATC working positions. System management should have limited activation of controls aimed at making activations easily conceived and performed.
- **2.5.** Working Environment: Provide for a familiar environment which speeds up operator's training with no enhanced computer knowledge required.
  - 2.5.1. Aircraft Handling Modeling: The aircraft flight profile observes requirements relating to the aircraft type and the current flight phase. Requirements are to:
  - 2.5.2. Automatically match flight parameters when changes have occurred,
  - 2.5.3. Modify the flight profile to observe specific control instructions or procedures,
  - 2.5.4. Ignore certain instructions when they are not compatible with flight control,
  - 2.5.5. Generate messages associated with each flight phase or event.
  - 2.5.6. The ATC simulator shall support the following features as a minimum:
  - 2.5.7. Simulation of surveillance tracks relating to: MSSR Modes A, C and S; PSR radars; ADS-B and C, MLAT, WAM information
  - 2.5.8. Recording and reproduction of the exercises (synchronised Data and Audio)
  - 2.5.9. Taking snapshots of the Air Situation Display at any stage during a running simulation
  - 2.5.10. Paper flight strip printing
  - 2.5.11. Radar and ground traffic displays
  - 2.5.12. Auxiliary displays for meteorological information, airfield lighting control and navigation aid status

### 2.6. Principles to be adopted.

### 2.6.1. During exercise design:

- a. Creation of specific exercises or general exercises.
- b. Defining a set of control load to help the designing exercises matching specific objectives and create progressive exercises.
- c. Visualize the pre-defined conflicts to be solved by the trainees.
- d. Visualize at a given time the traffic situation being designed.
- e. Replay part of or entire exercise/session, on a standalone position to review the exercise.

### 2.6.2. During Simulation:

- a. Recreation of operational working conditions and simulating the same.
- b. Provide information necessary for executing debriefings of simulations.
- c. Vary the pace of simulation.
- d. Facilitate availability of replay functions either part of or entire simulation.
- e. The system can be used to follow the different steps in ATC control training.
- f. Evaluate trajectories and aircraft models.
- g. Account for NAVAIDS and weather modifications, etc.
- h. Account for "automatism" during emergency situation pertaining to changes in runway, flight plan rerouting and various aircraft emergencies.

### 2.6.3. Debriefing:

- a. Pause and restart an exercise from a previous time played.
- b. Replay part of the exercise and continue from a chosen time.
- c. Replay immediately or from the archive, all or part of the positions used during the sessions.
- d. Replay with synchronized VCCS s at end of an exercise.
- e. When offline/online analyze exercise statistics e.g., aircraft separation and conflict alerts.
- f. When offline analyze exercise event (aircraft, pilot and controller actions, ...)

### 2.6.4. Self-teaching capability:

- a. Provide self-teaching tools for ATC procedure learning and unusual situation practicing.
- b. Program self-teaching standalone instructions.
- c. Provide a recorded self-teaching tool for debriefing.
  - 2.6.5. Online assistance: Provide for online help documentation for use during preparation phases or during simulation at every pilot/exercise preparation /supervisor/instructor positions
- **2.7.Subsystems:** The following subsystem shall allow pilot actions or other events occurring during the simulation, and aircraft positions or trajectories to be computed accordingly.
- a. Flight Data Processing System (FDS): Needed to perform trajectory prediction, allocation of flight to sectors and strip printing according to allocation time parameters.
- b. Ground Data Processing System (GDPS): Needed to perform trajectory prediction on aerodrome runways.

- c. Surveillance Data Processing System (SDPS): Needed to provide surveillance detection data, code conversion.
- d. Aircraft Performance Model (tabular model): Needed to provide realistic performances depending mainly on type of aircraft, current altitude, RECAT and aircraft weight.
- e. Meteorology Model: Needed for simulating evolution of wind, air pressure and temperature and generating weather reports (METAR, SPECI, etc.)
- f. User Displays Systems for pseudo-pilots and controllers: needed to visualize the traffic and perform actions.
- g. Time Reference System: needed to provide a similar simulated time reference to all the above systems (user display, Flight Data Processing, Radar Data processing, etc.) no connections should be made between two simulation sessions running at the same time with the same exercise, therefore, visual data, radar data, flight plans, recorded data, time reference should be independent between simulation sessions.

### 2.8. Recording and replay system:

- 2.8.1. System should record synchronized voice communications, simulation commands, display settings modifications and controllers' actions.
- 2.8.2. System should record and archive simulations sessions offline for debriefing.
- 2.8.3. System should simulate playback (simulation commands, surveillance displays and controllers' actions fully synchronized with the audio recording that has been performed during the simulation and at different speeds such (x0.5), (x1.0), (x2.0) and (x4.0).
- 2.8.4. System should facilitate play back online just after a session, via the server archive and external device.
- 2.8.5. Playback should be dynamic depending on user configuration with availability to use other positions.
- 2.8.6. Provide an interface for replay with or without VCCS.
- 2.8.7. Provide for playback during a normal session in parallel ongoing exercise and other replays.
- 2.8.8. System should allow for session to resume even during a playback where system should start a new independent recording.
- 2.8.9. System should record all frequencies and telephone communications at the controller working position.
- 2.8.10. Audio recording software system shall be managed from the supervisor position:
- 2.8.11. Replay from archive should be available every workstation (pilot, instructor, training supervisor positions).
- 2.8.12. Start of simulation session should automatically trigger the recording system with dialogue window at the supervisor work station requesting if data should be archived or not.
- 2.8.13. Recorded database should be independent from of original database used.

### 2.9. Strip printing function

- 2.9.1. Each controlled sector shall be equipped with an Electronic Flight Strip (EFS), paper strip and printer.
- 2.9.2. Strips corresponding to each flight plan in the exercise are automatically displayed or printed at sectors concerned as configured.
- 2.9.3. System should ensure paper strips are printed only when EFS is not operational and can be made available when desired with option to dynamically redirect printing output on an alternate printer automatically without stopping the simulation.

### 2.10. Pseudo Pilot Working Positions

- 2.10.1. System should allow for position to be used for management of flights during simulation and as well be used for off-line design of exercises.
- 2.10.2. The position should offer a generic interface which automatically adapts its basic configuration according to the type of associated sector (Procedural /surveillance).

### 2.11. Operational Supervisor Working Position

- 2.11.1. System should configure position as simulation manager enabling it to also double up for design and exercise creation, there should be an option to enable other positions perform the function.
- 2.11.2. System should also enable the position to be used as a standard pilot position when required.
- 2.11.3. The position should be equipped with a PC mouse and two screens.
- 2.11.4. The system should allow for operator to choose appropriate functions.
- 2.11.5. Design working position: System should allow for design of exercise scenario at any time during session.
- 2.11.6. Technical Supervisor Working Position: This position supports system configuration modification and technical supervision and should also be used as a standard pilot position if required and shall be equipped with server, PC and a mouse.

### 2.12. Air Traffic Controller Function.

2.12.1. The system should provide for Procedural Air Traffic Controller Functions complete with information display (simulation status window including time, sector, weather parameters, NAVAIDS, runway configuration, flight plan window, NOTAMS and service messages window, printing functionality, EFS, VDF, wind speed direction window.

### 2.13. Surveillance Air Traffic Controller Positions Function.

- 2.13.1. The system should provide for an executive and the planning controller position replicating the ATM operational position.
- 2.13.2. The system should provide for data displays specific to sectors and provide for
  - w. simulation time,
  - x. status window,
  - y. Display commands toolbar (scales, views, video maps, filters, range measuring vector...),
  - z. controller information toolbar,
  - aa. Meteorological information,
  - bb. EFS and paper strip, data entry facilities and operator functions,
  - cc. surveillance (ADS-B, ADS-C, Radar (PSR, SSR) display, configuration and functions,
  - dd. Multi and mono-tracking displays.
  - ee. Safety nets,
  - ff. Maps,
  - gg. Views,
  - hh. Label display,
  - ii. Velocity vector and vector measurement display,
  - jj. History, current and predicted position display,
  - kk. Range marker display,

- II. Level filters,
- mm. Target display highlight,
- nn. Surveillance direction finder,
- oo. Flight plan information management,
- pp. AFTN/AMHS messages,
- qq. EFS and controller input
- rr. Data link (CPDLC, ADS-C,) HMI

### 2.14. Tower simulator

- 2.14.1. As a minimum, the major simulation capabilities of the equipment to be provided shall include the following:
  - m. Traffic Generating system
  - n. Surveillance Data Processors with Mono and Multi Sensor tracking
  - o. Data Recording and Playback system
  - p. Air Situation Display (ASD)
  - q. clearance position
  - r. Ground Situation Display/ ASMGCS display
  - s. Voice Communications and Control System (VCCS)
  - t. Technical Supervisory and monitoring
  - u. Master Clock System
  - v. Data Preparation/exercise preparation
  - w. Strip printers
  - x. Consoles with ancillary equipment

### 2.14.2. 3D Aerodrome visualisation system

The ATC simulator shall be able to support ATC training at least in the following skills:

- j. Situational awareness
- k. Traffic analysis and planning
- I. Communications
- m. Coordination and transfer of control
- n. Workload management
- o. Self management
- p. Separation and conflict resolution
- q. Management of unusual situation
- r. Strip marking and board management

### 2.14.3. The simulator shall provide the following features as a minimum:

- y. Ability to accurately simulate Aerodrome (Tower) and Ground control procedures
- z. Visual high-resolution 3D ATC Tower simulation including fixed wing aircraft, rotary wing aircraft, UAVs and airport ground vehicles and relevant aviation stakeholders/airside ops characters
- aa. Various animals, to include flocks of birds, and other wildlife.
- bb. Accurate aircraft and vehicle performance modelling, which should be customisable with no specific limitations and support BADA plug in.
- cc. Preparation and planning of ATC training courses
- dd. Centralised control and monitoring of all modules/sub-systems of the simulator
- ee. Practice of abnormal and emergency situations
- ff. Integrated voice communications between the controllers and all entities under control (aircraft and vehicles)

- gg. Recording and playback of all session data fully synchronised with the records of radar, data communications and display systems, including recordings of controller and pseudo pilot displays
- hh. Presentation and manipulation of metrics data extracted from the simulator
- s. Application and analysis of special procedures
- t. Reproduction of audio and visual data from simulation exercises
- u. Simulation of aircraft emergencies
- v. An integrated Approach (APP) and En-route (ACC) radar simulator that uses the same airspace and exercise database which can be activated in line with future requirements
- w. Provide instructor note taking and debrief tool
- x. Collation of training data to enhance safety and operational efficiency through post simulation review of data
- y. Application and analysis of special procedures
- z. Reproduction of audio and visual data from simulation exercises
- aa. Simulation of aircraft emergencies
- bb. The simulator shall be able to run individual training exercises simultaneously, and it shall have the capability to run integrated simulation scenarios involving all elements in one simulation scenario.
- cc. The system shall, through an easy-to-use HMI, have the capability to prepare and manage all the data required for the exercise simulations, including all environment data.
- dd. The simulator shall be delivered with a comprehensive library of aircraft and ground vehicle 3D models. KCAA staff shall be empowered to create new 3D models for use in the simulator.
- ee. The simulator shall be delivered with a comprehensive aircraft performance database including airborne and ground performance data. KCAA staff shall be empowered to add new aircraft/vehicle types and modify all elements of any performance data, and delete obsolete performance data and types from the database without support of the tenderer.
- ff. Simulator shall be able to simulate aerodrome visual signals (signalling lamp)

### 3. SOFTWARE FEATURES

- **3.1.** The ATC simulator shall provide a visual terrain model representative of real-world line of sight, to the furthest discernible horizon object or terrain. As a minimum, the terrain map shall cover a 25 NM line of sight distance from the tower, in any direction.
- **3.2.** The simulator shall be delivered with a 3D Model Editing workstation that shall allow KCAA staff to build these airports as well as modify the models when required
- **3.3.** All lighting on taxiways and runways at the provided airports shall be drawn and represented with their maximum light intensity, resembling the actual lighting systems. It shall also be possible to adjust the light intensity to any level between 0% and 100% of the maximum light intensity.
- **3.4.** The ATC simulator shall support animated features for rotating radars.
- **3.5.** The ATC simulator shall support more than one windsock, with the movement affected by the wind
- **3.6.** The ATC simulator shall have realistic and detailed ground surface textures.
- **3.7.** The ATC simulator shall allow for the evaluation of operational procedures and the development of exercises together with aerodrome control.
- **3.8.** The ATC simulator visualisation and the simulator configuration shall be based upon the relative location and height of the ATC tower to aircraft movement areas (runways, taxiways, aprons, and other areas where aircraft movements occur) selected airports. It shall provide an accurate replication in high resolution of the environment and topography with the controllers' familiar reference points observed from the tower at nominal eye level.

- **3.9.** The ATC simulator shall include a dynamic weather and environmental display where changes are realistically applied as required in the training scenarios. The effects shall include but not be limited to:
- c. day and night operations with realistic depiction of the sunlight and lit objects (shadowing), stars and moon positions
- d. Visual/instrument meteorological conditions
- **3.10.** The ATC simulator shall allow the ability to switch on phenomena like rain, sleet, snow, fog, haze and to select the cloud type and layers for the out-the-window view. Weather effects shall be capable of being turned on/off manually or created as timed events during a simulation scenario to provide true dynamic weather reflecting all aspects of how weather builds and dissipates.
- **3.11.** The ATC simulator shall be able to show the aircraft on the airport manoeuvring area and on approach and departure procedures up to a distance of 25 NM.
- **3.12.** Configurable scale factors on an aircraft size basis that increase over distance to ensures that aircraft at all distances up to 10NM present a realistic representation on the display
- **3.13.** The ATC simulator shall be able to handle all normal airport procedures and special operations including:
- t. push-back, including a push/pull capability
- u. aircraft towing
- v. flight path changes
- w. missed approaches
- x. Aircraft in the aerodrome circuit
- y. runway changes
- z. touch-and-go
- aa. stop-and-go
- bb. stop on runway
- cc. Immediate departures
- dd. low approach at selectable heights
- ee. aborted take-off
- ff. backtrack
- gg. runway exit
- hh. line-up changes
- ii. short-field take-off
- jj. helicopter departure and landing anywhere within the airport perimeter
- kk. automated Helipad arrivals and departures
- II. Formations departures and arrivals
- **3.14.** The ATC simulator shall have the capability to be programmable to accommodate different airport configurations which can be used in both individual airport training scenarios and multiple airport training scenarios within the same exercise.
- **3.15.** The ATC simulator shall support the following detailed 3D visualisation requirements:
- i. Visualisation of an airport (runway/taxiway area, buildings, boarding gates, other installations, landscape around the airport, etc.)
- j. Real time movement of the selected elements including, but not limited to, fixed wing, helicopter, UAV, vehicle traffic, pedestrians and other characters
- k. It shall be possible to display history tracks on the 3D image for vehicles, arrival aircraft and departure aircraft in the pseudo-pilot positions
- I. History tracks in the 3D scene shall be multi-coloured based on arrival/departure/vehicle

- m. It shall be possible to overlay labels in the 3D image for vehicles, arrival aircraft and departure aircraft. Each label shall display callsign, aircraft type, current position and SID/STAR
- n. The system shall support the following dynamic environmental effects (animated):
  - 17) Cloud formations/ types
    - i. Cloud types shall include: Cumulus, Stratus, Cirrostratus, Cirrus, Altocumulus, Altostratus, Nimbostratus, Stratocumulus, Cumulonimbus among others
    - ii. cloud layers, cloud bases and cloud cover (sky clear, few, scattered, broken, overcast)
    - iii. cloud movement according to wind direction and speed
    - iv. clouds casting shadows on the ground
    - v. sheet and fork lightning illuminated the clouds
  - 18) Effect of wind speed and direction on the behaviour of aircraft including unstable approaches and crabbing due to wind
  - 19) Thunderstorms, Sandstorms, Conical storms, such as dust-devils
  - 20) Rain, Water accumulation on the ground and associated splash effects for aircraft taking off / landing, Snow, Snow accumulation on the ground, Snow clearing by snow clearing vehicles
  - 21) Smoke, Ground Fog and moving fog banks, Haze
  - 22) Moving weather front systems with associated fork and sheet lightning effects
  - 23) Thunder sound effects
  - 24) Night-time with realistic moon and star representations
  - 25) Transition day-night and night-day with smooth light transition
  - 26) Visibility conditions affected by weather conditions
  - 27) Illumination in accordance with environmental conditions
  - 28) Programmable levels of visibility ranging from clear to zero
  - 29) Simulated signalling lamp
  - 30) UAVs including commercial drone activity
  - 31) Shadows for aircraft and buildings shall be accurately created and realistic based on the position of the sun
  - 32) Support background airport ground traffic to enhance the realism of the scene.
- o. Illumination:
  - 3) All the lighting and airfield lighting systems that an aerodrome should have for its installations including: runways, approach, obstacles, taxiways, airport beacon, stop lights, lit windsock
  - 4) All lights displayed by an aircraft or vehicles
- p. Special Animated Effects:
  - a. Movement of the landing gear and failure of individual landing gear elements
  - b. Aircraft models have rotating nose wheels so that they do not appear to 'slide' around corners
  - c. Fire and Smoke from aircraft including engines, fuselage and landing gear
  - d. Fire/smoke on aerodrome surfaces or buildings
  - e. Pools of water and other contaminants on the runway
  - f. Realistic helicopter rotor start and stop animation
  - g. Characteristic movements of the aircraft in flight
  - h. Realistic helicopter movements e.g. nose down when accelerating and nose up when decelerating
  - i. Collision between aircraft and between aircraft and obstructions
  - j. Aircraft engine fires and explosion
  - k. Realistic fire truck extinguish function with water and foam
  - I. Tyre smoke when touching down in dry conditions
  - m. Splash effect when touching down in wet conditions and spray effect when taking off
  - n. Simulate moving targets, including people, animated birds or flocks of birds and others.

- **3.16.** The ATC simulator shall support aircraft emergencies including:
- e. Engine failure, with the ability to fail specific engines and display smoke, fire and explosions from the engines
- f. Undercarriage failure, with individual elements being able to be failed Up or Down and to add fire and/or smoke effects
- g. Runway incursion/excursion
- h. Radio communication failure (RCF)

### 4. 3D Visual Display

- 4.1.1.1. The 3D Visual Display shall be 360° 3D view with the ability to rotate the view via a trackball, mouse, or other device.
- 4.1.1.2. The 3D Visual Display shall allow the eyepoint to be moved dynamically to any point in space at any time.
- 4.1.1.3. When the eye point is moved dynamically or via scripts and events, or assigned to a moving vehicle there shall be no change to the look and feel of the surrounding terrain and airport buildings 3D models and textures.
- 4.1.1.4. The 3D Visual Display shall be capable of whole earth rendering.
- 4.1.1.5. The 3D Visual Display shall allow an unlimited number of airfield models to be present in the single earth model, and the user should be able to move the eyepoint to any airfield dynamically or via scripts, in real time during a scenario.
- 4.1.1.6. As a minimum, the Supplier shall provide a simulator that has the following working positions:
- j. one (1) Tower Controller working position
- k. one (1) Ground Controller working position
- I. one (1) Clearance delivery working position
- m. one (1) Supervisor working position
- n. six (6) Pseudo Pilot working positions
- o. 1 x System Manager working position
- p. 1 x Data Preparation (including 3D modification and creation) working position
- q. Accompanying VCCS positions
- r. ATC consoles and pseudo pilot/supervisor consoles shall be provided in the tender.

### 4.2. Other functions for the simulator to include:

- 4.2.1. Provision of information on sequencing tools (AMAN/DMAN) in an integrated platform.
- 4.2.2. Configuration of each working position to be as tactical, planner or feeder position for either controlling en-route, area or approach (terminal area) traffic.
- 4.2.3. Customization of simulator to create different operating environmental conditions.
- 4.2.4. Provision of automatic or manual warning or information messages to pseudo-pilot.
- 4.2.5. Capability to include in simulator all APP and ACC procedures, STARs, SIDs, change route, Holding, EAT, etc.
- 4.2.6. Allow for automatic pseudo pilot commands for aircrafts unless pseudo pilot overrides the commands.
- **4.3.** Simulator system shall also be able to accommodate the following functions:
  - 4.3.1. Intuitive exercise development.
  - 4.3.2. Real-time display of newly created exercises.
  - 4.3.3. Automatic evaluation of student workload during exercises.
  - 4.3.4. Creation of temporary airspace training scenario.
  - 4.3.5. Definition of FDPS rules, strips format.

- 4.3.6. Combination of positions (control or pseudo-pilot) to form multi-sector exercises with hand-over and coordination functions.
- 4.3.7. Sector boundaries definitions as either horizontally or vertically with other adjacent sectors.
- 4.3.8. Provide tools to manage datasets imported from the ATC system and enable management of database, this will enable simulation of a traffic scenario.
- 4.3.9. Simulate civil airspace integration of RPAS in controlled and non-segregated airspace.
- 4.3.10. Simulate different scenarios such as a loss of data link, engine failures and communication failures to evaluate procedures.
- **4.4. Technical supervision:** to monitor and supervise simulator system and functions and provide for Simulator Data base management platform.

### 5. Voice Communication and Control System (VCCS) Simulator Requirements

- **5.1.** The tenderer shall provide, install and test a VCCS, computer based, and fully digital (VoIP), and that integrates all communications within the Simulator Systems.
- **5.2.** The VCCS shall be supplied with customised VCCS panels that simulate features of an operational system.
- **5.3.** The VCCS shall simulate the use of at least ten (10) different frequencies for the voice communications between controller, instructor and pseudo pilot positions. These frequencies shall be configurable as part of exercise data preparation.
- **5.4.** The VCCS panel shall provide Receive (Rx) and Transmit (Tx) buttons for each frequency.
- **5.5.** The VCCS shall play an audible RT squeal when the transmitting frequency is blocked.
- **5.6.** The VCCS shall simulate the use of telephone lines for the voice communication between controller and pseudo pilot positions. It shall be possible for the pseudo pilots to play the role of external parties like fire station, police among others. The telephone communication lines shall be configurable as part of exercise data preparation.
- **5.7.** The VCCS panel shall provide multiple pages, with direct access buttons for controllers to make simulated telephone calls to external parties and agencies played by pseudo pilots.
- **5.8.** The VCCS panel shall be able to display at least 25 telephone buttons per page.
- **5.9.** The VCCS panel shall provide a dial pad to allow users to dial a simulated telephone number directly, instead of using the direct access buttons.
- **5.10.** The VCCS shall allow for telephone coordination between controllers and adjacent Units.
- **5.11.** The VCCS shall have a crash alarm.
- **5.12.** The VCCS shall enable the connection for parallel listening for the instructor headset on each controller position.
- **5.13.** The VCCS shall allow the instructor to override the student on-frequency.
- **5.14.** The VCCS shall allow for discreet communications between an instructor and a pseudo pilot.
- **5.15.** The VCCS shall support standard ethernet-based voice communication protocols.
- **5.16.** The VCS panel shall allow the user to adjust the sound volume for master volume and ringing volume.
- **5.17.** The VCCS shall support conference calls.
- **5.18.** The VCCS shall support noise effects overlay on a single frequencies or multiple frequency at a configurable volume.
- **5.19.** The VCCS shall support putting a call on hold.
- **5.20.** The VCCS shall support a call queue and caller ID.
- **5.21.** The VCCS shall support cross-coupling of frequencies.
- **5.22.** The VCCS editor shall allow the user to apply different skins to the VCCS panels to quickly modify the look and feel of the panels.

- **5.23.** The VCCS editor shall allow the user to define the layout of the direct access buttons for each position.
- **5.24.** VCCS shall be provided with speakers for each position
- **5.25.** It shall be possible to record least six (6) hours of voice communications within an exercise.
- **5.26.** During the playback of exercises, the voice and video shall be played back in a synchronised manner.
- **5.27.** As a minimum, the tenderer shall supply an equivalent number of headsets and handsets as spares for the controllers.

### 6. Modeling

- **6.1.** The bidder shall model two airports in Kenya, namely; Jomo Kenyatta International Airport and Wilson Airport
- **6.2.** The user will be enabled to switch between the two airports during running of exercises in the simulator
- **6.3.** The bidder will supply a modeling system
- **6.4.** The Data Preparation position shall be developed from a commercial database to allow creation and modification of all information stored as:
  - 6.4.1. Radar parameters
  - 6.4.2. Variable System Parameters
  - 6.4.3. Airport data
  - 6.4.4. Notification Points
  - 6.4.5. Geographic Maps
  - 6.4.6. Routes
- **6.5.** KCAA staff shall be empowered to modify aspects of the airport layout and infrastructure which effect the piloting capability and 3D scene without prior approval from the tenderer. The aspects for modification must be made within an airport editing tool delivered as part of the simulator installation and shall include:
  - 6.5.1. Runways
  - 6.5.2. Taxiways
  - 6.5.3. Helipads
  - 6.5.4. Aprons
  - 6.5.5. Rapid exit taxiways
  - 6.5.6. Taxi Stands
  - 6.5.7. Nose-in-Stands
  - 6.5.8. Multiple touchdown points, per-wake vortex category, per runway
  - 6.5.9. Runway thresholds
  - 6.5.10. Holding points
  - 6.5.11. Stop bars
  - 6.5.12. Vehicle routes
  - 6.5.13. Width restrictions
  - 6.5.14. Ground fixes

### 7. Hardware/Software/Architecture

- a. Dual servers (Hot standby)- Air Traffic Generating system, VCCS, Recording and Playback system and any other critical system connected directly to clients
- b. Workstations
- c. 360° degrees cylindrical LCD display
- d. Session managers

- e. Redundant (Duplicated) LAN.
- f. Printers.
- g. Equipment cabinets: server cabinet (cabinet / rack) shall include ventilation, KVM console and accessories.
- h. Operating System;
- i. Application Software;
- j. Antivirus software for servers and workstations
- k. All the necessary cables, cable trays and accessories.
- I. All other components, not explicitly mentioned herein, that would make the system operate optimally.

### 7.1. Technology Upgrade

- 7.1.1. The bidder shall provide the latest version of software, hardware and associated documentation at no extra cost if newer technology or developments have occurred within the warranty period
- 7.1.2. The bidder will commit to deliver the documentation corresponding to the technical upgrades carried out to the equipment, during the useful life of the equipment/system.

### 7.2. ATC Standards

- 7.2.1. All designs, materials, manufacturing techniques and workmanship shall be in accordance with the highest accepted international standards for this type of equipment.
- 7.2.2. Where applicable the performance of the equipment shall comply with or exceed requirements of the following documents:
  - 7.2.2.1. All applicable ICAO Annexes
  - 7.2.2.2. The Tenderer and/or Manufacturer shall be ISO 9001:2015 or equivalent Certified.
  - 7.2.2.3. All applicable ICAO documents including and not limited to ICAO Doc. 4444, ICAO Doc. 9377, ICAO Doc. 9426, ICAO Docs. 8168, ICAO Doc 7070; ICAO DOC 9882

The bidder shall also state, where applicable, the standards to which the whole, or any specific part, of the equipment complies.

- 7.2.2.4. The system should be the latest in the market during the time of delivery
- 7.2.2.5. The tender shall ensure the system complies with best practice cyber security. Including complying with
  - 7.2.2.5.1. Anti-Virus policy
  - 7.2.2.5.2. Firewall policy
  - 7.2.2.5.3. Password policy
  - 7.2.2.5.4. Operating system update and patch process.
  - 7.2.2.5.5. Removable media policy
- 7.2.2.6. The system shall have no dependency on the Internet to function as a simulator.

### 8. Description of Operational Requirements for CWPs

### 8.1.3D tower:

- **a.** Three (3) CWPs (Tower, Ground and Delivery) each comprising of air situation display and EFS display. The displays shall be at least least 24"
- **b.** Six (6) Pseudo pilot positions. The displays shall be at least least 24"

- c. Session manager The displays shall be at least least 24"
- **d.** Airfield lighting and control display
- e. Navigation aid monitoring display
- **f.** Meteorological information display
- **g.** Ten (10) VCCS sets or as applicable
- **h.** 360° 3D LCD display
- **i.** Three (3) strip printers
- **j.** Signaling lamp

### 8.2.Approach

- 8.2.1. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.
- 8.2.2. Six (6) Pseudo pilot positions. The displays shall be at least least 24"
- 8.2.3. Session manager. The displays shall be at least least 24"
- 8.2.4. All consoles are fitted with VCCS

### 8.3. Enroute

- 8.3.1. Three (3) CWPs. Display should be at least 32" for ASD display and at least 24" for EFS. With a minimum resolution of colour LCD 1920 x 1080-pixel. Each CWP position shall have a strip printer, strip rack. The EFS will be used primarily with paper strip as backup.
- 8.3.2. Six (6) Pseudo pilot positions. The displays shall be at least least 24"
- 8.3.3. Session manager The displays shall be at least least 24"
- 8.3.4. All consoles are fitted with VCCS

### 8.4. Control and monitoring

- 8.4.1. Two exercise preparion
- 8.4.2. Technical supervisor
- 8.4.3. Modeling
- 8.4.4. Colour printer

### 9. AUXILIARY SYSTEMS AND FACILITIES

- **9.1.** The bidder shall supply, deliver, install and commission auxiliary systems comprising air conditioning, power supply and distribution equipment;
- **9.2.** The bidder shall undertake civil works for the rooms occupied by the simulator to make them conducive. These will include and not limited to tiling, painting, trunking, curtains, ceiling, lighting
- **9.3.** The bidder shall supply applicable furniture including ergonomic chairs, magnetic portable flip chart stand
- **9.4.** The rooms for the installation of the simulator are currently being occupied by another simulator which will be decommissioned. The bidder shall uninstall the current simulator and prepare the rooms for the installation of the new simulator
- **9.5.** The bidder shall supply three sets of telecommunication tool kits

- **9.6.** The bidder shall provide a suitable interruptible Power Supply System (UPS) whose output will provide electrical power to the simulator. The UPS shall have an autonomy of at least two (2) hours.
- **9.7.** MAINS electrical power will be tapped from the building's main power distribution board through protective accessories of an Isolator and Miniature Circuit Breakers (MCBs) to the UPS input terminals;
- **9.8.** Protection of the power supply units and all equipment from short-circuit faults will be ensured by proper earthing and grounding connections. The signal ground shall be connected to the building ground;
- **9.9.** Air conditioning to provide adequate cooling shall be ensured for equipment/server room, tower, approach, area technical room rooms taking account of human factors vis-à-vis equipment cooling requirements;
- **9.10.** The proposed UPS and air conditioning system shall be field-proven renowned brands that have local authorized and qualified firms to ensure expeditious supply of spare parts and effective service and maintenance;
- **9.11.** The Bidder shall propose any other necessary accessory, requirement or procedure that will ensure adequate and proper operating environment for sensitive microprocessor-based equipment recommended by ICAO or other standards organizations for ATM systems;
- **9.12.** The bidder shall include in the proposal all other necessary accessories required to install the equipment to operational status which will include but not limited to cables, circuit breakers, fuses, relays etc.

### 9.13. Specifications for Air Conditioning System

- 9.13.1. The Air Conditioning System shall be supplied ten (10) in number
- 9.13.2. The AC system shall be supported by the building regulated MAINS or Standby Generator system but not tied into the UPS;
- 9.13.3. Operational Parameters: The mechanical system shall be capable of achieving the following:
  - 9.13.3.1. Temperature: 15°C to 25°C;
  - 9.13.3.2. Relative Humidity: 45% to 55%;

## 9.14. TECHNICAL SPECIFICATIONS AIR CONDITIONING SYSTEM OF 24,000BTU/HR Quantity: ten (10) Air Conditioning system shall be supplied

Item		Unit	Value Required	
Cooling capacity		KW/BTUs	37.7/24,000	
Energy regulations		%	0,50,100%	
Power			380V/3Ph/50HZA	
Cooling inpu	t capacity		KW	12.3
Start current	:		Α	76
Cooling runr	ning curren	t	Α	23.3
Throttling m	ethod		Thermal expansion valve	
Refrigerant			R410A	
Compressor	type		Hermetic scroll compressor	
Condenser	Туре		Copper tube and aluminium fin	
	Drive typ	e	Direct drive	
	Motor power	Kw	0.75	
	Air Volume	M³/h	12600	
Evaporator	Type		Copper tube and aluminium fin	
-	Drive typ	e	Direct drive	Pulley
	Motor power	Kw	2.2	
	Air	M³/h	6300	
Volume				
Static pressure (Pa)		250		
Filter		Aluminium filter G3		
Noise dB(A)		≤72		

### **10.TRAINING:**

### **10.1. INTRODUCTION**

- 10.1.1. The training is purposed to actualize the constructive technological transfer of knowledge, skills and experience from the contractor to the trainees. Ultimately, the trainee should, after training, be able to competently operate and maintain the systems.
- 10.1.2. The bidder shall provide a training plan and course syllabus for approval by KCAA covering training for technical and operational staff for the ATC simulator
- 10.1.3. There shall be a factory training course(s) that will be held before FAT and on-site training for personnel to be conducted on site before SAT.
- 10.1.4. The training shall consist of theoretical and practical training and shall be provided in the English language. The instructor should be a subject matter expert and be proficient in the English language. Credentials of the instructor should be forwarded to KCAA in advance for concurrence.
- 10.1.5. The contractor to give the prerequisites of the prospective trainees for each training course.
- 10.1.6. The contractor shall provide a training syllabus detailing all the course content which shall be submitted to KCAA for approval four (4) weeks before the commencement of the training.

- 10.1.7. After completion of each course, the following reports shall be provided to the employer: each trainee performance, an attendance report, a summary report for each examination and certificate of competence for each trainee who successfully completed the course.
- 10.1.8. For training and FAT at the contractor's manufacturing premises, all training and FAT costs shall, where applicable, include the cost of airfare to and from Nairobi, Kenya (economy class), travel medical insurance and terminal transportation (airport to hotel and return), transport to and from the training center and DSA based on the Purchaser's standard rate. The supplier shall pay-out said DSA to the beneficiaries for training outside Kenya. For the moment, the standard daily DSA rate is USD 450.

### 10.2. Factory training

The maximum number of participants for both technical and operational factory training are eight (8) where 4 will be Engineering staff and 4 ATC Personnel. Out of the eight, two (2) will remain to perform FAT and will be joined by one (1) management representative. Factory Training shall be conducted for 15 working days and the FAT shall be conducted for 5 working days.

### **10.3.** Site training

- 10.3.1. Prior to the commissioning of the system, site training shall be conducted for maintenance and operations personnel for ten (10) working days.
- 10.3.2. The participants for both technical and operational site training shall be at least ten (10) ATC and ten (10) Engineering personnel.

### **10.4.** Technical Training Plan

- 10.4.1. The level of training for technical personnel required should be as comprehensive and relevant to enable trainees to competently operate the system and resolve faults by following the correct chronology, adequate methods and analyse the system.
- 10.4.2. They should also be able to resolve complex faults and minor modifications under Factory guidance.
- 10.4.3. Training should include, among others, the following areas:
  - 10.4.3.1. ATM simulator (Technical maintenance)
    - a. Main principles of ATM system architecture
    - b. Approaches to redundancy
    - c. Adaptation parameters of ATM system (configuration methodologies)
    - d. Hardware of ATM system
    - e. Software of ATM system
    - f. Software installation and update
    - g. Main principles of surveillance
    - h. Tracker Algorithms of multi-sensor data processing
    - i. Flight data Information
    - j. Safety Nets
    - k. ATM data presentation at the CWP
  - 10.4.3.2. For the VCCS trainees should be able to undertake the following after the training ((Technical maintenance):
    - a. Adjust external and internal variables of the systems
    - b. Design and configure a station according to operational requirements.
    - c. Detect or discover existence of interference, crosstalk etc

- d. Integrate components into a system
- e. Justify system performance/design choice
- f. Interpret a fault report
- g. Troubleshoot fault indications on the system
- h. Repair to module level
- i. Apply component datasheets information.
- j. Modelling

### 10.4.3.3. Operational Training

- 10.4.3.3.1. For the ATM simulator, the training should at least cover the following areas:
- a. System overview
- b. Main principles of ATM system architecture
- c. Adaptation parameters of ATM system (configuration methodologies)
- d. Flight Data Information
- e. Safety Nets
- f. Procedures
- q. OPSUP
- h. ATFM
- i. Database management
- j. ATM data presentation at the CWP
- k. Offline tools
- I. Simulation
- m. Modelling
- 10.4.3.3.2. For the VCCS, the training should cover the simulation of the following:
  - a. Main principles of system architecture and operations
  - b. Operations of the system
  - c. Adaptation parameters of the system

# 10.5. FACTORY ACCEPTANCE TESTING (FAT)

- 10.5.1. Factory Acceptance Testing shall be carried out before the contractor ships the system to KCAA premises.
- 10.5.2. FAT shall be carried out at contractor's premises/factory in the country of origin. The FAT shall be immediately after the factory training.
- 10.5.3. The contractor shall send the FAT Test Plan, which shall include in part, the tests to be carried out and the method to be used to KCAA 4 weeks in advance for purposes of evaluation. Upon approval, KCAA shall inform the contractor the suitability of the FAT tests in writing. Should problems materialize during the FAT or should the FAT result be deemed unsatisfactory by KCAA, the problems shall be corrected and the status be mutually verified and agreed during SAT.
- 10.5.4. FAT shall comprise of testing all the components of the system, including all the spare parts. All the tested components shall be recorded prior to shipping to KCAA premises.

10.5.5. The contractor shall issue a FAT Certificate after successful FAT testing, duly signed by both contractor and KCAA.

# **10.6.** SITE ACCEPTANCE TESTS (SAT)

- 10.6.1. A Site Acceptance Test shall be carried out on site where the system will be installed.
- 10.6.2. All components of the system shall be tested during SAT. A Test Record shall be completed. Every recording, listing, print out created during the SAT shall be added to the test report as evidence. Should problems materialize during the SAT or should the SAT result be deemed unsatisfactory by KCAA, the problems shall be corrected and the status be mutually verified and agreed. In the event that the noted anomalies are not addressed during SAT, then the contractor will ship back the equipment to the country of origin at his own cost.
- 10.6.3. The contractor shall submit to KCAA the SAT Test Plan, which shall include in part, the tests to be carried out and the method to be used to KCAA 2 weeks in advance for purposes of evaluation. Upon approval, KCAA shall inform the contractor the suitability of the SAT tests in writing.
- 10.6.4. The contractor shall issue a SAT Certificate after successful SAT testing, duly signed by both contractor and KCAA.

### 10.7. SPARE PARTS

- 10.7.1. The spares to be supplied shall be of the same quality as the originally installed parts, and equipment.
- 10.7.2. The spares shall be supplied in their original packaging, duly protected against moisture by dehydrating elements or silicon. Each set of spares shall be labelled with its part number, identification and number of units contained in each package.
- 10.7.3. The spares shall be tested in factory before shipment on site.
- 10.7.4. Tenderer shall guarantee the ability to furnish spare parts or to repair the equipment under offer for a period of at least ten (10) years after end of warranty.
- 10.7.5. The tenderer shall provide a list of critical spares to be supplied with the equipment. The cost of these spares SHOULD be included in the bid price. The spares shall include as a minimum; VCCS server spare, eight (8) workstation set, spares for visual generation displays, session manager etc
- 10.7.6. Provide a list of the spares indicating the cost of each. The cost is to be firm for five years and SHOULD NOT be included in the bid price.

#### 10.8. DOCUMENTATION

This chapter gives detailed information of the documentation required for, technical, system operation, operational use, technical maintenance of the systems.

### 10.8.1. The documentation shall:

- e. Be written in English language,
- f. Present information in a clear and logical manner,
- g. Contain drawings,
- h. Contain glossaries and abbreviations.

- 10.8.2. All documentation shall be delivered both in printed form and as computer readable files.
- 10.8.3. The documentation shall consist at least of the following parts:
  - n. System specifications documentation
  - o. Interface control documentation
  - p. Operator handbook documentation
  - q. Installation documentation for both hardware and software.
  - r. Maintenance documentation
  - s. Project Management Plan describing the implementation of the project alongside the schedule of works and services.
  - t. Risk Management Plan describing potential risk during implementation of the project and how to mitigate.
  - u. Transition Plan describes transition from current system to the new one.
  - v. Training Plan
  - w. Safety Management Plan which shall include functional hazard assessment, preliminary system assessment, system safety assessment and safety case.
  - x. Test Documentation which shall include test plan, test design, test procedure, test cases and test reports for FAT and SAT.
  - y. System Design Documentation
  - z. One off of all applicable licenses
- 10.8.4. The contractor shall supply the documentation for the simulator, as follows:
  - c. Three (3) paper copy set
  - d. Three (3) electronic copy on CD in commercial format (Word, Excel, PDF etc.)
- 10.8.5. The Contractor shall provide complete information on the electrical interconnections at the equipment level distribution.
- 10.8.6. The technical manuals shall cover, as a minimum, the following subjects were applicable:
  - 10.8.6.1. Theory of operation including, block diagrams, schematic drawings.
  - 10.8.6.2. Installation procedures including all electrical cabling and interconnections.
  - 10.8.6.3. Maintenance and troubleshooting procedures.
  - 10.8.6.4. List of spares with part numbers so that future replacement of any particular component can be quickly achieved.
  - 10.8.6.5. All manuals shall be current editions including any amendment applicable up to date of delivery.
  - 10.8.6.6. The supplier shall deliver operating system, applications and database software with licenses.

## 10.9. WARRANTY AND POST WARRANTY

- 10.9.1. The warranty period will be three (3) years after successful commissioning of the system. Commissioning here means putting into operation the relevant component of the supplied system at EASA.
- 10.9.2. The contractor shall replace or repair any item that fails during the warranty period at no additional cost to KCAA. ALL the costs of such components, including transportation, duties and taxes shall be borne by the contractor.
- 10.9.3. Any item that fails during the warranty period shall have a turnaround period of not more than sixty (60) days.

- 10.9.4. The contractor shall give a commitment in writing, that all system components (as spare parts) shall be available 10 years after the end of the warranty period.
- 10.9.5. The contractor shall submit a proposal for the system support and maintenance in the installed systems for a period of 5 years after expiry of the warranty. The cost of the maintenance shall not be part of the bid price and may be considered after the warranty period. KCAA is however not bound to accept the proposal.

# Responsibilities:

The Contractor shall be responsible for supply, delivery, installation, testing, training, and commissioning of the ATC simulator.

### **FORMS AND PROCEDURES**

Title (Project Manager)

# Form of Completion Certificate Date: \_\_\_\_\_ ITT No:\_\_\_\_\_ Dear Ladies and/or Gentlemen, Pursuant to GCC Clause 24 (Completion of the Facilities) of the General Conditions of the Contract entered into between yourselves and the Procuring Entity dated \_\_\_\_\_\_, relating to the\_\_\_\_\_, we hereby notify you that the following part (s) of the Facilities was (were) complete on the date specified below, and that, in accordance with the terms of the Contract, the Procuring Entity hereby takes over the said part (s) of the Facilities, together with the responsibility for care and custody and the risk of loss thereof on the date mentioned below. Description of the Facilities or part there 1. of:\_\_\_\_\_ 2. Date of Completion:\_\_\_\_\_ However, you are required to complete the outstanding items listed in the attachment hereto as soon as practicable. This Form does not relieve you of your obligation to complete the execution of the Facilities in accordance with the Contract nor of your obligations during the Defect Liability Period. Very truly yours,

# FORM OF OPERATIONAL ACCEPTANCE CERTIFICATE ITT No:\_\_\_\_\_ Dear Ladies and/or Gentlemen, Pursuant to GCC Sub-Clause 25.3 (Operational Acceptance) of the General Conditions of the Contract entered into between yourselves and the Procuring Entity dated\_\_\_\_\_, relating to the\_, we hereby notify you that the Functional Guarantees of the following part (s) of the Facilities were satisfactorily attained on the date specified below. Facilities there of: 1. Description of the or part Operational of Acceptance: 2. Date This Form does not relieve you of your obligation to complete the execution of the Facilities in accordance with the Contract nor of your obligations during the Defect Liability Period. Very truly yours,

Title (Project Manager)

#### **CHANGE ORDER PROCEDURE AND FORMS**

Date:	
TT No:	

### **CONTENTS**

- 1. General
- 2. Change Order Log
- 3. References for Changes

### **ANNEXES**

Annex 1: Request for Change Proposal

Annex 2: Estimate for Change Proposal

Annex 3: Acceptance of Estimate

Annex 4: Change Proposal

Annex 5: Change Order

Annex 6: Pending Agreement Change Order

Annex 7: Application for Change Proposal

# Change Order Procedure

### 1. General

This section provides samples of procedures and forms for implementing changes in the Facilities during the performance of the Contract in accordance with GCC Clause 39 (Change in the Facilities) of the General Conditions.

### 2. Change Order Log

The Contractor shall keep an up-to-date Change Order Log to show the current status of Requests for Change and Changes authorized or pending, as Annex 8. Entries of the Changes in the Change Order Log shall be made to ensure that the log is up-to-date. The Contractor shall attach a copy of the current Change Order Log in the monthly progress report to be submitted to the Procuring Entity.

# 3. References for Changes

- 1) Request for Change as referred to in GCC Clause 39 shall be serially numbered CR-X-nnn.
- 2) Estimate for Change Proposal as referred to in GCC Clause 39 shall be serially numbered CN-X-nnn.
- 3) Acceptance of Estimate as referred to in GCC Clause 39 shall be serially numbered CA-X-nnn.
- 4) Change Proposal as referred to in GCC Clause 39 shall be serially numbered CP-X-nnn.
- 5) Change Order as referred to in GCC Clause 39 shall be serially numbered CO-X-nnn.

#### Note:

a) Requests for Change issued from the Procuring Entity's Home Office and the Site representatives of the Procuring Entity shall have the following respective references:

Home Office CR-H-nnn Site CR-S-nnn

The above number "nnn" is the same for Request for Change, Estimate for Change Proposal, b) Acceptance of Estimate, Change Proposal and Change Order.

# ANNEX 1. REQUEST FOR CHANGE PROPOSAL

To:	Date:
Atten	tion:
Contr	ract Name:
Contr	ract Number:
Dea	r Ladies and/or Gentlemen:
the	h reference to the captioned Contract, you are requested to prepare and submit a Change Proposal for Change noted below in accordance with the following instructions withindays of the e of this Form
1.	Title of Change:
2.	Change Request No
3.	Originator of Change:
4.	Procuring Entity:
5.	Contractor (by Application for Change Proposal No:
6.	Brief Description of Change: _
7.	Facilities and/or Item No. of equipment related to the requested Change:
8.	Reference drawings and/ or technical documents for the request of Change: Drawing No./ Document
	No. Description
9.	Detailed conditions or special requirements on the requested Change:
10	General Terms and Conditions:

- General Terms and Conditions:
  - Please submit your estimate to us showing what effect the requested Change will have on the a) Contract Price.
  - Your estimate shall include your claim for the additional time, if any, for completion of the b) requested Change.
  - If you have any opinion negative to the adoption of the requested Change in connection with c) the conformability to the other provisions of the Contractor the safety of the Plant or Facilities, please inform us of your opinion in your proposal of revised provisions.
  - Any increase or decrease in the work of the Contractor relating to the services of its personnel d) shall be calculated.
  - You shall not proceed with the execution of the work for the requested Change until we have e) accepted and confirmed the amount and nature in writing.

(Procuring	Entity's	Name)
(Name	of	signatory)
		(Title of
signatory)		

# **ANNEX 2. ESTIMATE FOR CHANGE PROPOSAL**

# (Contractor's Form head)

To:		Date:
Attent	ion:_	
Contra	act N	ame:
Contra	act N	umber:
Dear	· Ladi	es and/or Gentlemen:
of p	repar eral C	rence to your Request for Change Proposal, we are pleased to notify you of the approximate cost ing the below-referenced Change Proposal in accordance with GCC Sub-Clause 39.2.1 of the Conditions. We acknowledge that your agreement to the cost of preparing the Change Proposal, ance with GCC Sub-Clause 39.2.2, is required before estimating the cost for change work.
1.	Title	e of Change:
2.	Cha	nge Request No./Rev.: 3. Brief Description of Change: _
4.	Sch	eduled Impact of Change:
5.	Cos	t for Preparation of Change Proposal:1
	a)	Engineering (Amount)
		i) Engineerhrsx_rate/hr= ii) Draftsperson_hrsx_rate/hr= Sub-total
		hrs iii) Total Engineering Cost
	b)	Other Cost
		Total Cost (a) + (b)
(Cont	racto	r's Name)
(Signa	ature	)
(Nar	ne of	signatory)
	of sig	gnatory)

# **ANNEX 3. ACCEPTANCE OF ESTIMATE**

(Procuring Entity's Form head)

To:_	Date:
Atten	ition:
Contr	ract Name:
Contr	ract Number:
Dea	r Ladies and/or Gentlemen:
	hereby accept your Estimate for Change Proposal and agree that you should proceed with the aration of the Change Proposal.  Title of Change:
2.	Change Request No./ Rev.:
3.	Estimate for Change Proposal No./ Rev.:
4.	Acceptance of Estimate No./ Rev.:
5.	Brief Description of Change: _
6.	Other Terms and Conditions: In the event that we decide not to order the Change accepted, you shall be entitled to compensation for the cost of preparation of Change Proposal described in your Estimate for Change Proposal mentioned in para. 3 above in accordance with GCC Clause 39 of the General Conditions.
(Proc	curing Entity's Name)
(Sign	nature)
(Nam	ne and Title of signatory)

# **ANNEX 4. CHANGE PROPOSAL**

(Contractor's Form head)

To:	Го:			Date:	
Atten	tion:				
Dea	r Lad	lies and/or Gentlemen:			
In re	-	nse to your Request for Challe of Change:	ange Proposal No, w	e hereby submit our proposal as follows:	:
2.	Cha	ange Proposal No./Rev.:	-		
3.		ginator of Change: ocuring Entity: Contra	ctor:		
4.	Bri	ef Description of Change: _	-		
5.	Rea	asons for Change: _			
6.	Fac	cilities and/or Item No. of E	equipment related to the r	equested Change:	
7.		Reference drawings and/ or technical documents for the requested Change: Drawing/ Document No. Description			
8.		imate of increase/ decreas	e to the Contract Price res	sulting from Change	
	a)	Direct material			
	b)	Major construction equip	oment		
	c)	Direct field labor (Total	hrs)		
	d)	Subcontracts			
	e)	Indirect material and lab	oor		
	f)	Site supervision			
	g)	Head office technical sta	ff salaries		
		Process engineer	hrs @	rate/hr	
		Project engineer	hrs @	rate/hr	
		Equipment engineer	hrs @	rate/hr	
		Procurement	hrs@	rate/hr	
		Drafts person	hrs@	rate/hr	
	h)	Extraordinary costs (con	nputer, travel, etc.)		

Page **120** of **205** 

- Fee for general administration,\_% of Items i) Taxes and customs duties j) Total lump sum cost of Change Proposal (Sum of items (a) to (j)) Cost to prepare Estimate for Change Proposal (Amount payable if Change is not accepted) Effect on the Functional Guarantees
- Additional time for Completion required due to Change Proposal 9.
- 10.
- Effect on the other terms and conditions of the Contract 11.
- 12. Validity of this Proposal: within [Number] days after receipt of this Proposal by the Procuring Entity
- Other terms and conditions of this Change Proposal: 13.
  - You are requested to notify us of your acceptance, comments or rejection of this detailed a) Change Proposal within\_days from your receipt of this Proposal.
  - The amount of any increase and/or decrease shall be taken into account in the adjustment of b) the Contract Price.
  - Contractor's cost for preparation of this Change Proposal:<sup>2</sup> c)

(Contractor's Name)		
(Signature)		
(Name of signatory)		
Title of signatory)		

<sup>&</sup>lt;sup>2</sup> Specify where necessary.

# **ANNEX 5. CHANGE ORDER**

(Pro	curing Entity's Form head)		
To: _		Date:	
Atter	ntion:		
Cont	ract Name:		
Cont	ract Number:		
Dea	ar Ladies and/or Gentlemen:		
adj		work specified in the Change Proposal appletion and/or other conditions of the ns.	•
1.	Title of Change:		
2.	Change Request No./Rev.:		
3.	Change Order No./ Rev.:		
4.	Originator of Change:_Procuring E	Entity:	
	Contractor:		
5.	Authorized Price:		
	Ref. No.:	Date:	
	Foreign currency portion	plus Local currency	portion
6.	Adjustment of Time for Completic	on	
	None Increase	Days Decrease	days
7.	Other effects, if any		
	orized by:	Dat	e:
(Pro	ocuring Entity)		
	epted by:	Dat	te:
(Co	ontractor)		

# **ANNEX 6. PENDING AGREEMENT CHANGE ORDER**

(Procuring Entity's Form head)

To:_	Date:
Atter	ntion:
Con	ntract Name: Contract Number:
Dea	ar Ladies and/or Gentlemen:
	instruct you to carry out the work in the Change Order detailed below in accordance with GCC Clause of the General Conditions.
1.	Title of Change:
2.	Procuring Entity's Request for Change Proposal No./Rev.:dated:
3.	Contractor's Change Proposal No./Rev.:dated:
4.	Brief Description of Change:
5.	Facilities and/or Item No. of equipment related to the requested Change: _
6.	Reference Drawings and/or technical documents for the requested Change:
	Drawing/Document No. Description
7.	Adjustment of Time for Completion:
8.	Other change in the Contract terms: 9. Other terms and conditions:
(Prod	curing Entity's Name)
(Sigr	nature))
(Na	ame of signatory))
(Title	e of signatory))

# **ANNEX 7. APPLICATION FOR CHANGE PROPOSAL**

(Contractor's Form head)
To:
Attention:
Contract Name: Contract Number:
Dear Ladies and/or Gentlemen:
We hereby propose that the below-mentioned work be treated as a Change in the Facilities.
1. Title of Change:
2. Application for Change Proposal No./Rev.:dated:_
3. Brief Description of Change:
4. Reasons for Change:
5. Order of Magnitude Estimation (in the currencies of the Contract):
6. Scheduled Impact of Change:
7. Effect on Functional Guarantees, if any: 8. Appendix:
(Contractor's Name)
(Signature)
(Name of signatory)
(Title of signatory)

Site layout

**DRAWINGS** 

# SUPPLEMENTARY INFORMATION

PART 3 – CONDITIO	ONS OF CONTRA	CT AND CONTE	RACT FORMS

#### **GENERAL CONDITIONS OF CONTRACT**

# A. Contract and Interpretation

## 1. Definitions

1.1 The following words and expressions shall have the meanings here by assigned to them:

"Contract" means the Contract Agreement entered between the Procuring Entity and the Contractor, together with the Contract Documents referred to there in; they shall constitute the Contract, and the term "the Contract" shall in all such documents be construed accordingly.

"Contract Documents" means the documents listed in Article 1.1 (Contract Documents) of the Contract Agreement (including any amendments thereto).

"GCC" means the General Conditions of Contract hereof. "SCC" means the Special Conditions of Contract.

"day" means calendar day. "year" means 365 days. "month" means calendar month.

"Party" means the Procuring Entity or the Contractor, as the context requires, and "Parties" means both of them.

"Procuring Entity" means the public entity named as such in the SCC and includes the legal successors or permitted assigns of the Procuring Entity.

"Project Manager" means the person appointed by the Procuring Entity in the manner provided in GCC Sub- Clause 17.1 (Project Manager) hereof and named as such in the SCC to perform the duties delegated by the Procuring Entity.

"Contractor" means the person(s) whose Tender to perform the Contract has been accepted by the Procuring Entity and is named as Contractor in the Contract Agreement, and includes the legal successors or permitted assigns of the Contractor.

"Contractor's Representative" means any person nominated by the Contractor and approved by the Procuring Entity in the manner provided in GCC Sub-Clause 17.2 (Contractor's Representative and Construction Manager) here of to perform the duties delegated by the Contractor.

"Construction Manager" means the person appointed by the Contractor's Representative in the manner provided in GCC Sub-Clause 17.2.4.

"Subcontractor," including manufacturers, means any person to whom execution of any part of the Facilities, including preparation of any design or supply of any Plant, is sub-contracted directly or indirectly by the Contractor, and includes its legal successors or permitted assigns.

"Dispute Board" (DB) means the person or persons named as such in the SCC appointed by agreement between the Procuring Entity and the Contractor to make a decision with respect to any dispute or difference between the Procuring Entity and the Contractor referred to him or her by the Parties pursuant to GCC Sub-Clause 46.1 (Dispute Board) hereof.

"Contract Price" means the sum specified in Article 2.1 (Contract Price) of the Contract Agreement, subject to such additions and adjustments there to or deductions there from, as may be made pursuant to the Contract.

"Facilities" means the Plant to be supplied and installed, as well as all the Installation Services to be carried out by the Contractor under the Contract.

"Plant" means permanent plant, equipment, machinery, apparatus, materials, articles and things of all kinds to be provided and incorporated in the Facilities by the Contractor under the Contract (including the spare parts to be supplied by the Contractor under GCC Sub-Clause7.3 here of), but does not include Contractor's Equipment.

"Installation Services" means all those services ancillary to the supply of the Plant for the Facilities, to be provided by the Contractor under the Contract, such as transportation and provision of marine or other similar insurance, inspection, expediting, site preparation works (including the provision and use of Contractor's Equipment and the supply of all construction materials required), installation, testing, precommissioning, commissioning, operations, maintenance, the provision of operations and maintenance manuals, training, etc...as the case may require.

"Contractor's Equipment" means all facilities, equipment, machinery, tools, apparatus, appliances or things of every kind required in or for installation, completion and maintenance of Facilities that are to be provided by the Contractor, but does not include Plant, or other things intended to form or forming part of the Facilities.

"Country of Origin" means the countries and territories eligible as elaborated in the SCC.

"Site" means the land and other places upon which the Facilities are to be installed, and such other land or places as may be specified in the Contract as forming part of the Site.

"Effective Date" means the date of fulfillment of all conditions stated in Article 3 (Effective Date) of the Contract Agreement, from which the Time for Completion shall be counted.

"Time for Completion" means the time within which Completion of the Facilities as a whole (or of a part of the Facilities where a separate Time for Completion of such part has been prescribed) is to be attained, as referred to in GCC Clause8 and in accordance with the relevant provisions of the Contract.

"Completion" means that the Facilities (or a specific part thereof where specific parts are specified in the Contract) have been completed operationally and structurally and put in a tight and clean condition, that all work in respect of Pre-commissioning of the Facilities or such specific part thereof has been completed, and that the Facilities or specific part thereof are ready for Commissioning as provided in GCC Clause 24 (Completion) hereof.

"Pre-commissioning" means the testing, checking and other requirements specified in the Procuring Entity's Requirements that are to be carried out by the Contractor in preparation for Commissioning as provided in GCC Clause24 (Completion) hereof.

"Commissioning" means operation of the Facilities or any part thereof by the Contractor following Completion, which operation is to be carried out by the Contractor as provided in GCC Sub-Clause 25.1 (Commissioning) hereof, for the purpose of carrying out Guarantee Test(s).

"Guarantee Test(s)" means the test(s) specified in the Procuring Entity's Requirements to be carried out to ascertain whether the Facilities or a specified part thereof is able to attain the Functional Guarantees specified in the Appendix to the Contract Agreement titled Functional Guarantees, in accordance with the provisions of GCC Sub-Clause25.2 (Guarantee Test) hereof.

"Operational Acceptance" means the acceptance by the Procuring Entity of the Facilities (or any part of the

Facilities where the Contract provides for acceptance of the Facilities in parts), which certifies the Contractor's fulfillment of the Contract in respect of Functional Guarantees of the Facilities (or the relevant part thereof) in accordance with the provisions of GCC Clause 28 (Functional Guarantees) hereof and shall include deemed acceptance in accordance with GCC Clause 25 (Commissioning and Operational Acceptance) hereof.

"Defect Liability Period" means the period of validity of the warranties given by the Contractor commencing at Completion of the Facilities or a part thereof, during which the Contractor is responsible for defects with respect to the Facilities (or the relevant part thereof) as provided in GCC Clause 27(Defect Liability) hereof.

"Notice of Dissatisfaction" means the notice given by either Party to the other under Sub-Clause 46.4 indicating its dissatisfaction and intention to commence arbitration.

#### 2. Contract Documents

2.1 Subject to Article 1.2 (Order of Precedence) of the Contract Agreement, all documents forming part of the Contract (and all parts thereof) are intended to be correlative, complementary and mutually explanatory. The Contract shall be read as a whole.

# 3. Interpretation

- 3.1 In the Contract, except where the context requires otherwise:
  - a) Words indicating one gender include all genders;
  - b) words indicating the singular also include the plural and words indicating the plural also include the singular;
  - c) provisions including the word "agree," "agreed," or "agreement" require the agreement to be recorded in writing;
  - d) the word "tender" is synonymous with "Tender," "tenderer," with "Tenderer," and "tender documents" with "Tendering Document," and
  - e) "written" or "in writing" means hand-written, type-written, printed or electronically made, and resulting in a permanent record.

The marginal words and other headings shall not be taken in to consideration in the interpretation of these Conditions.

### 3.2 Incoterms

Unless inconsistent with any provision of the Contract, the meaning of any trade term and the rights and obligations of Parties thereunder shall be as prescribed by Incoterms.

Incoterms means international rules for interpreting trade terms published by the International Chamber of Commerce (latest edition), 38 C ours Albert 1<sup>er</sup>, 75008 Paris, France.

# 3.3 Entire Agreement

3.3.1 Subject to GCC Sub-Clause 16.4 hereof, the Contract constitutes the entire agreement between the Procuring Entity and Contractor with respect to the subject matter of Contract and supersedes all

communications, negotiations and agreements (whether written or oral) of Parties with respect there to made prior to the date of Contract.

### 3.4 Amendment

No amendment or other variation of the Contract shall be effective unless it is in writing, is dated, expressly refers to the Contract, and is signed by a duly authorized representative of each Party hereto.

# 3.5 Independent Contractor

The Contractor shall be an independent contract or performing the Contract. The Contract does not create any agency, partnership, joint venture or other joint relationship between the Parties hereto. Subject to the provisions of the Contract, the Contractor shall be solely responsible for the manner in which the Contract is performed. All employees, representatives or Subcontractors engaged by the Contractor in connection with the performance of the Contract shall be under the complete control of the Contractor and shall not be deemed to be employees of the Procuring Entity, and nothing contained in the Contractor in any subcontract awarded by the Contractor shall be construed to create any contractual relationship between any such employees, representatives or Subcontractors and the Procuring Entity.

#### 3.6 Non-Waiver

- 3.6.1 Subject to GCC Sub-Clause 3.6.2 below, no relaxation, forbearance, delay or indulgence by either Party in enforcing any of the terms and conditions of the Contract or the granting of time by either Party to the other shall prejudice, affect or restrict the rights of that Party under the Contract, nor shall any waiver by either Party of any breach of Contract operate as waiver of any subsequent or continuing breach of Contract.
- 3.6.2 Any waiver of a Party's rights, powers or remedies under the Contract must be in writing, must be dated and signed by an authorized representative of the Party granting such waiver, and must specify the right and the extent to which it is being waived.

# 3.7 Severability

If any provision or condition of the Contract is prohibited or rendered invalid or unenforceable, such prohibition, in validity or unenforced ability shall not affect the validity or enforce ability of any other provisions and conditions of the Contract.

3.8 Country of Origin "Origin" means the place where the plant and component parts thereof are mined, grown, produced or manufactured, and from which the services are provided. Plant components are produced when, through manufacturing, processing, or substantial or major assembling of components, a commercially recognized product results that is substantially in its basic characteristics or in purpose or utility from its components.

#### 4 Communications

- 4.3 Wherever these Conditions provide for the giving or issuing of approvals, certificates, consents, determinations, notices, requests and discharges, these communications shall be:
  - a In writing and delivered against receipt; and
  - b delivered, sent or transmitted to the address for the recipient's communications as stated in the Contract Agreement.

When a certificate is issued to a Party, the certifier shall send a copy to the other Party. When a notice is issued to a Party, by the other Party or the Project Manager, a copy shall be sent to the Project Manager or the other Party, as the case may be.

# 5 Law and Language

- 5.3 The Contract shall be governed by in accordance with laws of Kenya
- 5.4 The ruling language of the Contract shall be English Language.
- 5.5 The language for communications shall be the English language.

# **6** Fraud and Corruption

- 6.1 The Procuring Entity requires compliance with the provisions of the Public Procurement and Asset Disposal Act, 2015, Section 62 as set forth in Section ......" Declaration not to engage in corruption". The tender submitted by a person shall include a declaration that the person shall not engage in any corrupt or fraudulent practice and a declaration that the person or his or her sub-contractors are not debarred from participating in public procurement proceedings.
- 6.2 Tenderers shall permit and shall cause their agents (where declared or not), subcontractors, subconsultants, service providers, suppliers, and their personnel, to permit the PPRA to inspect all accounts, records and other documents relating to any initial selection process, prequalification process, tender submission, proposal submission, and contract performance (in the case of award), and to have them audited by auditors appointed by the PPRA.

# **B. Subject Matter of Contract**

# **7** Scope of Facilities

- 7.1 Unless otherwise expressly limited in the Procuring Entity's Requirements, the Contractor's obligations cover the provision of all Plant and the performance of all Installation Services required for the design, and the manufacture (including procurement, quality assurance, construction, installation, associated civil works, Pre- commissioning and delivery) of the Plant, and the installation, completion and commissioning of the Facilities in accordance with the plans, procedures, specifications, drawings, codes and any other documents as specified in the Section, Procuring Entity's Requirements. Such specifications include, but are not limited to, the provision of supervision and engineering services; the supply of labor, materials, equipment, spare parts (as specified in GCC Sub-Clause 7.3 below) and accessories; Contractor's Equipment; construction utilities and supplies; temporary materials, structures and facilities; transportation (including, without limitation, unloading and hauling to, from and at the Site); and storage, except for those supplies, works and services that will be provided or performed by the Procuring Entity, asset for thin the Appendix to the Contract Agreement titled Scope of Works and Supply by the Procuring Entity.
- 7.2 The Contractor shall, unless specifically excluded in the Contract, perform all such work and/or supply all such items and materials not specifically mentioned in the Contract but that can be reasonably inferred from the Contract as being required for attaining Completion of the Facilities as if such work and/or items and materials were expressly mentioned in the Contract.
- 7.3 In addition to the supply of Mandatory Spare Parts included in the Contract, the Contractor agrees to supply spare parts required for the operation and maintenance of the Facilities for the period specified in the SCC and the provisions, if any, specified in the SCC. However, the identity, specifications and quantities of such spare parts and the terms and conditions relating to the supply there of are to be agreed between the Procuring Entity and the Contractor, and the price of such

spare parts shall be that given in Price Schedule No.6, which shall be added to the Contract Price. The price of such spare parts shall include the purchase price there for and other costs and expenses (including the Contractor's fees) relating to the supply of spare parts.

# **8 Time for Commencement and Completion**

- 8.1 The Contractor shall commence work on the Facilities within the period specified in the SCC and without prejudice to GCC Sub-Clause 26.2 hereof, the Contractor shall thereafter proceed with the Facilities in accordance with the time schedule specified in the Appendix to the Contract Agreement titled Time Schedule.
- 8.2 The Contractor shall attain Completion of the Facilities or of a part where a separate time for Completion of such part is specified in the Contract, within the time stated in the SCC or within such extended time to which the Contractor shall be entitled under GCC Clause 40 hereof.

# 9 Contractor's Responsibilities

- 9.1 The Contractor shall design, manufacture including associated purchases and/or subcontracting, install and complete the Facilities in accordance with the Contract. When completed, the Facilities should be fit for the purposes for which they are intended as defined in the Contract.
- 9.2 The Contractor confirms that it has entered in to this Contract on the basis of a proper examination of the data relating to the Facilities including any data as to boring tests provided by the Procuring Entity, and on the basis of information that the Contractor could have obtained from a visual inspection of the Site if access there to was available and of other data readily available to it relating to the Facilities as of the date twentyeight (28) days prior to Tender submission. The Contractor acknowledges that any failure to acquaint itself with all such data and information shall not relieve its responsibility for properly estimating the difficulty or cost of successfully performing the Facilities.
- 9.3 The Contractor shall acquire and pay for all permits, approvals and /or licenses from all local, state or national government authorities or public service undertakings in the country where the Site is located which such authorities or undertakings require the Contractor to obtain in its name and which are necessary for the performance of the Contract, including, without limitation, visas for the Contractor's and Subcontractor's personnel and entry permits for all imported Contractor's Equipment. The Contractor shall acquire all other permits, approvals and/or licenses that are not the responsibility of the Procuring Entity under GCC Sub- Clause10.3 hereof and that are necessary for the performance of the Contract.
- 9.4 The Contractor shall comply with all laws in force in the country where the Facilities are to be implemented. The laws will include all local, state, national or other laws that affect the performance of the Contract and bind upon the Contractor. The Contractor shall indemnify and hold harmless the Procuring Entity from and against any and all liabilities, damages, claims, fines, penalties and expenses of whatever nature arising or resulting from the violation of such laws by the Contractor or its personnel, including the Subcontractors and their personnel, but without prejudice to GCC SubClause 10.1 hereof.
- 9.5 Any Plant and Installation Services that will be incorporated in or be required for the Facilities and other supplies shall have their origin as specified under GCC Clause 1 (Country of Origin). Any subcontractors retained by the Contractor shall be from a country as specified in GCC Clause1 Country of Origin).
- 9.6 If the Contractor is a joint venture, or association (JV) of two or more persons, all such persons shall be jointly and severally bound to the Procuring Entity for the fulfillment of the provisions of the Contract, and shall designate one of such persons to act as a leader with authority to bind the JV.

The composition or the constitution of the JV shall not be altered without the prior consent of the Procuring Entity.

- 9.7 Pursuant to paragraph 2.2 e. of Appendix B to the General Conditions the Contractor shall permit and shall cause its subcontractors and sub-consultants to permit, PPRA and/or persons appointed by PPRA to inspect the Site and/or the accounts and records relating to the procurement process, selection and/or contract execution, and to have such accounts and records audited by auditors appointed by PPRA. The Contractor's and its Subcontractors' and sub-consultants' attention is drawn to Sub-Clause 6.1 which provides, interalia, that acts intended to materially impede the exercise of the PPRA's inspection and audit rights constitute a prohibited practice subject to contract termination.
- 9.8 The Contractor shall conform to the sustainable procurement contractual provisions, if and as specified in the SCC.

# 10 Procuring Entity's Responsibilities

- 10.1 All information and/or data to be supplied by the Procuring Entity as described in the Appendix to the Contract Agreement titled Scope of Works and Supply by the Procuring Entity, shall be deemed to be accurate, except when the Procuring Entity expressly states otherwise.
- 10.2 The Procuring Entity shall be responsible for acquiring and providing legal and physical possession of the Site and access thereto, and for providing possession of and access to all other areas reasonably required for the proper execution of the Contract, including all requisite rights of way, as specified in the Appendix to the Contract Agreement titled Scope of Works and Supply by the Procuring Entity. The Procuring Entity shall give full possession of an accord all rights of access there to on or before the date (s) specified in that Appendix.
- 10.3 The Procuring Entity shall acquire and pay for all permits, approvals and/or licenses from all local, state or national government authorities or public service under takings in the country where the Site is located which such authorities or under takings require the Procuring Entity to obtain in the Procuring Entity's name, (b) are necessary for the execution of the Contract, including those required for the performance by both the Contractor and the Procuring Entity of their respective obligations under the Contract, and (c) are specified in the Appendix (Scope of Works and Supply by the Procuring Entity).
- 10.4 If requested by the Contractor, the Procuring Entity shall use its best endeavors to assist the Contractor in obtaining in a timely and expeditious manner all permits, approvals and/or licenses necessary for the execution of the Contract from all local, state or national government authorities or public service under takings that such authorities or undertakings require the Contractor or Subcontractors or the personnel of the Contractor or Subcontractors, as the case may be, to obtain.
- 10.5 Unless otherwise specified in the Contract or agreed upon by the Procuring Entity and the Contractor, the Procuring Entity shall provide sufficient, properly qualified operating and maintenance personnel; shall supply and make available all raw materials, utilities, lubricants, chemicals, catalysts, other materials and facilities; and shall perform all work and services of whatsoever nature, including those required by the Contractor to properly carry out Pre-commissioning, Commissioning and Guarantee Tests, all in accordance with the provisions of the Appendix to the Contract Agreement titled Scope of Works and Supply by the Procuring Entity, at or before the time specified in the program furnished by the Contractor under GCC SubClause18.2 hereof and in the manner thereupon specified or as otherwise agreed upon by the Procuring Entity and the Contractor.

- 10.6 The Procuring Entity shall be responsible for the continued operation of the Facilities after Completion, in accordance with GCC Sub-Clause 24.8, and shall be responsible for facilitating the Guarantee Test (s) for the Facilities, in accordance with GCC Sub-Clause 25.2.
- 10.7 All costs and expenses involved in the performance of the obligations under this GCC Clause 10 shall be the responsibility of the Procuring Entity, save those to be incurred by the Contractor with respect to the performance of Guarantee Tests, in accordance with GCC Sub-Clause 25.2.
- 10.8 In the event that the Procuring Entity shall be in breach of any of his obligations under this Clause, the additional cost incurred by the Contractor in consequence there of shall be determined by the Project Manager and added to the Contract Price.

# C. Payment 11 Contract Price

- 11.1 Contract as specified in Article 2 (Contract Price and Terms of Payment) of the Contract Agreement.
- 11.2 Unless an adjustment clause is provided for in the SCC, the Contract Price shall be a firm lump sum not subject to any alteration, except in the event of a Change in the Facilities or as otherwise provided in the Contract.
- 11.3 Subject to GCC Sub-Clauses 9.2,10.1 and 35 hereof, the Contractor shall be deemed to have satisfied itself as to the correctness and sufficiency of the Contract Price, which shall, except as otherwise provided for in the Contract, cover all its obligations under the Contract.

# 12 Terms of Payment

- 12.1 The Contract Price shall be paid as specified in Article 2 (Contract Price and Terms of Payment) of the Contract Agreement and in the Appendix to the Contract Agreement titled Terms and Procedures of Payment, which also outlines the procedures to be followed in making application for and processing payments.
- 12.2 No payment made by the Procuring Entity herein shall be deemed to constitute acceptance by the Procuring Entity of the Facilities or any part (s) thereof.
- 12.3 In the event that the Procuring Entity fails to make any payment by its respective due date or within the period set for thin the Contract, the Procuring Entity shall pay to the Contractor interest on the amount of such delayed payment at the rate(s) shown in the Appendix to the Contract Agreement titled Terms and Procedures of Payment, for the period of delay until payment has been made in full, whether before or after judgment or arbitrage award.
- 12.4 The currency or currencies in which payments are made to the Contractor under this Contract shall be specified in the Appendix to the Contract Agreement titled Terms and Procedures of Payment, subject to the general principle that payments will be made in the currency or currencies in which the Contract Price has been stated in the Contractor's Tender.

# 13 Securities

### 13.1 Issuance of Securities

The Contractor shall provide the securities specified below in favor of the Procuring Entity at the times, and in the amount, manner and form specified below.

# 13.2 Advance Payment Security

13.2.1 The Contractor shall, within twenty-eight (28) days of the notification of contract award, provide a security in an amount equal to the advance payment calculated in accordance with the Appendix to

- the Contract Agreement titled Terms and Procedures of Payment, and in the same currency or currencies.
- 13.2.2 The security shall be in the form provided in the Tendering documents or in another form acceptable to the Procuring Entity. The amount of the security shall be reduced in proportion to the value of the Facilities executed by and paid to the Contractor from time to time, and shall automatically become null and void when the full amount of the advance payment has been recovered by the Procuring Entity. The security shall be returned to the Contractor immediately after its expiration.

# 13.3 Performance Security

- 13.3.1 The Contractor shall, within twenty-eight (28) days of the notification of contract award, provide a security for the due performance of the Contract in the amount specified in the **SCC**.
- 13.3.2 The Performance Security shall be denominated in the currency or currencies of the Contract, or in a freely convertible currency acceptable to the Procuring Entity, and shall be in the form provided in Section X, Contract Forms, corresponding to the type of bank guarantee stipulated by the Procuring Entity in the **SCC**, or in another form acceptable to the Procuring Entity.
- 13.3.3 Unless otherwise specified in the **SCC**, the security shall be reduced by half on the date of the Operational Acceptance. The Security shall become null and void, or shall be reduced prorata to the Contract Price of a part of the Facilities for which a separate Time for Completion is provided, five hundred and forty (540) days after Completion of the Facilities or three hundred and sixty five (365) days after Operational Acceptance of the Facilities, whichever occurs first; provided, however, that if the Defects Liability Period has been extended on any part of the Facilities pursuant to GCC Sub-Clause27.8 hereof, the Contractor shall issue an additional security in an amount proportionate to the Contract Price of that part. The security shall be returned to the Contractor immediately after its expiration, provided, however, that if the Contractor, pursuant to GCC Sub-Clause 27.10, is liable for an extended defect liability obligation, the Performance Security shall be extended for the period specified in the **SCC** pursuant to GCC Sub-Clause 27.10 and up to the amount specified in the **SCC**.
- 13.3.4 The Procuring Entity shall not make a claim under the Performance Security, except for amounts to which the Procuring Entity is entitled under the Contract. The Procuring Entity shall indemnify and hold the Contractor harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from a claim under the Performance Security to the extent to which the Procuring Entity was not entitled to make the claim.

### 14 Taxes and Duties

- 14.1 Except as otherwise specifically provided in the Contract, the Contractor shall bear and pay all taxes, duties, levies and charges assessed on the Contractor, its Subcontractors or their employees by all municipal, state or national government authorities in connection with the Facilities in and outside of the country where the Site is located.
- 14.2 If any tax exemptions, reductions, allowances or privileges may be available to the Contractor in Kenya, the Procuring Entity shall use its best endeavors to enable the Contractor to benefit from any such tax savings to the maximum allowable extent.
- 14.3 For the purpose of the Contract, it is agreed that the Contract Price specified in Article 2 (Contract Price and Terms of Payment) of the Contract Agreement is based on the taxes, duties, levies and charges prevailing at the date twenty-eight (28) days prior to the date of Tender submission in Kenya (hereinafter called "Tax" in this GCC Sub-Clause14.4). If any rates of Tax are increased or decreased, a new Tax is introduced, an existing Tax is abolished, or any change in interpretation or

application of any Tax occurs in the course of the performance of Contract, which was or will be assessed on the Contractor, Subcontractors or their employees in connection with performance of the Contract, an equitable adjustment of the Contract Price shall be made to fully take in to account any such change by addition to the Contract Price or deduction therefrom, as the case may be, in accordance with GCC Clause36 hereof.

# A. Intellectual Property

# 15 License/Use of Technical Information

- 15.1 For the operation and maintenance of the Plant, the Contractor hereby grants a non-exclusive and non- transferable license (without the right to sub-license) to the Procuring Entity under the patents, utility models or other industrial property rights owned by the Contractor or by a third Party from whom the Contractor has received the right to grant licenses there under, and shall also grant to the Procuring Entity a non-exclusive and non-transferable right (without the right to sub-license) to use the know-how and other technical information disclosed to the Procuring Entity under the Contract. Nothing contained herein shall be construed as transferring ownership of any patent, utility model, trademark, design, copyright, know-how or other intellectual property right from the Contractor or any third Party to the Procuring Entity.
- 15.2 The copy right in all drawings, documents and other materials containing data and information furnished to the Procuring Entity by the Contractor here in shall remain vested in the Contractor or, if they are furnished to the Procuring Entity directly or through the Contractor by any third Party, including suppliers of materials, the copy right in such materials shall remain vested in such third Party.

### **16 Confidential Information**

- 16.1 The Procuring Entity and the Contractor shall keep confidential and shall not, without the written consent of the other Party hereto, divulge to any third Party any documents, data or other information furnished directly or indirectly by the other Party hereto in connection with the Contract, whether such information has been furnished prior to, during or following termination of the Contract. Notwithstanding the above, the Contractor may furnish to its Subcontractor (s) such documents, data and other information it receives from the Procuring Entity to the extent required for the Subcontractor (s) to perform its work under the Contract, in which event the Contractor shall obtain from such Subcontractor (s) an under taking of confidentiality similar to that imposed on the Contractor under this GCC Clause16.
- The Procuring Entity shall not use such documents, data and other information received from the Contractor for any purpose other than the operation and maintenance of the Facilities. Similarly, the Contractor shall not use such documents, data and other information received from the Procuring Entity for any purpose other than the design, procurement of Plant, construction or such other work and services as are required for the performance of the Contract.
- 16.3 The obligation of a Party under GCC Sub-Clauses 16.1 and 16.2 above, however, shall not apply to that information which
  - a Now or here after enters the public domain through no fault of that Party
  - b can be proven to have been possessed by that Party at the time of disclosure and which was not previously obtained, directly or indirectly, from the other Party hereto
  - c otherwise lawfully becomes available to that Party from a third Party that has no obligation of confidentiality.

- 16.4 The above provisions of this GCC Clause 16 shall not in any way modify any undertaking of confidentiality given by either of the Parties hereto prior to the date of the Contract in respect of the Facilities or any part thereof.
- 16.5 The provisions of this GCC Clause 16 shall survive termination, for whatever reason, of the Contract.

# **B. Execution of the Facilities**

# 17 Representatives

# 17.1 Project Manager

If the Project Manager is not named in the Contract, then within fourteen (14) days of the Effective Date, the Procuring Entity shall appoint and notify the Contractor in writing of the name of the Project Manager. The Procuring Entity may from time to time appoint some other person as the Project Manager in place of the person previously so appointed, and shall give a notice of the name of such other person to the Contractor without delay. No such appointment shall be made at such a time or in such a manner as to impede the progress of work on the Facilities. Such appointment shall only take effect upon receipt of such notice by the Contractor. The Project Manager shall represent and act for the Procuring Entity at all times during the performance of the Contract. All notices, instructions, orders, certificates, approvals and all other communications under the Contract shall be given by the Project Manager, except as here in otherwise provided.

All notices, instructions, information and other communications given by the Contractor to the Procuring Entity under the Contract shall be given to the Project Manager, except as herein otherwise provided.

# 17.2 Contractor's Representative & Construction Manager

- 17.2.1 If the Contractor's Representative is not named in the Contract, then within fourteen (14) days of the Effective Date, the Contractor shall appoint the Contractor's Representative and shall request the Procuring Entity in writing to approve the person so appointed. If the Procuring Entity makes no objection to the appointment within fourteen (14) days, the Contractor's Representative shall be deemed to have been approved. If the Procuring Entity objects to the appointment within fourteen (14) days giving the reason therefor, then the Contractor shall appoint a replacement within fourteen (14) days of such objection, and the foregoing provisions of this GCC Sub-Clause17.2.1 shall apply thereto.
- 17.2.2 The Contractor's Representative shall represent and act for the Contractor at all times during the performance of the Contract and shall give to the Project Manager all the Contractor's notices, instructions, information and all other communications under the Contract.
- 17.2.3 All notices, instructions, information and all other communications given by the Procuring Entity or the Project Manager to the Contractor under the Contract shall be given to the Contractor's Representative or, in its absence, its deputy, except as herein otherwise provided.
- 17.2.4 The Contractor shall not revoke the appointment of the Contractor's Representative without the Procuring Entity's prior written consent, which shall not be unreasonably withheld. If the Procuring Entity consents thereto, the Contractor shall appoint some other person as the Contractor's Representative, pursuant to the procedure set out in GCC Sub-Clause 17.2.1.

- 17.2.5 The Contractor's Representative may, subject to the approval of the Procuring Entity which shall not be unreasonably withheld, at any time delegate to any person any of the powers, functions and authorities vested in him or her. Any such delegation may be revoked at any time. Any such delegation or revocation shall be subject to a prior notice signed by the Contractor's Representative, and shall specify the powers, functions and authorities there by delegated or revoked. No such delegation or revocation shall take effect unless and until a copy there of has been delivered to the Procuring Entity and the Project Manager.
- 17.2.6 Any actor exercise by any person of powers, functions and authorities so delegated to him or her in accordance with this GCC Sub-Clause 17.2.3 shall be deemed to be an actor exercise by the Contractor's Representative.
- 17.2.7 From the commencement of installation of the Facilities at the Site until Completion, the Contractor's Representative shall appoint a suitable person as the Construction Manager. The Construction Manager shall supervise all work done at the Site by the Contractor and shall be present at the Site throughout normal working hours except when on leave, sick or absent for reasons connected with the proper performance of the Contract. Whenever the Construction Manager is absent from the Site, a suitable person shall be appointed to act as the Construction Manager's deputy.
- 17.2.8 The Procuring Entity may by notice to the Contractor object to any representative or person employed by the Contractor in the execution of the Contract who, in the reasonable opinion of the Procuring Entity, may be have inappropriately, may be incompetent or negligent, or may commit a serious breach of the Site regulations provided under GCC Sub-Clause 22.4. The Procuring Entity shall provide evidence of the same, where upon the Contractor shall remove such person from the Facilities.
- 17.2.9 If any representative or person employed by the Contractor is removed in accordance with GCC SubClause 17.2.5, the Contractor shall, where required, promptly appoint a replacement.

# 18 Work Program

### 18.1 Contractor's Organization

The Contractor shall supply to the Procuring Entity and the Project Manager a chart showing the proposed organization to be established by the Contractor for carrying out work on the Facilities within twenty-one (21) days of the Effective Date. The chart shall include the identities of the key personnel and the curricula vitae of such key personnel to be employed shall be supplied together with the chart. The Contractor shall promptly inform the Procuring Entity and the Project Manager in writing of any revision or alteration of such an organization chart.

## 18.2 Program of Performance

Within twenty-eight (28) days after the Effective Date, the Contractor shall submit to the Project Manager a detailed program of performance of the Contract, made in a form acceptable to the Project Manager and showing the sequence in which it proposes to design, manufacture, transport, assemble, install and pre- commission the Facilities, as well as the date by which the Contractor reasonably requires that the Procuring Entity shall have fulfilled its obligations under the Contract so as to enable the Contractor to execute the

Contract in accordance with the program and to achieve Completion, Commissioning and Acceptance of the

Facilities in accordance with the Contract. The program so submitted by the Contractor shall accord with the Time Schedule included in the Appendix to the Contract Agreement titled Time Schedule, and any other dates and periods specified in the Contract. The Contractor shall update and revise the program as and when appropriate or when required by the Project Manager, but without

modification in the Times for Completion specified in the **SCC** pursuant to Sub-Clause 8.2 and any extension granted in accordance with GCC Clause 40, and shall submit all such revisions to the Project Manager.

# 18.3 Progress Report

The Contractor shall monitor progress of all the activities specified in the program referred to in GCC Sub- Clause 18.2 above, and supply a progress report to the Project Manager every month.

The progress report shall be in a form acceptable to the Project Manager and shall indicate: (a) percentage completion achieved compared with the planned percentage completion for each activity; and (b) where any activity is behind the program, giving comments and likely consequences and stating the corrective action being taken.

# 18.4 Progress of Performance

If at any time the Contractor's actual progress falls behind the program referred to in GCC Sub-Clause 18.2, or it becomes apparent that it wills of all behind, the Contractor shall, at the request of the Procuring Entity or the project Manager, prepare and submit to the Project Manager a revised program, taking into account the prevailing circumstances, and shall notify the Project Manager of the steps being taken to expedite progress so as to attain Completion of the Facilities within the Time for Completion under GCC Sub-Clause 8.2, any extension thereof entitled under GCC Sub-Clause 40.1, or any extended period as may otherwise be agreed upon between the Procuring Entity and the Contractor.

### 18.5 Procedures

The Contract shall be executed in accordance with the Contract Documents including the procedures given in the Forms and Procedures of the Procuring Entity's Requirements.

The Contractor may execute the Contract in accordance with its own standard project execution plans and procedures to the extent that they do not conflict with the provisions contained in the Contract.

# 19 Subcontracting

- 19.1 The Appendix to the Contract Agreement titled List of Major Items of Plant and Installation Services and List of Approved Subcontractors, specifies major items of supply or services and a list of approved Subcontractors against each item, including manufacturers. In so far as no Subcontractors are listed against any such item, the Contractor shall prepare a list of Subcontractors for such item for inclusion in such list. The Contractor may from time to time propose any addition to or deletion from any such list. The Contractor shall submit any such list or any modification thereto to the Procuring Entity for its approval in sufficient time so as not to impede the progress of work on the Facilities. Such approval by the Procuring Entity for any of the Subcontractors shall not relieve the Contractor from any of its obligations, duties or responsibilities under the Contract.
- 19.2 The Contractor shall select and employ its Subcontractors for such major items from those listed in the lists referred to in GCC Sub-Clause19.1.
- 19.3 For items or parts of the Facilities not specified in the Appendix to the Contract Agreement titled List of Major Items of Plant and Installation Services and List of Approved Subcontractors, the Contractor may employ such Subcontractors as it may select, at its discretion.

- 19.4 Each sub-contract shall include provisions which would entitle the Procuring Entity to require the subcontract to be assigned to the Procuring Entity under GCC19.5 (if and when applicable), or in event of termination by the Procuring Entity under GCC 42.2.
- 19.5 If a subcontractor's obligations extend beyond the expiry date of the relevant Defects Liability Period and the Project Manager, prior to that date, instructs the Contractor to assign the benefits of such obligations to the Procuring Entity, then the Contractor shall do so.

# 20` Design and Engineering

- 20.1 Specifications and Drawings
- 20.1.1 The Contractor shall execute the basic and detailed design and the engineering work in compliance with the provisions of the Contract, or where not so specified, in accordance with good engineering practice.
- 20.1.2 The Contractor shall be responsible for any discrepancies, errors or omissions in the specifications, drawings and other technical documents that it has prepared, whether such specifications, drawings and other documents have been approved by the Project Manager or not, provided that such discrepancies, errors or omissions are not because of inaccurate information furnished in writing to the Contractor by or on behalf of the Procuring Entity.
- 20.1.2 The Contractor shall be entitled to disclaim responsibility for any design, data, drawing, specification or other document, or any modification thereof provided or designated by or on behalf of the Procuring Entity, by giving a notice of such disclaimer to the Project Manager.

### 20.2 Codes and Standards

Wherever references are made in the Contract to codes and standards in accordance with which the Contract shall be executed, the edition or the revised version of such codes and standards current at the date twenty-eight (28) days prior to date of Tender submission shall apply unless otherwise specified. During Contract execution, any changes in such codes and standards shall be applied subject to approval by the Procuring Entity and shall be treated in accordance with GCC Clause 39.

- 20.3 Approval/ Review of Technical Documents by Project Manager.
  - 20.3.1 The Contractor shall prepare or cause its Subcontractors to prepare, and furnish to the Project Manager the documents listed in the Appendix to the Contract Agreement titled List of Documents for Approval or Review, for its approval or review as specified and in accordance with the requirements of GCC Sub-Clause 18.2 (Program of Performance).
  - 20.3.2 Any part of the Facilities covered by or related to the documents to be approved by the Project Manager shall be executed only after the Project Manager's approval thereof.
    - GCC Sub-Clauses 20.3.2 through 20.3.7 shall apply to those documents requiring the Project Manager's approval, but not to those furnished to the Project Manager for its review only.
  - 20.2.3 Within fourteen (14) days after receipt by the Project Manager of any document requiring the Project Manager's approval in accordance with GCC Sub-Clause 20.3.1, the Project Manager shall either return one copy thereof to the Contractor with its approval endorsed there on or shall notify the Contractor in writing of its disapproval thereof and the reasons therefor and the modifications that the Project Manager proposes. If the Project Manager fails to take such action within the said

fourteen (14) days, then the said document shall be deemed to have been approved by the Project Manager.

- 20.3.4 The Project Manager shall not disapprove any document, except on the grounds that the document does not comply with the Contractor that it is contrary to good engineering practice.
- 20.3.5 If the Project Manager disapproves the document, the Contractor shall modify the document and resubmit it for the Project Manager's approval in accordance with GCC Sub-Clause 20.3.2. If the Project Manager approves the document subject to modification(s), the Contractor shall make the required modification (s), where upon the document shall be deemed to have been approved.
- 20.3.6 If any dispute or difference occurs between the Procuring Entity and the Contractor in connection with or arising out of the disapproval by the Project Manager of any document and/or any modification (s) there to that cannot be settled between the Parties within a reasonable period, then such dispute or difference may be referred to a Dispute Board for determination in accordance with GCC Sub-Clause 46.1 hereof. If such dispute or difference is referred to a Dispute Board, the Project Manager shall give instructions as to whether and if so, how, performance of the Contract is to proceed. The Contractor shall proceed with the Contract in accordance with the Project Manager's instructions, provided that if the Dispute Board upholds the Contractor's view on the dispute and if the Procuring Entity has not given notice under GCC Sub-Clause 46.3 hereof, then the Contractor shall be reimbursed by the Procuring Entity for any additional costs incurred by reason of such instructions and shall be relieved of such responsibility or liability in connection with the dispute and the execution of the instructions as the Dispute Board shall decide, and the Time for Completion shall be extended accordingly.
- 20.3.7 The Project Manager's approval, with or without modification of the document furnished by the Contractor, shall not relieve the Contractor of any responsibility or liability imposed upon it by any provisions of the Contract except to the extent that any subsequent failure results from modifications required by the Project Manager.
- 20.3.8 The Contractor shall not depart from any approved document unless the Contractor has first submitted to the Project Manager an amended document and obtained the Project Manager's approval thereof, pursuant to the provisions of this GCC Sub-Clause 20.3.

If the Project Manager requests any change in any already approved document and/or in any document based there on, the provisions of GCC Clause 39 shall apply to such request.

# 21 Procurement

# 21.1 Plant

Subject to GCC Sub-Clause 14.2, the Contractor shall procure and transport all Plant in an expeditious and orderly manner to the Site.

# 21.2 Procuring Entity-Supplied Plant

If the Appendix to the Contract Agreement titled Scope of Works and Supply by the Procuring Entity, provides that the Procuring Entity shall furnish any specific items to the Contractor, the following provisions shall apply:

21.2.1 The Procuring Entity shall, at its own risk and expense, transport each item to the place on or near the Site as agreed upon by the Parties and make such item available to the Contractor at the time specified in the program furnished by the Contractor, pursuant to GCC Sub-Clause18.2, unless otherwise mutually agreed.

- 21.2.2 Upon receipt of such item, the Contractor shall inspect the same visually and notify the Project Manager of any detected shortage, defect or default. The Procuring Entity shall immediately remedy any shortage, defector default, or the Contractor shall, if practicable and possible, at the request of the Procuring Entity, remedy such shortage, defect or default at the Procuring Entity's cost and expense. After inspection, such item shall fall under the care, custody and control of the Contractor. The provision of this GCC Sub-Clause21.2.2 shall apply to any item supplied to remedy any such shortage or default or to substitute for any defective item, or shall apply to defective items that have been repaired.
- 21.2.3 The foregoing responsibilities of the Contractor and its obligations of care, custody and control shall not relieve the Procuring Entity of liability for any undetected shortage, defect or default, nor place the Contractor under any liability for any such shortage, defect or default whether under GCC Clause 27 or under any other provision of Contract.

# 21.3 Transportation

- 21.3.1 The Contractor shall at its own risk and expense transport all the materials and the Contractor's Equipment to the Site by the mode of transport that the Contractor judges most suitable under all the circumstances.
- 21.3.2 Unless otherwise provided in the Contract, the Contractor shall be entitled to select any safe mode of transport operated by any person to carry the materials and the Contractor's Equipment.
- 21.3.3 Upon dispatch of each shipment of materials and the Contractor's Equipment, the Contractor shall notify the
- Procuring Entity by telex, cable, facsimile or electronic means, of the description of the materials and of the Contractor's Equipment, the point and means of dispatch, and the estimated time and point of arrival in the Kenya, if applicable, and at the Site. The Contractor shall furnish the Procuring Entity with relevant shipping documents to be agreed upon between the Parties.
- 21.3.4 The Contractor shall be responsible for obtaining, if necessary, approvals from the authorities for transportation of the materials and the Contractor's Equipment to the Site. The Procuring Entity shall use its best endeavors in a timely and expeditious manner to assist the Contractor in obtaining such approvals, if requested by the Contractor. The Contractor shall indemnify and hold harmless the Procuring Entity from and against any claim for damage to roads, bridges or any other traffic facilities that may be caused by the transport of the materials and the Contractor's Equipment to the Site.

### 21.4 Customs Clearance

21.4.1 The Contractor shall, at its own expense, handle all imported materials and Contractor's Equipment at the point(s) of import and shall handle any formalities for customs clearance, subject to the Procuring Entity's obligations under GCC Sub-Clause 14.2, provided that if applicable laws or regulations require any application or act to be made by or in the name of the Procuring Entity, the Procuring Entity shall take all necessary steps to comply with such laws or regulations. In the event of delays in customs clearance that are not the fault of the Contractor, the Contractor shall be entitled to an extension in the Time for Completion, pursuant to GCC Clause40.

### 22 Installation

22.1 Setting Out/ Supervision

22.1.1 Bench Mark: The Contractor shall be responsible for the true and proper setting-out of the Facilities in relation to bench marks, reference marks and lines provided to it in writing by or on behalf of the Procuring Entity.

If, at any time during the progress of installation of the Facilities, any error shall appear in the position, level or alignment of the Facilities, the Contractor shall forth with notify the Project Manager of such error and, at its own expense, immediately rectify such error to the reasonable satisfaction of the Project Manager. If such error is based on incorrect data provided in writing by or on behalf of the Procuring Entity, the expense of rectifying the same shall be borne by the Procuring Entity.

22.1.2 Contractor's Supervision: The Contractor shall give or provide all necessary superintendence during the installation of the Facilities, and the Construction Manager or its deputy shall be constantly on the Site to provide full-time super intendance of the installation. The Contractor shall provide and employ only technical personnel who are skilled and experienced in their respective callings and supervisory staff who are competent to adequately supervise the work at hand.

### 22.2 Labor:

# 22.2.1 Engagement of Staff and Labor

Except as otherwise stated in the Specification, the Contractor shall make arrangements for the engagement of all staff and labor, local or otherwise, and for their payment, housing, feeding and transport.

The Contractor shall provide and employ on the Site in the installation of the Facilities such skilled, semi-skilled and unskilled labor as is necessary for the proper and timely execution of the Contract. The Contractor is encouraged to use local labor that has the necessary skills.

The Contractor shall be responsible for obtaining all necessary permit(s) and/or visa(s) from the appropriate authorities for the entry of all labor and personnel to be employed on the Site into Kenya. The Procuring Entity will, if requested by the Contractor, use his best endeavors in a timely and expeditious manner to assist the Contractor in obtaining any local, state, national or government permission required for bringing in the Contractor's personnel.

The Contractor shall at its own expense provide the means of repatriation to all of its and its Subcontractor's personnel employed on the Contract at the Site to the place where they were recruited or to their domicile. It shall also provide suitable temporary maintenance of all such persons from the cessation of their employment on the Contract to the date programmed for their departure. In the event that the Contractor defaults in providing such means of transportation and temporary maintenance, the Procuring Entity may provide the same to such personnel and recover the cost of doing so from the Contractor.

# 22.2.2 Persons in the Service of Procuring Entity

The Contractor shall not recruit, or attempt to recruit, staff and labor from amongst the Procuring Entity's Personnel.

### 22.2.3 Labor Laws

The Contractor shall comply with all the relevant labor Laws applicable to the Contractor's Personnel, including Laws relating to their employment, health, safety, welfare, immigration and emigration, and shall allow them all their legal rights.

The Contractor shall at all times during the progress of the Contract use its best endeavors to prevent any unlawful, riotous or disorderly conduct or behavior by or amongst its employees and the labor of its Subcontractors.

The Contractor shall, in all dealings with its labor and the labor of its Subcontractors currently employed on or connected with the Contract, pay due regard to all recognized festivals, official holidays, religious or other customs and all local laws and regulations pertaining to the employment of labor.

# 22.2.4 Rates of Wages and Conditions of Labor

The Contractor shall pay rates of wages, and observe conditions of labor, which are not lower than those established for the trade or industry where the work is carried out. If no established rates or conditions are applicable, the Contractor shall pay rates of wages and observe conditions which are not lower than the general level of wages and conditions observed locally by Procuring Entities whose trade or industry is similar to that of the Contractor.

The Contractor shall in form the Contractor's Personnel about their liability to pay personal income taxes in the Country in respect of such of their salaries, wages and allowances as are chargeable under the Laws for the time being in force, and the Contractor shall perform such duties in regard to such deductions thereof as may be imposed on him by such Laws.

## 22.2.5 Working Hours

No work shall be carried out on the Site on locally recognized days of rest, or outside the normal working hours stated in the **SCC**, unless:

a Otherwise stated in the Contract, b The

Project Manager gives consent, or

c The work is unavoidable, or necessary for the protection of life or property or for the safety of the Works, in which case the Contractor shall immediately advise the Project Manager.

If and when the Contractor considers it necessary to carryout work at night or on public holidays so as to meet the Time for Completion and requests the Project Manager's consent thereto, the Project Manager shall not unreasonably withhold such consent.

This Sub-Clause shall not apply to any work which is customarily carried out by rotary or double-shifts.

22.2.6 Facilities for Staff and Labor Except as otherwise stated in the Specification, the Contractor shall provide and maintain all necessary accommodation and welfare facilities for the Contractor's Personnel. The Contractor shall also provide

facilities for the Procuring Entity's Personnel as stated in the Specification.

The Contractor shall not permit any of the Contractor's Personnel to maintain any temporary or permanent living quarters within the structures forming part of the Permanent Works.

# 22.2.7 Health and Safety

The Contractor shall at all times take all reasonable precautions to maintain the health and safety of the Contractor's Personnel. In collaboration with local health authorities, the Contractor shall ensure that medical staff, first aid facilities, sick bay and ambulance service are available at all times at the Site and at any accommodation for Contractor's and Procuring Entity's Personnel, and that

suitable arrangements are made for all necessary welfare and hygiene requirements and for the prevention of epidemics.

The Contractor shall appoint an accident prevention officer at the Site, responsible for maintaining safety and protection against accidents. This person shall be qualified for this responsibility, and shall have the authority to issue instructions and take protective measures to prevent accidents. Throughout the performance of the Contract, the Contractor shall provide whatever is required by this person to exercise this responsibility and authority.

The Contractor shall send to the Project Manager, details of any accident as soon as practicable after its occurrence. The Contractor shall maintain records and make reports concerning health, safety and welfare of persons, and damage to property, as the Project Manager may reasonably require.

The Contractor shall throughout the contract (including the Defects Notification Period): (i) conduct Information, Education and Consultation Communication (IEC) campaigns, at least every other month, addressed to all the Site staff and labor (including all the Contractor's employees, all Subcontractors and Procuring Entity's and Project Manager's' employees, and all truck drivers and crew making deliveries to Site for construction activities) and to the immediate local communities, concerning the risks, dangers and impact, and appropriate avoidance behavior with respect to of Sexually Transmitted Diseases (STD) - or Sexually Transmitted Infections (STI) in general and HIV/AIDS in particular; (ii) provide male or female condoms for all Site staff and labor as appropriate; and (iii) provide for STI and HIV/AIDS screening, diagnosis, counseling and referral to a dedicated national STI and HIV/AIDS program, (unless otherwise agreed) of all Site staff and labor.

The Contractor shall include in the program to be submitted for the execution of the Facilities under Sub-

Clause18.2 an alleviation program for Site staff and labor and their families in respect of Sexually Transmitted Infections (STI) and Sexually Transmitted Diseases (STD) including HIV/AIDS. The STI, STD and HIV/AIDS alleviation program shall indicate when, how and at what cost the Contractor plans to satisfy the requirements of this Sub-Clause and the related specification. For each component, the program shall detail the resources to be provided or utilized and any related sub-contracting proposed. The program shall also include provision of a detailed cost estimate with supporting documentation. Payment to the Contractor for preparation and implementation this program shall not exceed the Provisional Sum dedicated for this purpose.

# 22.2.8 Funeral Arrangements

In the event of the death of any of the Contractor's personnel or accompanying members of their families, the Contractor shall be responsible for making the appropriate arrangements for their return or burial, unless otherwise specified in the **SCC**.

### 22.2.9 Records of Contractor's Personnel

The Contractor shall keep accurate records of the Contractor's personnel, including the number of each class of Contractor's Personnel on the Site and the names, ages, genders, hours worked and wages paid to all workers. These records shall be summarized on a monthly basis in a form approved by the Project Manager and shall be available for inspection by the Project Manager until the Contractor has completed all work.

## 22.2.10 Supply of Food stuffs

The Contractor shall arrange for the provision of a sufficient supply of suitable food as may be stated in the Specification at reasonable prices for the Contractor's Personnel for the purposes of or in connection with the Contract.

### 22.2.11 Supply of Water

The Contractor shall, having regard to local conditions, provide on the Site an adequate supply of drinking and other water for the use of the Contractor's Personnel.

### 22.2.12 Measures against Insect and Pest Nuisance

The Contractor shall at all times take the necessary precautions to protect the Contractor's Personnel employed on the Site from insect and pest nuisance, and to reduce their danger to health. The Contractor shall comply with all the regulations of the local health authorities, including use of appropriate insecticide.

### 22.2.13 Alcoholic Liquor or Drugs

The Contractor shall not, otherwise than in accordance with the Laws of Kenya, import, sell, give barter or otherwise dispose of any alcoholic liquor or drugs, or permit or allow importation, sale, gift barter or disposal by Contractor's Personnel.

### 22.2.14 Arms and Ammunition

The Contractor shall not give, barter, or otherwise dispose of, to any person, any arms or ammunition of any kind, or allow Contractor's Personnel to do so.

## 22.2.15 Prohibition of All Forms of Forced or Compulsory Labor

The contractor shall not employ "forced or compulsory labor" in any form. "Forced or compulsory labor" consists of all work or service, not voluntarily performed, that is extracted from an individual under threat of force or penalty.

#### 22.2.16 Prohibition of Harmful Child Labor

The Contractor shall not employ any child to perform any work that is economically exploitative, or is likely to be hazardous to, or to interfere with, the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral, or social development.

## 22.3 Contractor's Equipment

- 22.3.1 All Contractor's Equipment brought by the Contractor on to the Site shall be deemed to be intended to be used exclusively for the execution of the Contract. The Contractor shall not remove the same from the Site without the Project Manager's consent that such Contractor's Equipment is no longer required for the execution of the Contract.
- 22.3.2 Unless otherwise specified in the Contract, upon completion of the Facilities, the Contractor shall remove from the Site all Equipment brought by the Contractor on to the Site and any surplus materials remaining there on.
- 22.3.3 The Procuring Entity will, if requested, use its best endeavors to assist the Contractor in obtaining any local, state or national government permission required by the Contractor for the export of the Contractor's Equipment imported by the Contractor for use in the execution of the Contract that is no longer required for the execution of the Contract.

## 22.4 Site Regulations and Safety

The Procuring Entity and the Contractor shall establish Site regulations setting out the rules to be observed in the execution of the Contract at the Site and shall comply there with. The Contractor shall prepare and submit to the Procuring Entity, with a copy to the Project Manager, proposed Site regulations for the Procuring Entity's approval, which approval shall not be unreasonably withheld.

Such Site regulations shall include, but shall not be limited to, rules in respect of security, safety of the Facilities, gate control, sanitation, medical care, and fire prevention.

## 22.5 Opportunities for Other Contractors

- 22.5.1 The Contractor shall, upon written request from the Procuring Entity or the Project Manager, give all reasonable opportunities for carrying out the work to any other contractors employed by the Procuring Entity on or near the Site.
- 22.5.2 If the Contractor, upon written request from the Procuring Entity or the Project Manager, makes available to other contractors any roads or ways the maintenance for which the Contractor is responsible, permits the use by such other contractors of the Contractor's Equipment, or provides any other service of whatsoever nature for such other contractors, the Procuring Entity shall fully compensate the Contractor for any loss or damage caused or occasioned by such other contractors in respect of any such use or service, and shall pay to the Contractor reasonable remuneration for the use of such equipment or the provision of such services.
- 22.5.3 The Contractor shall also so arrange to perform its work as to minimize, to the extent possible, interference with the work of other contractors. The Project Manager shall determine the resolution of any difference or conflict that may arise between the Contractor and other contractors and the workers of the Procuring Entity in regard to their work.
- 22.5.4 The Contractor shall notify the Project Manager promptly of any defects in the other contractors' work that come to its notice, and that could affect the Contractor's work. The Project Manager shall determine the corrective measures, if any, required to rectify the situation after inspection of the Facilities. Decisions made by the Project Manager shall be binding on the Contractor.

## 22.6 Emergency Work

If, by reason of an emergency arising in connection with and during the execution of the Contract, any protective or remedial work is necessary as a matter of urgency to prevent damage to the Facilities, the Contractor shall immediately carry out such work.

If the Contractor is unable or unwilling to do such work immediately, the Procuring Entity may door cause such work to be done as the Procuring Entity may determine is necessary in order to prevent damage to the Facilities. In such event the Procuring Entity shall, as soon as practicable after the occurrence of any such emergency, notify the Contractor in writing of such emergency, the work done and the reasons there for. If the work done or caused to be done by the Procuring Entity is work that the Contractor was liable to do at its own expense under the Contract, the reasonable costs incurred by the Procuring Entity in connection there with shall be paid by the Contractor to the Procuring Entity. Otherwise, the cost of such remedial work shall be borne by the Procuring Entity.

## 22.7 Site Clearance

- 22.7.1 Site Clearance in Course of Performance: In the course of carrying out the Contract, the Contractor shall keep the Site reasonably free from all unnecessary obstruction, store or remove any surplus materials, clear away any wreckage, rubbish or temporary works from the Site, and remove any Contractor's Equipment no longer required for execution of the Contract.
- 22.7.2 Clearance of Site after Completion: After Completion of all parts of the Facilities, the Contractor shall clear away and remove all wreckage, rubbish and debris of any kind from the Site, and shall leave the Site and Facilities in a clean and safe condition.

## 22.8 Watching and Lighting

The Contractor shall provide and maintain at its own expense all lighting, fencing, and watching when and Where necessary for the proper execution and the protection of the Facilities, or for the safety of the owners and occupiers of adjacent property and for the safety of the public.

# 23 Test and Inspection

- 23.1 The Contractor shall at its own expense carryout at the place of manufacture and/or on the Site all such tests and/ or inspections of the Plant and any part of the Facilities as are specified in the Contract.
- 23.2 The Procuring Entity and the Project Manager or their designated representatives shall be entitled to attend the afore said test and/ or inspection, provided that the Procuring Entity shall bear all costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.
- 23.3 Whenever the Contractor is ready to carry out any such test and/or inspection, the Contractor shall give a reasonable advance notice of such test and/or inspection and of the place and time thereof to the Project Manager. The Contractorshall obtain from any relevant third Party or manufacture rany necessary permission or consent to enable the Procuring Entity and the Project Manager or their designated representatives to attend the test and/or inspection.
- 23.4 The Contractor shall provide the Project Manager with a certified report of the results of any such test and/ or inspection. If the Procuring Entity or Project Manager or their designated representatives fails to attend the test and/or inspection, or if it is agreed between the Parties that such persons shall not do so, then the Contractor may proceed with the test and/ or inspection in the absence of such persons, and may provide the Project Manager with a certified report of the results thereof.
- 23.5 The Project Manager may require the Contractor to carry out any test and/or inspection not required by the Contract, provided that the Contractor's reasonable costs and expenses incurred in the carrying out of such test and/or inspection shall be added to the Contract Price. Further, if such test and/or inspection impede the progress of work on the Facilities and/or the Contractor's performance of its other obligations under the Contract, due allowance will be made in respect of the Time for Completion and the other obligations so affected.
- 23.6 If any Plant or any part of the Facilities fails to pass any test and/ or inspection, the Contractor shall either rectify or replace such Plant or part of the Facilities and shall repeat the test and/or inspection upon giving a notice under GCC Sub-Clause 23.3.
- 23.7 If any dispute or difference of opinion shall arise between the Parties in connection with or arising out of the test and/or inspection of the Plant or part of the Facilities that cannot be settled between the Parties within a reasonable period of time, it may be referred to a Dispute Board for determination in accordance with GCC Sub-Clause 46.3.

- 23.8 The Contractor shall afford the Procuring Entity and the Project Manager, at the Procuring Entity's expense, access at any reasonable time to any place where the Plant are being manufactured or the Facilities are being installed, in order to inspect the progress and the manner of manufacture or installation, provided that the Project Manager shall give the Contractor a reasonable prior notice.
- 23.9 The Contractor agrees that neither the execution of a test and/ or inspection of Plant or any part of the Facilities, nor the attendance by the Procuring Entity or the Project Manager, nor the issue of any test certificate pursuant to GCC Sub-Clause 23.4, shall release the Contractor from any other responsibilities under the Contract.
- 23.10 No part of the Facilities or foundations shall be covered upon the Site without the Contractor carrying out any test and/or inspection required under the Contract. The Contractor shall give a reasonable notice to the Project Manager whenever any such parts of the Facilities or foundations are ready or about to be ready for test and/or inspection; such test and/or inspection and notice there of shall be subject to the requirements of the Contract.
- 23.11 The Contractor shall uncover any part of the Facilities or foundations, or shall make openings in or through the same as the Project Manager may from time to time require at the Site, and shall reinstate and make good such part or parts.

If any parts of the Facilities or foundations have been covered up at the Site after compliance with the requirement of GCC Sub-Clause 23.10 and are found to be executed in accordance with the Contract, the expenses of uncovering, making openings in or through, reinstating, and making good the same shall be borne by the Procuring Entity, and the Time for Completion shall be reasonably adjusted to the extent that the contractor has thereby been delayed or impeded in the performance of any of its obligations under the Contract.

# 24 Completion of the Facilities

- 24.1 As soon as the Facilities or any part thereof has, in the opinion of the Contractor, been completed operationally and structurally and put in a tight and clean condition as specified in the Procuring Entity's Requirements, excluding minor items not materially affecting the operation or safety of the Facilities, the Contractor shall so notify the Procuring Entity in writing.
- 24.2 Within seven (7) days after receipt of the notice from the Contractor under GCC Sub-Clause 24.1, the Procuring Entity shall supply the operating and maintenance personnel specified in the Appendix to the Contract Agreement titled Scope of Works and Supply by the Procuring Entity for Pre-commissioning of the Facilities or any part thereof.
- 24.3 Pursuant to the Appendix to the Contract Agreement titled Scope of Works and Supply by the Procuring Entity, the Procuring Entity shall also provide, within the said seven (7) day period, the raw materials, utilities, lubricants, chemicals, catalysts, facilities, services and other matters required for Precommissioning of the Facilities or any part thereof.
- 24.4 As soon as reasonably practicable after the operating and maintenance personnel have been supplied by the Procuring Entity and the raw materials, utilities, lubricants, chemicals, catalysts, facilities, services and other matters have been provided by the Procuring Entity in accordance with GCC Sub-Clause24.2, the Contractor shall commence Pre-commissioning of the Facilities or the relevant part thereof in preparation for Commissioning, subject to GCC Sub-Clause 25.5.

- 24.5 As soon as all works in respect of Pre-commissioning are completed and, in the opinion of the Contractor, the Facilities or any part thereof is ready for Commissioning, the Contractor shall so notify the Project Manager in writing.
- 24.6 The Project Manager shall, within fourteen (14) days after receipt of the Contractor's notice under GCC Sub- Clause 24.4, either issue a Completion Certificate in the form specified in the Procuring Entity's Requirements (Forms and Procedures), stating that the Facilities or that part thereof have reached Completion as of the date of the Contractor's notice under GCC Sub-Clause 24.4, or notify the Contractor in writing of any defects and/or deficiencies.

If the Project Manager notifies the Contractor of any defects and/or deficiencies, the Contractor shall then correct such defects and/or deficiencies, and shall repeat the procedure described in GCC Sub-Clause 24.4. If the Project Manager is satisfied that the Facilities or that part thereof have reached Completion, the Project

Manager shall, within seven (7) days after receipt of the Contractor's repeated notice, issue a Completion Certificate stating that the Facilities or that part thereof have reached Completion as of the date of the Contractor's repeated notice.

If the Project Manager is not so satisfied, then it shall notify the Contractor in writing of any defects and/or deficiencies within seven (7) days after receipt of the Contractor's repeated notice, and the above procedure shall be repeated.

- 24.7 If the Project Manager fails to issue the Completion Certificate and fails to inform the Contractor of any defects and/or deficiencies within fourteen (14) days after receipt of the Contractor's notice under GCC SubClause 24.4 or within seven (7) days after receipt of the Contractor's repeated notice under GCC Sub-Clause 24.5, or if the Procuring Entity makes use of the Facilities or part thereof, then the Facilities or that part there of shall be deemed to have reached Completion as of the date of the Contractor's notice or repeated notice, or as of the Procuring Entity's use of the Facilities, as the case may be.
  - 24.8 As soon as possible after Completion, the Contractor shall complete all outstanding minor items so that the Facilities are fully in accordance with the requirements of the Contract, failing which the Procuring Entity will undertake such completion and deduct the costs there of from any monies owing to the Contractor.
  - 24.9 Upon Completion, the Procuring Entity shall be responsible for the care and custody of the Facilities or the relevant part thereof, together with the risk of loss or damage thereto, and shall thereafter take over the Facilities or the relevant part thereof.

## 25 Commissioning and Operational Acceptance

- 25.1 Commissioning
- 25.1.1 Commissioning of the Facilities or any part there of shall be commenced by the Contractor immediately after issue of the Completion Certificate by the Project Manager, pursuant to GCC Sub-Clause 24.5, or immediately after the date of the deemed Completion, under GCC Sub-Clause 24.6.
- 25.1.2 The Procuring Entity shall supply the operating and maintenance personnel and all raw materials, utilities, lubricants, chemicals, catalysts, facilities, services and other matters required for Commissioning.
- 25.1.3 In accordance with the requirements of the Contract, the Contractor's and Project Manager's advisory personnel shall attend the Commissioning, including the Guarantee Test, and shall advise and assist the Procuring Entity.
- 25.2 Guarantee Test

- 25.2 Subject to GCC Sub-Clause 25.5, the Guarantee Test and repeats there of shall be conducted by the Contractor during Commissioning of the Facilities or the relevant part thereof to ascertain whether the
  - Facilities or the relevant part can attain the Functional Guarantees specified in the Appendix to the Contract Agreement titled Functional Guarantees. The Procuring Entity shall promptly provide the Contractor with such information as the Contractor may reasonably require in relation to the conduct and results of the Guarantee Test and any repeats thereof.
- 25.1.1 If for reasons not attributable to the Contractor, the Guarantee Test of the Facilities or the relevant part thereof cannot be successfully completed within the period from the date of Completion specified in the **SCC** or any other period agreed upon by the Procuring Entity and the Contractor, the Contractor shall be deemed to have fulfilled its obligations with respect to the Functional Guarantees, and GCC Sub-Clauses 28.2 and 28.3 shall not apply.

## 25.3 Operational Acceptance

- 25.3.1 Subject to GCC Sub-Clause 25.4 below, Operational Acceptance shall occur in respect of the Facilities or any part thereof when
  - a The Guarantee Test has been successfully completed and the Functional Guarantees are met; or b the Guarantee Test has not been successfully completed or has not been carried out for reasons not attributable to the Contractor within the period from the date of Completion specified in the **SCC** pursuant to GCC Sub-Clause 25.2.2 above or any other period agreed upon by the Procuring Entity and the Contractor; or
  - c the Contractor has paid the liquidated damages specified in GCC Sub-Clause 28.3hereof; and d any minor items mentioned in GCC Sub-Clause 24.7 here of relevant to the Facilities or that part thereof have been completed.
- 25.3.2 At any time after any of the events set out in GCC Sub-Clause 25.3.1 have occurred, the Contractor may give a notice to the Project Manager requesting the issue of an Operational Acceptance Certificate in the form provided in the Procuring Entity's Requirements (Forms and Procedures) in respect of the Facilities or the part there of specified in such notice as of the date of such notice.
- 25.3.3 The Project Manager shall, after consultation with the Procuring Entity, and within seven (7) days after receipt of the Contractor's notice, issue an Operational Acceptance Certificate.
- 25.3.4 If within seven (7) days after receipt of the Contractor's notice, the Project Manager fails to issue the Operational Acceptance Certificate or fails to inform the Contractor in writing of the justifiable reasons why the Project Manager has not issued the Operational Acceptance Certificate, the Facilities or the relevant part there of shall be deemed to have been accepted as of the date of the Contractor's said notice.

### 25.4 Partial Acceptance

- 25.4.1 If the Contract specifies that Completion and Commissioning shall be carried out in respect of parts of the Facilities, the provisions relating to Completion and Commissioning including the Guarantee Test shall apply to each such part of the Facilities individually, and the Operational Acceptance Certificate shall be issued accordingly for each such part of the Facilities.
- 25.4.2 If a part of the Facilities comprises facilities such as buildings, for which no Commissioning or Guarantee Test is required, then the Project Manager shall issue the Operational Acceptance

Certificate for such facility when it attains Completion, provided that the Contractor shall there after complete any outstanding minor items that are listed in the Operational Acceptance Certificate.

- 25.5 Delayed Pre-commissioning and/or Guarantee Test
- 25.5.1 In the event that the Contractor is unable to proceed with the Pre-commissioning of the Facilities pursuant to Sub-Clause 24.3, or with the Guarantee Test pursuant to Sub-Clause 25.2, for reasons attributable to the Procuring Entity either on account of non-availability of other facilities under the responsibilities of other contractor(s), or for reasons beyond the Contractor's control, the provisions leading to "deemed" completion of activities such as Completion, pursuant to GCC Sub-Clause 24.6, and Operational

Acceptance, pursuant to GCC Sub-Clause 25.3.4, and Contractor's obligations regarding Defect Liability

Period, pursuant to GCC Sub- Clause 27.2, Functional Guarantee, pursuant to GCC Clause 28, and Care of Facilities, pursuant to GCC Clause 32, and GCC Clause 41.1, Suspension, shall not apply. In this case, the following provisions shall apply.

- 25.5.2 When the Contractor is notified by the Project Manager that he will be unable to proceed with the activities and obligations pursuant to above Sub-Clause 25.5.1, the Contractor shall be entitled to the following:
  - a The Time of Completion shall be extended for the period of suspension without imposition of liquidated damages pursuant to GCC Sub-Clause 26.2;
  - b payments due to the Contractor in accordance with the provision specified in the Appendix to the Contract Agreement titled Terms and Procedures of Payment, which would not have been payable in normal circumstances due to non-completion of the subject activities, shall be released to the Contractor against submission of a security in the form of a bank guarantee of equivalent amount acceptable to the Procuring Entity, and which shall become null and void when the Contractor will have complied with its obligations regarding those payments, subject to the provision of Sub-Clause 25.5.3 below; c the expenses towards the above security and extension of other securities under the contract, of which validity needs to be extended, shall be reimbursed to the Contractor by the Procuring Entity;
  - the additional charges towards the care of the Facilities pursuant to GCC Sub-Clause 32.1 shall be reimbursed to the Contractor by the Procuring Entity for the period between the notification mentioned above and the notification mentioned in Sub-Clause 25.5.4 below. The provision of GCC Sub-Clause 33.2 shall apply to the Facilities during the same period.
  - Where the contract price is different from the corrected tender price, in order to ensure the contractor is not paid less or more relative to the contract price (which would be the tender price), payment valuation certificates and variation orders on omissions and additions valued based on rates in the Bill of Quantities or schedule of rates in the Tender, will be adjusted by a plus or minus percentage. The percentage already worked out during tender evaluation is worked out as follows: (corrected tender price –tender price)/ tender price X100.
- 25.5.3 In the event that the period of suspension under above Sub-Clause 25.5.1 actually exceeds one hundred eighty (180) days, the Procuring Entity and Contractor shall mutually agree to any additional compensation payable to the Contractor.

- 25.5.4 When the Contractor is notified by the Project Manager that the plant is ready for Precommissioning, the Contractor shall proceed without delay in performing Pre-commissioning in accordance with Clause 24.
- A. Guarantees and Liabilities
- 26 Completion Time Guarantee
  - 26.1 The Contractor guarantees that it shall attain Completion of the Facilities (or a part for which a separate time for completion is specified) within the Time for Completion specified in the **SCC** pursuant to GCC Sub-Clause 8.2, or within such extended time to which the Contractor shall be entitled under GCC Clause 40 hereof.
  - 26.2 If the Contractor fails to attain Completion of the Facilities or any part thereof within the Time for Completion or any extension thereof under GCC Clause 40, the Contractor shall pay to the Procuring Entity liquidated damages in the amount specified in the **SCC** as a percentage rate of the Contract Price or the relevant part thereof. The aggregate amount of such liquidated damages shall in no event exceed the amount specified as "Maximum" in the **SCC** as a percentage rate of the Contract Price. Once the "Maximum" is reached, the Procuring Entity may consider termination of the Contract, pursuant to GCC Sub-Clause 42.2.2.
  - 26.3 Such payment shall completely satisfy the Contractor's obligation to attain Completion of the Facilities or the relevant part thereof within the Time for Completion or any extension thereof under GCC Clause 40. The Contractor shall have no further liability whatsoever to the Procuring Entity in respect thereof.
  - 26. 4 However, the payment of liquidated damages shall not in any way relieve the Contractor from any of its obligations to complete the Facilities or from any other obligations and liabilities of the Contractor under the Contract.
  - 26. 5 Save for liquidated damages payable under this GCC Sub-Clause 26.2, the failure by the Contractor to attain
    - any milestone or other act, matter or thing by any date specified in the Appendix to the Contract Agreement titled Time Schedule, and/or other program of work prepared pursuant to GCC Sub-Clause 18.2 shall not render the Contractor liable for any loss or damage there by suffered by the Procuring Entity.
  - 26.6 If the Contractor attains Completion of the Facilities or any part there of before the Time for Completion or any extension thereof under GCC Clause 40, the Procuring Entity shall pay to the Contractor a bonus in the amount specified in the **SCC**. The aggregate amount of such bonus shall in no event exceed the amount specified as "Maximum" in the **SCC**.

## 27 Defect Liability

- 27.1 The Contractor warrants that the Facilities or any part thereof shall be free from defects in the design, engineering, materials and workmanship of the Plant supplied and of the work executed.
- 27.2 The Defect Liability Period shall be five hundred and forty (540) days from the date of Completion of the Facilities (or any part thereof) or one year from the date of Operational Acceptance of the Facilities (or any part thereof), whichever first occurs, unless specified otherwise in the **SCC** pursuant to GCC Sub-Clause 27.10.

If during the Defect Liability Period any defect should be found in the design, engineering, materials and workmanship of the Plant supplied or of the work executed by the Contractor, the Contractor shall promptly, in consultation and agreement with the Procuring Entity regarding appropriate remedying of the defects, and at its cost, repair, replace or otherwise make good as the Contractor shall determine at its discretion, such defect as well as any damage to the Facilities caused by such defect. The Contractor shall not be responsible for the repair, replacement or making good of any defector of any damage to the Facilities arising out of or resulting from any of the following causes:

- a Improper operation or maintenance of the Facilities by the Procuring
- Entity; b Operation of the Facilities outside specifications provided in the Contract; or c Normal wear and tear.
- 27.3 The Contractor's obligations under this GCC Clause 27 shall not apply to:
  - a any materials that are supplied by the Procuring Entity under GCC Sub-Clause 21.2, are normally consumed in operation, or have a normal life shorter than the Defect Liability Period stated herein;
  - any designs, specifications or other data designed, supplied or specified by or on behalf of the Procuring Entity or any matters for which the Contractor has disclaimed responsibility herein; or c any other materials supplied or any other work executed by or on behalf of the Procuring Entity, except for the work executed by the Procuring Entity under GCC Sub-Clause 27.7.
- The Procuring Entity shall give the Contractor a notice stating the nature of any such defect together with all available evidence thereof, promptly following the discovery thereof. The Procuring Entity shall afford all reasonable opportunity for the Contractor to inspect any such defect.
- 27.5 The Procuring Entity shall afford the Contractor all necessary access to the Facilities and the Site to enable the Contractor to perform its obligations under this GCC Clause 27.
  - The Contractor may, with the consent of the Procuring Entity, remove from the Site any Plant or any part of the Facilities that are defective if the nature of the defect, and/or any damage to the Facilities caused by the defect, is such that repairs cannot be expeditiously carried out at the Site.
- If the repair, replacement or making good is of such a character that it may affect the efficiency of the Facilities or any part thereof, the Procuring Entity may give to the Contractor a notice requiring that tests of the defective part of the Facilities shall be made by the Contractor immediately upon completion of such remedial work, where upon the Contractor shall carryout such tests.
- 27.7 If such part fails the tests, the Contractor shall carryout further repair, replacement or making good, as the case may be, until that part of the Facilities passes such tests. The tests shall be agreed upon by the Procuring Entity and the Contractor.
- 27.8 If the Contractor fails to commence the work necessary to remedy such defector any damage to the Facilities caused by such defect within a reasonable time (which shall in no event be considered to be less than fifteen (15) days), the Procuring Entity may, following notice to the Contractor, proceed to do such work, and the reasonable costs incurred by the Procuring Entity in connection there with shall be paid to the Procuring Entity by the Contractor or may be deducted by the Procuring Entity from any monies due the Contractor or claimed under the Performance Security.
- 27.9 If the Facilities or any part thereof cannot be used by reason of such defect and/or making good of such defect, the Defect Liability Period of the Facilities or such part, as the case may be, shall

- be extended by a period equal to the period during which the Facilities or such part cannot be used by the Procuring Entity because of any of the aforesaid reasons.
- 27.10 Except as provided in GCC Clauses 27 and 33, the Contractor shall be under no liability whatsoever and how so ever arising, and whether under the Contractor at law, in respect of defects in the Facilities or any part thereof, the Plant, design or engineering or work executed that appear after Completion of the Facilities or any part thereof, except where such defects are the result of the gross negligence, fraud, or criminal or willful action of the Contractor.
- 27.11 In addition, any such component of the Facilities, and during the period of time as may be specified in the **SCC**, shall be subject to an extended defect liability period. Such obligation of the Contractor shall be in addition to the defect liability period specified under GCC Sub-Clause 27.2.

## **28 Functional Guarantees**

- 28.1 The Contractor guarantees that during the Guarantee Test, the Facilities and all parts thereof shall attain the Functional Guarantees specified in the Appendix to the Contract Agreement titled Functional Guarantees, subject to and upon the conditions therein specified.
- 28.2 If, for reasons attributable to the Contractor, the minimum level of the Functional Guarantees specified in the Appendix to the Contract Agreement titled Functional Guarantees, are not met either in whole or in part, the Contractor shall at its cost and expense make such changes, modifications and/ or additions to the Plant or any part there of as may be necessary to meet at least the minimum level of such Guarantees. The Contractor shall notify the Procuring Entity upon completion of the necessary changes, modifications and/or additions, and shall request the Procuring Entity to repeat the Guarantee Test until the minimum level of the Guarantees has been met. If the Contractor eventually fails to meet the minimum level of Functional Guarantees, the Procuring Entity may consider termination of the Contract, pursuant to GCC Sub-Clause 42.2.2.
- 28.3 If, for reasons attributable to the Contractor, the Functional Guarantees specified in the Appendix to the Contract Agreement titled Functional Guarantees, are not attained either in whole or in part, but the minimum level of the Functional Guarantees specified in the said Appendix to the Contract Agreement is met, the Contractor shall, at the Contractor's option, either a Make such changes, modifications and/or additions to the Facilities or any part there of that are necessary to attain the Functional Guarantees at its cost and expense, and shall request the Procuring Entity to repeat the Guarantee Test or b Pay liquidated damages to the Procuring Entity in respect of the failure to meet the Functional Guarantees in accordance with the provisions in the Appendix to the Contract Agreement titled Functional Guarantees.
  - c The payment of liquidated damages under GCC Sub-Clause 28.3, up to the limitation of liability specified in the Appendix to the Contract Agreement titled Functional Guarantees, shall completely satisfy the Contractor's guarantees under GCC Sub-Clause 28.3, and the Contractor shall have no further liability whatsoever to the Procuring Entity in respect thereof. Upon the payment of such liquidated damages by the Contractor, the Project Manager shall issue the Operational Acceptance Certificate for the Facilities or any part thereof in respect of which the liquidated damages have been so paid.

## 29 **Patent Indemnity**

29.1 The Contractor shall, subject to the Procuring Entity's compliance with GCC Sub-Clause 29.2, indemnify and hold harmless the Procuring Entity and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs,

and expenses of whatsoever nature, including attorney's fees and expenses, which the Procuring Entity may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copy right or other intellectual property right registered or otherwise existing at the date of the Contract by reason of: (a) the installation of the Facilities by the Contractor or the use of the Facilities in Kenya; and (b) the sale of the products produced by the Facilities in any country.

- 29.2 Such indemnity shall not cover any use of the Facilities or any part thereof other than for the purpose indicated by or to be reasonably inferred from the Contract, any infringement resulting from the use of the Facilities or any part thereof, or any products produced thereby in association or combination with any
  - other equipment, plant or materials not supplied by the Contractor, pursuant to the Contract Agreement.
- 29.3 If any proceedings are brought or any claim is made against the Procuring Entity arising out of the matters referred to in GCC Sub-Clause 29.1, the Procuring Entity shall promptly give the Contractor a notice thereof, and the Contractor may at its own expense and in the Procuring Entity's name conduct such proceedings or claim and any negotiations for the settlement of any such proceedings or claim.
- 29.4 If the Contractor fails to notify the Procuring Entity within twenty-eight (28) days after receipt of such notice that it intends to conduct any such proceedings or claim, then the Procuring Entity shall be free to conduct the same on its own behalf. Unless the Contractor has so failed to notify the Procuring Entity within the twenty- eight (28) day period, the Procuring Entity shall make no admission that may be prejudicial to the defense of any such proceedings or claim.
- 29.5 The Procuring Entity shall, at the Contractor's request, afford all available assistance to the Contractor in conducting such proceedings or claim, and shall be reimbursed by the Contractor for all reasonable expenses incurred in so doing.
- 29.6 The Procuring Entity shall indemnify and hold harmless the Contractor and its employees, officers and Subcontractors from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of whatsoever nature, including attorney's fees and expenses, which the Contractor may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright or other intellectual property right registered or otherwise existing at the date of the Contract arising out of or in connection with any design, data, drawing, specification, or other documents or materials provided or designed by or on behalf of the Procuring Entity.

## 30 Limitation of Liability

- 30.1 Except in cases of criminal negligence or willful misconduct,
  - a) Neither Party shall be liable to the other Party, whether in contract, tort, or otherwise, for any in director consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, which may be suffered by the other Party in connection with the Contract, other than specifically provided as any obligation of the Party in the Contract, and
  - b) the aggregate liability of the Contractor to the Procuring Entity, whether under the Contract, in tort or otherwise, shall not exceed the amount resulting from the application of the multiplier specified in the **SCC**, to the Contract Price or, if a multiplier is not so specified, the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing

defective equipment, or to any obligation of the Contractor to indemnify the Procuring Entity with respect to patent infringement.

## B. Risk Distribution

## 31 Transfer of Ownership

- 31.1 Ownership of the Plant (including spare parts) to be imported in to Kenya shall be transferred to the Procuring Entity upon loading on to the mode of transport to be used to convey the Plant from the country of origin to that country.
- 31.2 Ownership of the Plant (including spare parts) procured in Kenya shall be transferred to the Procuring Entity when the Plant are brought on to the Site.
- 31.3 Ownership of the Contractor's Equipment used by the Contractor and its Subcontractors in connection with the Contract shall remain with the Contractor or its Subcontractors.
- 31.4 Ownership of any Plant in excess of the requirements for the Facilities shall revert to the Contractor upon Completion of the Facilities or at such earlier time when the Procuring Entity and the Contractor agree that the Plant in question are no longer required for the Facilities.
- 31.5 Notwithstanding the transfer of ownership of the Plant, the responsibility for care and custody thereof together with the risk of loss or damage there to shall remain with the Contractor pursuant to GCC Clause 32 (Care of Facilities) hereof until Completion of the Facilities or the part there of in which such Plant are incorporated.

## 32 Care of Facilities

- 32.1 The Contractor shall be responsible for the care and custody of the Facilities or any part thereof until the date of Completion of the Facilities pursuant to GCC Clause 24 or, where the Contract provides for Completion of the Facilities in parts, until the date of Completion of the relevant part, and shall make good at its own cost any loss or damage that may occur to the Facilities or the relevant part thereof from any cause whatsoever during such period. The Contractor shall also be responsible for any loss or damage to the Facilities caused by the Contractor or its Subcontractors in the course of any work carried out, pursuant to GCC Clause 27. Notwithstanding the foregoing, the Contractor shall not be liable for any loss or damage to the Facilities or that part thereof caused by reason of any of the matters specified or referred to in paragraphs (a), (b) and (c) of GCC Sub-Clauses 32.2 and 38.1.
- 32.2 If any loss or damage occurs to the Facilities or any part, thereof or to the Contractor's temporary facilities by reason of a insofar as they relate to Kenya, nuclear reaction, nuclear radiation, radioactive contamination, pressure wave caused by aircraft or other aerial objects, or any other occurrences that an experienced contract or could not reasonably foresee, or if reasonably foreseeable could not reasonably make provision for or insure against, in so far as such risks are not normally insurable on the insurance market and are mentioned in the general exclusions of the policy of insurance, including War Risks and Political Risks, taken out under GCC Clause 34 hereof; or b any use or occupation by the Procuring Entity or any third Party other than a Subcontractor, authorized by the Procuring Entity of any part of the Facilities; or
  - c any use of or reliance upon any design, data or specification provided or designated by or on behalf of the Procuring Entity, or any such matter for which the Contractor has disclaimed responsibility herein, the Procuring Entity shall pay to the Contractor all sums payable in respect of the Facilities executed, notwithstanding that the same be lost, destroyed or damaged, and will pay to the Contractor the replacement value of all temporary facilities and all parts thereof

lost, destroyed or damaged. If the Procuring Entity requests the Contractor in writing to make good any loss or damage to the Facilities thereby occasioned, the Contractor shall make good the same at the cost of the Procuring Entity in accordance with GCC Clause 39. If the Procuring Entity does not request the Contractor in writing to make good any loss or damage to the Facilities thereby occasioned, the Procuring Entity shall either request a change in accordance with GCC Clause 39, excluding the performance of that part of the Facilities there by lost, destroyed or damaged, or, where the loss or damage affects a substantial part of the Facilities, the Procuring Entity shall terminate the Contract pursuant to GCC Sub-Clause 42.1 hereof.

- 32.3 The Contractor shall be liable for any loss of or damage to any Contractor's Equipment, or any other property of the Contractor used or intended to be used for purposes of the Facilities, except (i) as mentioned in GCC Sub-Clause 32.2 with respect to the Contractor's temporary facilities, and (ii) where such loss or damage arises by reason of any of the matters specified in GCC Sub-Clauses 32.2 (b) and (c) and 38.1.
- 32.4 With respect to any loss or damage caused to the Facilities or any part thereof or to the Contractor's Equipment by reason of any of the matters specified in GCC Sub-Clause 38.1, the provisions of GCC SubClause 38.3 shall apply.

## Loss of or Damage to Property; Accident or Injury to Workers; Indemnification

- 33.1 Subject to GCC Sub-Clause 33.3, the Contractor shall indemnify and hold harmless the Procuring Entity and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of whatsoever nature, including attorney's fees and expenses, in respect of the death or injury of any person or loss of or damage to any property other than the Facilities whether accepted or not, arising in connection with the supply and installation of the Facilities and by reason of the negligence of the Contractor or its Subcontractors, or their employees, officers or agents, except any injury, death or property damage caused by the negligence of the Procuring Entity, its contractors, employees, officers or agents.
- 33.2 If any proceedings are brought or any claim is made against the Procuring Entity that might subject the Contractor to liability under GCC Sub-Clause33.1, the Procuring Entity shall promptly give the Contractor a notice thereof and the Contractor may at its own expense and in the Procuring Entity's name conduct such proceedings or claim and any negotiations for the settlement of any such proceedings or claim.
- 33.8 If the Contractor fails to notify the Procuring Entity within twenty-eight (28) days after receipt of such notice that it intends to conduct any such proceedings or claim, then the Procuring Entity shall be free to conduct the same on its own behalf. Unless the Contractor has so failed to notify the Procuring Entity within the twenty- eight (28) day period, the Procuring Entity shall make no admission that may be prejudicial to the defense of any such proceedings or claim.
- 33.9 The Procuring Entity shall, at the Contractor's request, afford all available assistance to the Contractor in conducting such proceedings or claim, and shall be reimbursed by the Contractor for all reasonable expenses incurred in so doing.
- 33.10 `The Procuring Entity shall indemnify and hold harmless the Contractor and its employees, officers and Subcontractors from any liability for loss of or damage to property of the Procuring Entity, other than the Facilities not yet taken over, that is caused by fire, explosion or any other perils, in excess of the amount recoverable from insurances procured under GCC Clause 34, provided that such fire, explosion or other perils were not caused by any actor failure of the Contractor.

33.11 The Party entitled to the benefit of an indemnity under this GCC Clause 33 shall take all reasonable measures to mitigate any loss or damage which has occurred. If the Party fails to take such measures, the other Party's liabilities shall be correspondingly reduced.

#### 34 Insurance

34.1 To the extent specified in the Appendix to the Contract Agreement titled Insurance Requirements, the Contractor shall at its expense take out and maintain in effect, or cause to be taken out and maintained in effect, during the performance of the Contract, the insurances set forth below in the sums and with the deductibles and other conditions specified in the said Appendix. The identity of the insurers and the form of the policies shall be subject to the approval of the Procuring Entity, who should not unreasonably withhold such approval.

## a. Cargo Insurance During Transport

Covering loss or damage occurring while in transit from the Contractor's or Subcontractor's works or stores until arrival at the Site, to the Plant (including spare parts therefor) and to the Contractor's Equipment.

### b. Installation All Risks Insurance

Covering physical loss or damage to the Facilities at the Site, occurring prior to Completion of the Facilities, with an extended maintenance coverage for the Contractor's liability in respect of any loss or damage occurring during the Defect Liability Period while the Contractor is on the Site for the purpose of performing its obligations during the Defect Liability Period.

## c. Third Party Liability Insurance

Covering bodily injury or death suffered by third Parties including the Procuring Entity's personnel, and loss of or damage to property occurring in connection with the supply and installation of the Facilities.

### d. Automobile Liability Insurance

Covering use of all vehicles used by the Contractor or its Subcontractors, whether or not owned by them, in connection with the execution of the Contract.

## c. Workers' Compensation

In accordance with the statutory requirements applicable in any country where the Contract or any part thereof is executed.

### d. Procuring Entity's Liability

In accordance with the statutory requirements applicable in any country where the Contract or any part thereof is executed.

### e. Other Insurances

Such other insurances as may be specifically agreed upon by the Parties here to as listed in the Appendix to the Contract Agreement titled Insurance Requirements.

The Procuring Entity shall be named as co-insured under all insurance policies taken out by the Contractor pursuant to GCC Sub-Clause 34.1, except for the Third Party Liability, Workers' Compensation and Procuring Entity's Liability Insurances, and the Contractor's Subcontractors shall be named as co-insureds under all insurance policies taken out by the Contractor pursuant to GCC Sub-Clause 34.1 except for the Cargo Insurance During Transport, Workers' Compensation and

Procuring Entity's Liability Insurances. All insurer's rights of subrogation against such co-insureds for losses or claims arising out of the performance

of the Contract shall be waived under such policies.

- 34.3 The Contractor shall, in accordance with the provisions of the Appendix to the Contract Agreement titled Insurance Requirements, deliver to the Procuring Entity certificates of insurance or copies of the insurance policies as evidence that the required policies are in full force and effect. The certificates shall provide that no less than twenty-one (21) days' notice shall be given to the Procuring Entity by insurers prior to cancellation or material modification of a policy.
- 34.4 The Contractor shall ensure that, where applicable, its Subcontractor(s) shall take out and maintain in effect adequate insurance policies for their personnel and vehicles and for work executed by them under the Contract, unless such Subcontractors are covered by the policies taken out by the Contractor.
- 34.5 The Procuring Entity shall at its expense take out and maintain in effect during the performance of the
  - Contract those insurances specified in the Appendix to the Contract Agreement titled Insurance Requirements, in the sums and with the deductibles and other conditions specified in the said Appendix. The Contractor and the Contractor's Subcontractors shall be named as co-insureds under all such policies. All insurers' rights of subrogation against such co-insureds for losses or claims arising out of the performance of the Contract shall be waived under such policies. The Procuring Entity shall deliver to the Contractor satisfactory evidence that the required insurances are in full force and effect. The policies shall provide that not less than twenty-one (21) days' notice shall be given to the Contractor by all insurers prior to any cancellation or material modification of the policies. If so requested by the Contractor, the Procuring Entity shall provide copies of the policies taken out by the Procuring Entity under this GCC Sub-Clause 34.5.
- 34.6 If the Contractor fails to take out and/or maintain in effect the insurances referred to in GCC Sub-Clause 34.1, the Procuring Entity may take out and maintain in effect any such insurances and may from time to time deduct from any amount due the Contractor under the Contract any premium that the Procuring Entity shall have paid to the insurer, or may otherwise recover such amount as a debt due from the Contractor. If the Procuring Entity fails to take out and/or maintain in effect the insurances referred to in GCC 34.5, the Contractor may take out and maintain in effect any such insurances and may from time to time deduct from any amount due the Procuring Entity under the Contract any premium that the Contractor shall have paid to the insurer, or may otherwise recover such amount as a debt due from the Procuring Entity. If the Contractor fails to or is unable to take out and maintain in effect any such insurances, the Contractor shall nevertheless have no liability or responsibility towards the Procuring Entity, and the Contractor shall have full recourse against the Procuring Entity for any and all liabilities of the Procuring Entity herein.
- 34.7 Unless otherwise provided in the Contract, the Contractor shall prepare and conduct all and any claims made under the policies effected by it pursuant to this GCC Clause 34, and all monies payable by any insurers shall be paid to the Contractor. The Procuring Entity shall give to the Contractor all such reasonable assistance as may be required by the Contractor. With respect to insurance claims in which the Procuring Entity's interest is involved, the Contractor shall not give any release or make any compromise with the insurer without the prior written consent of the Procuring Entity shall not give any release or make any compromise with the insurer without the prior written consent of the Contractor.

#### 35. Unforeseen Conditions

35.1 If, during the execution of the Contract, the Contractor shall encounter on the Site any physical conditions other than climatic conditions, or artificial obstructions that could not have been Page 160 of 205

reasonably foreseen prior to the date of the Contract Agreement by an experienced contractor on the basis of reasonable examination of the data relating to the Facilities including any data as to boring tests, provided by the Procuring Entity, and on the basis of information that it could have obtained from a visual inspection of the Site if access thereto was available, or other data readily available to it relating to the Facilities, and if the Contractor determines that it will in consequence of such conditions or obstructions incur additional cost and expense or require additional time to perform its obligations under the Contract that would not have been required if such physical conditions or artificial obstructions had not been encountered, the Contractor shall promptly, and before performing additional work or using additional Plant or Contractor's Equipment, notify the Project Manager in writing of

- a) the physical conditions or artificial obstructions on the Site that could not have been reasonably foreseen;
- c) the additional work and/or Plant and/or Contractor's Equipment required, including the steps which the Contractor will or proposes to take to overcome such conditions or obstructions;
- d) the extent of the anticipated delay; and
- d) the additional cost and expense that the Contractor is likely to incur.

On receiving any notice from the Contractor under this GCC Sub-Clause 35.1, the Project Manager shall promptly consult with the Procuring Entity and Contractor and decide upon the actions to be taken to overcome the physical

35.2 If the Contractor is delayed or impeded in the performance of the Contract because of any such physical conditions or artificial obstructions referred to in GCC Sub-Clause 35.1, the Time for Completion shall be extended in accordance with GCC Clause 40.

## **36.** Change in Laws and Regulations

36.1 If, after the date twenty-eight (28) days prior to the date of Tender submission, in Kenya, any law, regulation, ordinance, order or by-law having the force of law is enacted, promulgated, abrogated or changed which shall be deemed to include any change in interpretation or application by the competent authorities, that subsequently affects the costs and expenses of the Contractor and/or the Time for Completion, the Contract Price shall be correspondingly increased or decreased, and/or the Time for Completion shall be reasonably adjusted to the extent that the Contractor has thereby been affected in the performance of any of its obligations under the Contract. Notwithstanding the foregoing, such additional or reduced costs shall not be separately paid or credited if the same has already been accounted for in the price adjustment provisions where applicable, in accordance with the **SCC** pursuant to GCC Sub-Clause 11.2.

## 37. Force Majeure

- 37.1 "Force Majeure" shall mean any event beyond the reasonable control of the Procuring Entity or of the Contractor, as the case may be, and which is unavoidable notwithstanding the reasonable care of the Party affected, and shall include, without limitation, the following:
- a) war, hostilities or warlike operations whether a state of war be declared or not, invasion, act of foreign enemy and civil war
- b) rebellion, revolution, insurrection, mutiny, usurpation of civil or military government, conspiracy, riot, civil commotion and terrorist acts
- c) confiscation, nationalization, mobilization, commandeering or requisition by or under the order of any government or de jure or de facto authority or ruler or any other act or failure to act of any local state or national government authority

- d) strike, sabotage, lockout, embargo, import restriction, port congestion, lack of usual means of public transportation and communication, industrial dispute, shipwreck, shortage or restriction of power supply, epidemics, quarantine and plaque
- e) earthquake, landslide, volcanic activity, fire, flood or inundation, tidal wave, typhoon or cyclone, hurricane, storm, lightning, or other inclement weather condition, nuclear and pressure waves or other natural or physical disaster
- f) shortage of labor, materials or utilities where caused by circumstances that are themselves Force Majeure.
- 37.2 If either Party is prevented, hindered or delayed from or in performing any of its obligations under the Contract by an event of Force Majeure, then it shall notify the other in writing of the occurrence of such event and the circumstances thereof within fourteen (14) days after the occurrence of such event.
- 37.3 The Party who has given such notice shall be excused from the performance or punctual performance of its obligations under the Contract for so long as the relevant event of Force Majeure continues and to the extent that such Party's performance is prevented, hindered or delayed. The Time for Completion shall be extended in accordance with GCC Clause 40.
- 37.4 The Party or Parties affected by the event of Force Majeure shall use reasonable efforts to mitigate the effect thereof upon its or their performance of the Contract and to fulfill its or their obligations under the Contract, but without prejudice to either Party's right to terminate the Contract under GCC Sub-Clauses 37.6 and 38.5.
- No delay or nonperformance by either Party hereto caused by the occurrence of any event of Force Majeure shall
- a) constitute a default or breach of the Contract, or
- b) give rise to any claim for damages or additional cost or expense occasioned thereby, subject to GCC Sub-Clauses 32.2, 38.3 and 38.4
  - if and to the extent that such delay or nonperformance is caused by the occurrence of an event of Force Majeure.
- 37.6 If the performance of the Contract is substantially prevented, hindered or delayed for a single period of more than sixty (60) days or an aggregate period of more than one hundred and twenty (120) days on account of one or more events of Force Majeure during the currency of the Contract, the Parties will attempt to develop a mutually satisfactory solution, failing which either Party may terminate the Contract by giving a notice to the other, but without prejudice to either Party's right to terminate the Contract under GCC Sub-Clause 38.5.
- In the event of termination pursuant to GCC Sub-Clause 37.6, the rights and obligations of the Procuring Entity and the Contractor shall be as specified in GCC Sub-Clauses 42.1.2 and 42.1.3.
- 37.8 Notwithstanding GCC Sub-Clause 37.5, Force Majeure shall not apply to any obligation of the Procuring Entity to make payments to the Contractor herein.

### 38. War Risks

38.1 "War Risks" shall mean any event specified in paragraphs (a) and (b) of GCC Sub-Clause 37.1 and any explosion or impact of any mine, bomb, shell, grenade or other projectile, missile, munitions

or explosive of war, occurring or existing in or near the country (or countries) where the Site is located.

- 38.2 Notwithstanding anything contained in the Contract, the Contractor shall have no liability whatsoever for or with respect to
- a) destruction of or damage to Facilities, Plant, or any part thereof;
- b) destruction of or damage to property of the Procuring Entity or any third Party; or
- c) injury or loss of life
  - if such destruction, damage, injury or loss of life is caused by any War Risks, and the Procuring Entity shall indemnify and hold the Contractor harmless from and against any and all claims, liabilities, actions, lawsuits, damages, costs, charges or expenses arising in consequence of or in connection with the same.
- 38.3 If the Facilities or any Plant or Contractor's Equipment or any other property of the Contractor used or intended to be used for the purposes of the Facilities shall sustain destruction or damage by reason of any War Risks, the
  - Procuring Entity shall pay the Contractor for
- a) any part of the Facilities or the Plant so destroyed or damaged to the extent not already paid for by the Procuring Entity and so far as may be required by the Procuring Entity, and as may be necessary for completion of the Facilities
- b) replacing or making good any Contractor's Equipment or other property of the Contractor so destroyed or damaged
- c) replacing or making good any such destruction or damage to the Facilities or the Plant or any part thereof.
  - If the Procuring Entity does not require the Contractor to replace or make good any such destruction or damage to the Facilities, the Procuring Entity shall either request a change in accordance with GCC Clause 39, excluding the performance of that part of the Facilities thereby destroyed or damaged or, where the loss, destruction or damage affects a substantial part of the Facilities, shall terminate the Contract, pursuant to GCC Sub-Clause 42.1.
  - If the Procuring Entity requires the Contractor to replace or make good on any such destruction or damage to the Facilities, the Time for Completion shall be extended in accordance with GCC 40.
- Notwithstanding anything contained in the Contract, the Procuring Entity shall pay the Contractor for any increased costs or incidentals to the execution of the Contract that are in any way attributable to, consequent on, resulting from, or in any way connected with any War Risks, provided that the Contractor shall as soon as practicable notify the Procuring Entity in writing of any such increased cost.
- 38.5 If during the performance of the Contract any War Risks shall occur that financially or otherwise materially affect the execution of the Contract by the Contractor, the Contractor shall use its reasonable efforts to execute the Contract with due and proper consideration given to the safety of its and its Subcontractors' personnel engaged in the work on the Facilities, provided, however, that if the execution of the work on the Facilities becomes impossible or is substantially prevented

for a single period of more than sixty (60) days or an aggregate period of more than one hundred and twenty (120) days on account of any War Risks, the Parties will attempt to develop a mutually satisfactory solution, failing which either Party may terminate the Contract by giving a notice to the other.

- In the event of termination pursuant to GCC Sub-Clauses 38.3 or 38.5, the rights and obligations of the Procuring Entity and the Contractor shall be specified in GCC Sub-Clauses 42.1.2 and 42.1.3. A. Change in Contract Elements.
- A. Change in Contract Elements
- 39. Change in the Facilities

# 39.1 Introducing a Change

- 39.1.1 Subject to GCC Sub-Clauses 39.2.5 and 39.2.7, the Procuring Entity shall have the right to propose, and subsequently require, that the Project Manager order the Contractor from time to time during the performance of the Contract to make any change, modification, addition or deletion to, in or from the
  - Facilities here in after called "Change", provided that such Change falls within the general scope of the Facilities and does not constitute unrelated work and that it is technically practicable, taking into account both the state of advancement of the Facilities and the technical compatibility of the Change envisaged with the nature of the Facilities as specified in the Contract.
- 39.1.2 Value Engineering: The Contractor may prepare, at its own cost, a value engineering proposal at any time during the performance of the contract. The value engineering proposal shall, at a minimum, include the following;
  - a) The proposed change (s), and a description of the difference to the existing contract requirements;
  - a full cost/benefit analysis of the proposed change(s) including a description and estimate of costs (including life cycle costs) the Procuring Entity may incur in implementing the value engineering proposal; and
  - c) a description of any effect (s) of the change on performance/ functionality.

The Procuring Entity may accept the value engineering proposal if the proposal demonstrates benefits that: a) accelerates the delivery period; or

- b) reduces the Contract Price or the life cycle costs to the Procuring Entity; or
- c) improves the quality, efficiency, safety or sustain ability of the Facilities; or
- d) yields any other benefits to the Procuring Entity, without compromising the necessary functions of the Facilities.

If the value engineering proposal is approved by the Procuring Entity and results in:

- (a) a reduction of the Contract Price; the amount to be paid to the Contractor shall be the percentage specified in the **SCC** of the reduction in the Contract Price; or
- (b) an increase in the Contract Price; but results in a reduction in life cycle costs due to any benefit described in (a) to (d) above, the amount to be paid to the Contractor shall be the full increase in the Contract Price.
- 39.1.3 Notwithstanding GCC Sub-Clauses 39.1.1 and 39.1.2, no change made necessary because of any default of the Contractor in the performance of its obligations under the Contract shall be deemed

to be a Change, and such change shall not result in any adjustment of the Contract Price or the Time for Completion.

- 39.1.4 The procedure on how to proceed with and execute Changes is specified in GCC Sub-Clauses 39.2 and 39.3, and further details and forms are provided in the Procuring Entity's Requirements (Forms and Procedures).
- 39.2 Changes Originating from Procuring Entity
- 39.2.1 If the Procuring Entity proposes a Change pursuant to GCC Sub-Clause 39.1.1, it shall send to the Contractor a "Request for Change Proposal," requiring the Contractor to prepare and furnish to the Project Manager as soon as reasonably practicable a "Change Proposal," which shall include the following: a) Brief description of the Change
  - b) Effect on the Time for Completion
  - c) Estimated cost of the Change
  - d) Effect on Functional Guarantees (if any)
  - e) Effect on the Facilities
  - f) Effect on any other provisions of the Contract.
- 39.2.2 Prior to preparing and submitting the "Change Proposal," the Contractor shall submit to the Project Manager an "Estimate for Change Proposal," which shall be an estimate of the cost of preparing and submitting the Change Proposal.
  - Upon receipt of the Contractor's Estimate for Change Proposal, the Procuring Entity shall do one of the following:
  - Accept the Contractor's estimate with instructions to the Contractor to proceed with the preparation of the Change Proposal
  - Advise the Contractor of any part of its Estimate for Change Proposal that is unacceptable and request the Contractor to review its estimate
  - Advise the Contractor that the Procuring Entity does not intend to proceed with the Change.
- 39.2.3 Upon receipt of the Procuring Entity's instruction to proceed under GCC Sub-Clause 39.2.2 (a), the Contractor shall, with proper expedition, proceed with the preparation of the Change Proposal, in accordance with GCC Sub-Clause 39.2.1.
- 39.2.4 The pricing of any Change shall, as far as practicable, be calculated in accordance with the rates and prices included in the Contract. If such rates and prices are inequitable, the Parties there to shall agree on specific rates for the valuation of the Change.
- 39.1.5 If before or during the preparation of the Change Proposal it becomes apparent that the aggregate effect of compliance there with and with all other Change Orders that have already become binding upon the Contractor under this GCC Clause 39 would be to increase or decrease the Contract Price as originally set for thin Article 2 (Contract Price) of the Contract Agreement by more than fifteen percent (15%), the Contractor may give a written notice of objection there to prior to furnishing the Change Proposal as aforesaid. If the Procuring Entity accepts the Contractor's objection, the Procuring Entity shall withdraw the proposed Change and shall notify the Contractor in writing thereof.

The Contractor's failure to so object shall neither affect its right to object to any subsequent requested Changes or Change Orders here in, nor affect its right to take in to account, when

making such subsequent objection, the percentage increase or decrease in the Contract Price that any Change not objected to by the Contractor represents.

39.1.6 Upon receipt of the Change Proposal, the Procuring Entity and the Contractor shall mutually agree upon all matters therein contained. Within fourteen (14) days after such agreement, the Procuring Entity shall, if it intends to proceed with the Change, issue the Contractor with a Change Order.

If the Procuring Entity is unable to reach a decision within fourteen (14) days, it shall notify the Contractor with details of when the Contractor can expect a decision.

If the Procuring Entity decides not to proceed with the Change for whatever reason, it shall, within the said period of fourteen (14) days, notify the Contractor accordingly. Under such circumstances, the Contractor shall be entitled to reimbursement of all costs reasonably incurred by it in the preparation of the Change Proposal, provided that these do not exceed the amount given by the Contractor in its Estimate for Change Proposal submitted in accordance with GCC Sub-Clause 39.2.2.

39.1.7 If the Procuring Entity and the Contractor cannot reach agreement on the price for the Change, an equitable adjustment to the Time for Completion, or any other matters identified in the Change Proposal, the Procuring Entity may nevertheless instruct the Contractor to proceed with the Change by issue of a "Pending Agreement Change Order."

Upon receipt of a Pending Agreement Change Order, the Contractor shall immediately proceed with effecting the Changes covered by such Order. The Parties shall there after attempt to reach agreement on the outstanding issues under the Change Proposal.

If the Parties cannot reach agreement within sixty (60) days from the date of issue of the Pending Agreement Change Order, then the matter may be referred to the Dispute Board in accordance with the provisions of GCC Sub-Clause 46.1.

- 39.1.8 Changes Originating from Contractor
- 39.1.9 If the Contractor proposes a Change pursuant to GCC Sub-Clause 39.1.2, the Contractor shall submit to the Project Manager a written "Application for Change Proposal," giving reasons for the proposed Change and including the information specified in GCC Sub-Clause 39.1.2.
- 39.1.10 Upon receipt of the Application for Change Proposal, the Parties shall follow the procedures outlined in GCC Sub-Clauses 39.2.6 and 39.2.7. However, the Contractor shall not be entitled to recover the costs of preparing the Application for Change Proposal.

## 40. Extension of Time for Completion

- 40.1 The Time(s) for Completion specified in the **SCC** pursuant to GCC Sub-Clause 8.2 shall be extended if the Contractor is delayed or impeded in the performance of any of its obligations under the Contract by reason of any of the following:
  - a) any Change in the Facilities as provided in GCC Clause 39
  - b) any occurrence of Force Majeure as provided in GCC Clause 37, unforeseen conditions as provided in GCC Clause 35, or other occurrence of any of the matters specified or referred to in paragraphs (a), (b) and (c) of GCC Sub-Clause 32.2
  - c) Any suspension order given by the Procuring Entity under GCC Clause 41 here of or reduction in the rate of progress pursuant to GCC Sub-Clause 41.2 or
  - Any changes in laws and regulations as provided in GCC Clause 36 or

- Any default or breach of the Contract by the Procuring Entity, Appendix to the Contract Agreement titled, or any activity, actor omission of the Procuring Entity, or the Project Manager, or any other contractors employed by the Procuring Entity, or
- Any delay on the part of a Subcontractor, provided such delay is due to a cause for which the Contractor himself would have been entitled to an extension of time under this sub-clause, or
- Delays attributable to the Procuring Entity or caused by customs, or
- h) any other matter specifically mentioned in the Contract by such period as shall be fair and reasonable in all the circumstances and as shall fairly reflect the delay or impediment sustained by the Contractor.
- 40.2 Except where otherwise specifically provided in the Contract, the Contractor shall submit to the Project Manager a notice of a claim for an extension of the Time for Completion, together with particulars of the event or circumstance justifying such extension as soon as reasonably practicable after the commencement of such event or circumstance. As soon as reasonably practicable after receipt of such notice and supporting particulars of the claim, the Procuring Entity and the Contractor shall agree upon the period of such extension. In the event that the Contractor does not accept the Procuring Entity's estimate of a fair and reasonable time extension, the Contractor shall be entitled to refer the matter to a Dispute Board, pursuant to GCC Sub-Clause 46.1.
- 40.3 The Contractor shall at all times use its reasonable efforts to minimize any delay in the performance of its obligations under the Contract.
- 40.4 In all cases where the Contractor has given a notice of a claim for an extension of time under GCC 40.2, the Contractor shall consult with the Project Manager in order to determine the steps (if any) which can be taken to overcome or minimize the actual or anticipated delay. The Contractor shall there after comply with all reasonable instructions which the Project Manager shall give in order to minimize such delay. If compliance with such instructions shall cause the Contractor to incur extra costs and the Contractor is entitled to an extension of time under GCC 40.1, the amount of such extra costs shall be added to the Contract Price.

### 41 Suspension

- 41.1 Procuring Entity may request the Project Manager, by notice to the Contractor, to order the Contractor to suspend performance of any or all of its obligations under the Contract. Such notice shall specify the obligation of which performance is to be suspended, the effective date of the suspension and the reasons therefor. The Contractor shall thereupon suspend performance of such obligation, except those obligations necessary for the care or preservation of the Facilities, until ordered in writing to resume such performance by the Project Manager.
  - If, by virtue of a suspension order given by the Project Manager, other than by reason of the Contractor's default or breach of the Contract, the Contractor's performance of any of its obligations is suspended for an aggregate period of more than ninety (90) days, then at any time there after and provided that at that time such performance is still suspended, the Contractor may give a notice to the Project Manager requiring that the Procuring Entity shall, within twenty-eight (28) days of receipt of the notice, order the resumption of such performance or request and subsequently order a change in accordance with GCC Clause 39, excluding the performance of the suspended obligations from the Contract.
- 41.2 If the Procuring Entity fails to do so within such period, the Contractor may, by a further notice to the Project Manager, elect to treat the suspension, where it affects apart only of the Facilities, as

a deletion of such part in accordance with GCC Clause 39 or, where it affects the whole of the Facilities, as termination of the Contract under GCC Sub-Clause.

### 41.3 If

- a. Procuring Entity has failed to pay the Contractor any sum due under the Contract within the specified period, has failed to approve any invoice or supporting documents without just cause pursuant to the Appendix to the Contract Agreement titled Terms and Procedures of Payment, or commits a substantial breach of the Contract, the Contractor may give a notice to the Procuring Entity that requires payment of such sum, with interest there on as stipulated in GCC Sub-Clause 12.3, requires approval of such invoice or supporting documents, or specifies the breach and requires the Procuring Entity to remedy the same, as the case may be. If the Procuring Entity fails to pay such sum together with such interest, fails to approve such invoice or supporting documents or give its reasons for withholding such approval, or fails to remedy the breach or take steps to remedy the breach within fourteen (14) days after receipt of the Contractor's notice or
- b. The Contractor is unable to carry out any of its obligations under the Contract for any reason attributable to the Procuring Entity, including but not limited to the Procuring Entity's failure to provide possession of or access to the Site or other areas in accordance with GCC Sub-Clause 10.2, or failure to obtain any governmental permit necessary for the execution and/or completion of the Facilities, then the Contractor may by fourteen (14) days' notice to the Procuring Entity suspend performance of all or any of its obligations under the Contract, or reduce the rate of progress.
- 41.3 If the Contractor's performance of its obligations is suspended or the rate of progress is reduced pursuant to this GCC Clause 41, then the Time for Completion shall be extended in accordance with GCC Sub-Clause 40.1, and any and all additional costs or expenses incurred by the Contractor as a result of such suspension or reduction shall be paid by the Procuring Entity to the Contractor in addition to the Contract Price, except in the case of suspension order or reduction in the rate of progress by reason of the Contractor's default or breach of the Contract.
- During the period of suspension, the Contractor shall not remove from the Site any Plant, any part of the Facilities or any Contractor's Equipment, without the prior written consent of the Procuring Entity.

## 42 Termination

## 42.1 Termination for Procuring Entity's Convenience

- 42.1.1 The Procuring Entity may at any time terminate the Contract for any reason by giving the Contractor a notice of termination that refers to this GCC Sub-Clause 42.1.
- 42.1.2 Upon receipt of the notice of termination under GCC Sub-Clause 42.1.1, the Contractor shall either immediately or upon the date specified in the notice of termination
  - a) cease all further work, except for such work as the Procuring Entity may specify in the notice of termination for the sole purpose of protecting that part of the Facilities already executed, or any work required to leave the Site in a clean and safe condition,
  - b) terminate all subcontracts, except those to be assigned to the Procuring Entity pursuant to paragraph (d) (ii) below,
  - c) remove all Contractor's Equipment from the Site, repatriate the Contractor's and its Subcontractors' personnel from the Site, remove from the Site any wreckage, rubbish and debris of any kind, and leave the whole of the Site in a clean and safe condition, and

- d) subject to the payment specified in GCC Sub-Clause 42.1.3,
  - i. deliver to the Procuring Entity the parts of the Facilities executed by the Contractor up to the date of termination
  - ii. to the extent legally possible, assign to the Procuring Entity all right, title and benefit of the Contractor to the Facilities and to the Plant as of the date of termination, and, as may be required by the Procuring Entity, in any subcontracts concluded between the Contractor and its Subcontractors; and
  - iii. deliver to the Procuring Entity all non-proprietary drawings, specifications and other documents prepared by the Contractor or its Subcontractors as at the date of termination in connection with the Facilities.
- 42.1.3 In the event of termination of the Contract under GCC Sub-Clause 42.1.1, the Procuring Entity shall pay to the Contractor the following amounts:
  - a The Contract Price, properly attributable to the parts of the Facilities executed by the Contractor as of the date of termination,
  - b the costs reasonably incurred by the Contractor in the removal of the Contractor's Equipment from the

Site and in the repatriation of the Contractor's and its Subcontractors' personnel, c any amounts to be paid by the Contractor to its Subcontractors in connection with the termination of any subcontracts, including any cancellation charges,

- d costs incurred by the Contractor in protecting the Facilities and leaving the Site in a clean and safe condition pursuant to paragraph (a) of GCC Sub-Clause 42.1.2
- the cost of satisfying all other obligations, commitments and claims that the Contractor may in good faith have under taken with third Parties in connection with the Contract and that are not covered by paragraphs (a) through (d) above.

## 42.2 Termination by the Contractor

- 42.2.1 The Procuring Entity, without prejudice to any other rights or remedies it may possess, may terminate the Contract forth within the following circumstances by giving a notice of termination and its reasons there for to the Contractor, referring to this GCC Sub-Clause 42.2:
  - If the Contractor becomes bankrupt or in solvent, has a receiving order issued against it, compounds with its creditors, or, if the Contractor is a corporation, are solution is passed or order is made for its winding up, other than a voluntary liquidation for the purposes of amalgamation or reconstruction, a receiver is appointed over any part of its undertaking or assets, or if the Contractor takes or suffers any other analogous action in consequence of debt
  - b if the Contractor assigns or transfers the Contract or any right or interest therein in violation of the provision of GCC Clause 43.
  - If the Contractor, in the judgment of the Procuring Entity has engaged in Fraud and Corruption, as defined in paragraph 2.2a. of Appendix B to the GCC, in competing for or in executing the Contract.
- 42.2.2 If the Contractor a Has abandoned or repudiated the Contract b Has without valid reason failed to commence work on the Facilities promptly or has suspended, other than pursuant to GCC Sub-

Clause 41.2, the progress of Contract performance for more than twentyeight (28) days after receiving a written instruction from the Procuring Entity to proceed

- c Persistently fails to execute the Contract in accordance with the Contractor persistently neglects to carry out its obligations under the Contract without just cause
- d Refuses or is unable to provide sufficient materials, services or labor to execute and complete the Facilities in the manner specified in the program furnished under GCC Sub-Clause 18.2 at rates of progress that give reasonable assurance to the Procuring Entity that the Contractor can attain Completion of the Facilities by the Time for Completion as extended, then the Procuring Entity may, without prejudice to any other rights it may possess under the Contract, give a notice to the Contractor stating the nature of the default and requiring the Contractor to remedy the same. If the Contractor fails to remedy or to take steps to remedy the same within fourteen (14) days of its receipt of such notice, then the Procuring Entity may terminate the Contract forth with by giving a notice of termination to the Contractor that refers to this GCC Sub-Clause 42.2.
- 42.2.3 Upon receipt of the notice of termination under GCC Sub-Clauses 42.2.1 or 42.2.2, the Contractor shall, either immediately or upon such date as is specified in the notice of termination, a cease all further work, except for such work as the Procuring Entity may specify in the notice of termination for the sole purpose of protecting that part of the Facilities already executed, or any work required to leave the Site in a clean and safe condition.
- b Terminate all subcontracts, except those to be assigned to the Procuring Entity pursuant to paragraph
  - (d) below, c deliver to the Procuring Entity the parts of the Facilities executed by the Contractor up to the date of termination,
  - d to the extent legally possible, assign to the Procuring Entity all right, title and benefit of the Contractor to the Facilities and to the Plant as of the date of termination, and, as may be required by the Procuring Entity, in any subcontracts concluded between the Contractor and its Subcontractors,
  - e deliver to the Procuring Entity all drawings, specifications and other documents prepared by the Contractor or its Subcontractors as of the date of termination in connection with the Facilities.
- 42.2.4 The Procuring Entity may enter upon the Site, expel the Contractor, and complete the Facilities itself or by employing any third Party. The Procuring Entity may, to the exclusion of any right of the Contractor over the same, take over and use with the payment of a fair rental rate to the Contractor, with all the maintenance costs to the account of the Procuring Entity and with an indemnification by the Procuring Entity for all liability including damage or injury to persons arising out of the Procuring Entity's use of such equipment, any Contractor's Equipment owned by the Contractor and on the Site in connection with the Facilities for such reasonable period as the Procuring Entity considers expedient for the supply and installation of the Facilities.
- 42.2.5 Upon completion of the Facilities or at such earlier date as the Procuring Entity thinks appropriate, the Procuring Entity shall give notice to the Contractor that such Contractor's Equipment will be returned to the Contractor at or near the Site and shall return such Contractor's Equipment to the Contractor in accordance with such notice. The Contractor shall thereafter without delay and at its cost remove or arrange removal of the same from the Site.

- 42.2.6 Subject to GCC Sub-Clause 42.2.6, the Contractor shall be entitled to be paid the Contract Price attributable to the Facilities executed as of the date of termination, the value of any unused or partially used Plant on the Site, and the costs, if any, incurred in protecting the Facilities and in leaving the Site in a clean and safe condition pursuant to paragraph (a) of GCC Sub-Clause 42.2.3. Any sums due the Procuring Entity from the Contractor accruing prior to the date of termination shall be deducted from the amount to be paid to the Contractor under this Contract.
- 42.2.7 If the Procuring Entity completes the Facilities, the cost of completing the Facilities by the Procuring Entity shall be determined.
- 42.2.8 If the sum that the Contractor is entitled to be paid, pursuant to GCC Sub-Clause 42.2.5, plus the reasonable costs incurred by the Procuring Entity in completing the Facilities, exceeds the Contract Price, the Contractor shall be liable for such excess.
- 42.2.9 If such excess is greater than the sums due the Contractor under GCC Sub-Clause 42.2.5, the Contractor shall pay the balance to the Procuring Entity, and if such excess is less than the sums due the Contractor under GCC Sub-Clause 42.2.5, the Procuring Entity shall pay the balance to the Contractor. The Procuring Entity and the Contractor shall agree, in writing, on the computation described above and the manner in

which any sums shall be paid.

### 42.3 Termination by the Contractor

#### 42.3.1 If

- The Procuring Entity has failed to pay the Contractor any sum due under the Contract within the specified period, has failed to approve any invoice or supporting documents without just cause pursuant to the Appendix to the Contract Agreement titled Terms and Procedures of Payment, or commits a substantial breach of the Contract, the Contractor may give a notice to the Procuring Entity that requires payment of such sum, with interest there on as stipulated in GCC Sub-Clause 12.3, requires approval of such invoice or supporting documents, or specifies the breach and requires the Procuring Entity to remedy the same, as the case may be. If the Procuring Entity fails to pay such sum together with such interest, fails to approve such invoice or supporting documents or give its reasons for withholding such approval, fails to remedy the breach or take steps to remedy the breach within fourteen (14) days after receipt of the Contractor's notice, or
- The Contractor is unable to carry out any of its obligations under the Contract for any reason attributable to the Procuring Entity, including but not limited to the Procuring Entity's failure to provide possession of or access to the Site or other areas or failure to obtain any governmental permit necessary for the execution and/or completion of the Facilities, then the Contractor may give a notice to the Procuring Entity thereof, and if the Procuring Entity has failed to pay the outstanding sum, to approve the invoice or supporting documents, to give its reasons for withholding such approval, or to remedy the breach within twenty-eight (28) days of such notice, or if the Contractor is still unable to carry out any of its obligations under the Contract for any reason attributable to the Procuring Entity within twenty-eight (28) days of the said notice, the Contractor may by a further notice to the Procuring Entity referring to this GCC Sub-Clause 42.3.1, forth with terminate the Contract.
- 42.3.2 The Contractor may terminate the Contract forth with by giving a notice to the Procuring Entity to that effect, referring to this GCC Sub-Clause 42.3.2, if the Procuring Entity becomes bankrupt or Page 171 of 205

insolvent, has a receiving order issued against it, compounds with its creditors, or, being a corporation, if are solution is passed or order is made for its winding up (other than a voluntary liquidation for the purposes of amalgamation or reconstruction), a receiver is appointed over any part of its undertaking or assets, or if the Procuring Entity takes or suffers any other analogous action in consequence of debt.

- 42.3.3 If the Contract is terminated under GCC Sub-Clauses 42.3.1 or 42.3.2, then the Contractor shall immediately
- cease all further work, except for such work as may be necessary for the purpose of protecting that part of the Facilities already executed, or any work required to leave the Site in a clean and safe condition
- b) terminate all subcontracts, except those to be assigned to the Procuring Entity pursuant to paragraph (d) (ii)
- c) remove all Contractor's Equipment from the Site and repatriate the Contractor's and its Subcontractors' personnel from the Site, and
- d) subject to the payment specified in GCC Sub-Clause 42.3.4,
  - i) deliver to the Procuring Entity the parts of the Facilities executed by the Contractor up to the date of termination
  - ii) to the extent legally possible, assign to the Procuring Entity all right, title and benefit of the Contractor to the Facilities and to the Plant as of the date of termination, and, as may be required by the Procuring Entity, in any subcontracts concluded between the Contractor and its Subcontractors, and
  - iii) deliver to the Procuring Entity all drawings, specifications and other documents prepared by the Contractor or its Subcontractors as of the date of termination in connection with the Facilities.
- 42.3.4 If the Contract is terminated under GCC Sub-Clauses 42.3.1 or 42.3.2, the Procuring Entity shall pay to the Contractor all payments specified in GCC Sub-Clause 42.1.3, and reasonable compensation for all loss, except for loss of profit, or damage sustained by the Contractor arising out of, in connection with or in consequence of such termination.
- 42.3.5 Termination by the Contractor pursuant to this GCC Sub-Clause 42.3 is without prejudice to any other rights or remedies of the Contractor that may be exercised in lieu of or in addition to rights conferred by GCC Sub-Clause 42.3.
- In this GCC Clause 42, the expression "Facilities executed" shall include all work executed, Installation

  Services provided, and all Plant acquired, or subject to a legally binding obligation to purchase, by the Contractor and used or intended to be used for the purpose of the Facilities, up to and including the date of termination.
- In this GCC Clause 42, in calculating any monies due from the Procuring Entity to the Contractor, account shall be taken of any sum previously paid by the Procuring Entity to the Contractor under the Contract, including any advance payment paid pursuant to the Appendix to the Contract Agreement titled Terms and Procedures of Payment.

## 43. Assignment

43.1 Neither the Procuring Entity nor the Contractor shall, without the express prior written consent of the other Party, which consent shall not be unreasonably withheld, assign to any third Party the Contract or any part thereof, or any right, benefit, obligation or interest therein or thereunder,

except that the Contractor shall be entitled to assign either absolutely or by way of charge any monies due and payable to it or that may become due and payable to it under the Contract.

# 44. Export Restrictions

- 44.1 Notwithstanding any obligation under the Contract to complete all export formalities, any export restrictions attributable to the Procuring Entity, to Kenya or to the use of the Plant and Installation Services to be supplied which arise from trade regulations from a country supplying those Plant and Installation Services, and which substantially impede the Contractor from meeting its obligations under the Contract, shall release the Contractor from the obligation to provide deliveries or services, always provided, however, that the Contractor can demonstrate to the satisfaction of the Procuring Entity and of the Bank that it has completed all formalities in a timely manner, including applying for permits, authorizations and licenses necessary for the export of the Plant and Installation Services under the terms of the Contract. Termination of the Contract on this basis shall be for the Procuring Entity's convenience pursuant to SubClause 42.1.
- B. Claims, Disputes and Arbitration
- 45. Contractor's Claims
  - 45.1 If the Contractor considers himself to be entitled to any extension of the Time for Completion and/or any additional payment, under any Clause of these Conditions or otherwise in connection with the Contract, the Contractor shall submit a notice to the Project Manager, describing the event or circumstance giving rise to the claim. The notice shall be given as soon as practicable, and not later than 28 days after the Contractor became aware, or should have become aware, of the event or circumstance.
  - 45.2 If the Contractor fails to give notice of a claim within such period of 28 days, the Time for Completion shall not be extended, the Contractor shall not be entitled to additional payment, and the Procuring Entity shall be discharged from all liability in connection with the claim. Otherwise, the following provisions of this Sub-Clause shall apply.
    - (a) The Contractor shall also submit any other notices which are required by the Contract, and supporting particulars for the claim, all as relevant to such event or circumstance.
    - (b) The Contractor shall keep such contemporary records as may be necessary to substantiate any claim, either on the Site or at another location acceptable to the Project Manager. Without admitting the Procuring Entity's liability, the Project Manager may, after receiving any notice under this SubClause, monitor the record-keeping and/or instruct the Contractor to keep further contemporary records. The Contractor shall permit the Project Manager to inspect all these records, and shall (if instructed) submit copies to the Project Manager.
  - 45.3 Within 42 days after the Contractor became aware (or should have become aware) of the event or circumstance giving rise to the claim, or within such other period as may be proposed by the Contractor and approved by the Project Manager, the Contractor shall send to the Project Manager a fully detailed claim which includes full supporting particulars of the basis of the claim and of the extension of time and/or additional payment claimed. If the event or circumstance giving rise to the claim has a continuing effect:
    - a) this fully detailed claim shall be considered as interim;
    - b) the Contractor shall send further interim claims at monthly intervals, giving the accumulated delay and/or amount claimed, and such further particulars as the Project Manager may reasonably require; and
    - c) the Contractor shall send a final claim within 28 days after the end of the effects resulting from the event or circumstance, or within such other period as may be proposed by the Contractor and approved by the Project Manager.

- Within 42 days after receiving a claim or any further particulars supporting a previous claim, or within such other period as may be proposed by the Project Manager and approved by the Contractor, the Project Manager shall respond with approval, or with disapproval and detailed comments. He may also request any necessary further particulars, but shall nevertheless give his response on the principles of the claim within such time.
- 45.5 Each Payment Certificate shall include such amounts for any claim as have been reasonably substantiated as due under the relevant provision of the Contract. Unless and until the particulars supplied are sufficient to substantiate the whole of the claim, the Contractor shall only be entitled to payment for such part of the claim as he has been able to substantiate.
- The Project Manager shall agree with the Contractor or estimate: (i) the extension (if any) of the Time for Completion (before or after its expiry) in accordance with GCC Clause 40, and/or (ii) the additional payment (if any) to which the Contractor is entitled under the Contract.
- 45.7 The requirements of this Sub-Clause are in addition to those of any other Sub-Clause which may apply to a claim. If the Contractor fails to comply with this or another Sub-Clause in relation to any claim, any extension of time and/or additional payment shall take account of the extent (if any) to which the failure has prevented or prejudiced proper investigation of the claim, unless the claim is excluded under the second paragraph of this Sub-Clause.
- In the event that the Contractor and the Procuring Entity cannot agree on any matter relating to a claim, either Party may refer the matter to the Dispute Board pursuant to GCC 46 hereof.
- 46. Claims, Disputes and Arbitration
- 46.1 Contractor's Claims
- 46.1.1 If the Contractor considers himself to be entitled to any extension of the Time for Completion and/or any additional payment, under any Clause of these Conditions or otherwise in connection with the Contract, the Contractor shall give notice to the Project Manager, describing the event or circumstance giving rise to the claim. The notice shall be given as soon as practicable, and not later than 28 days after the Contractor became aware, or should have become aware, of the event or circumstance.
- 46.1.2 If the Contractor fails to give notice of a claim within such period of 28 days, the Time for Completion shall not be extended, the Contractor shall not be entitled to additional payment, and the Procuring Entity shall be discharged from all liability in connection with the claim. Otherwise, the following provisions of this Sub-Clause shall apply. The Contractor shall also submit any other notices which are required by the Contract, and supporting particulars for the claim, all as relevant to such event or circumstance.
- 46.1.3 The Contractor shall keep such contemporary records as may be necessary to substantiate any claim, either on the Site or at another location acceptable to the Project Manager. Without admitting the Procuring Entity's liability, the Project Manager may, after receiving any notice under this Sub-Clause, monitor the record-keeping and/or instruct the Contractor to keep further contemporary records. The Contractor shall permit the Project Manager to inspect all these records, and shall (if instructed) submit copies to the Project Manager.
- 46.1.4 Within 42 days after the Contractor became aware (or should have become aware) of the event or circumstance giving rise to the claim, or within such other period as may be proposed by the Contractor and approved by the Project Manager, the Contractor shall send to the Project Manager a fully detailed claim which includes full supporting particulars of the basis of the claim and of the extension of time and/or additional payment claimed. If the event or circumstance giving rise to the claim has a continuing effect:
- a) this fully detailed claim shall be considered as interim;

- b) the Contractor shall send further interim claims at monthly intervals, giving the accumulated delay and/or amount claimed, and such further particulars as the Project Manager may reasonably require; and
- c) the Contractor shall send a final claim within 28 days after the end of the effects resulting from the event or circumstance, or within such other period as may be proposed by the Contractor and approved by the Project Manager.
- 46.1.5 Within 42 days after receiving a claim or any further particulars supporting a previous claim, or within such other period as may be proposed by the Project Manager and approved by the Contractor, the Project Manager shall respond with approval, or with disapproval and detailed comments. He may also request any necessary further particulars, but shall nevertheless give his response on the principles of the claim within the above defined time period.
- 46.1.6 Within the above defined period of 42 days, the Project Manager shall proceed in accordance with SubClause 3.5 [Determinations] to agree or determine (i) the extension (if any) of the Time for Completion (before or after its expiry) in accordance with Sub-Clause 8.4 [Extension of Time for Completion], and/or (ii) the additional payment (if any) to which the Contractor is entitled under the Contract.
- 46.1.7 Each Payment Certificate shall include such additional payment for any claim as has been reasonably substantiated as due under the relevant provision of the Contract. Unless and until the particulars supplied are sufficient to substantiate the whole of the claim, the Contractor shall only be entitled to payment for such part of the claim as he has been able to substantiate.
- 46.1.8 If the Project Manager does not respond within the timeframe defined in this Clause, either Party may consider that the claim is rejected by the Project Manager and any of the Parties may refer the matter to Arbitration in accordance with Sub-Clause 46.4.
- 46.1.9 The requirements of this Sub-Clause are in addition to those of any other Sub-Clause which may apply to a claim. If the Contractor fails to comply with this or another Sub-Clause in relation to any claim, any extension of time and/or additional payment shall take account of the extent (if any) to which the failure has prevented or prejudiced proper investigation of the claim, unless the claim is excluded under the second paragraph of this Sub-Clause.

## 46.2 Issuing a Notice of Dissatisfaction

If a dispute (of any kind whatsoever) arises between the Parties in connection with, or arising out of, the Contract or the execution of the Works, including any dispute as to any certificate, determination, instruction, opinion or valuation of the Project Manager, either Party may refer the dispute in writing to the Project Manager by issuing a Notice of Dissatisfaction and requesting the matter be referred to Arbitration.

### 46.3 Amicable Settlement

Where a Notice of Dissatisfaction has been given, both Parties shall attempt to settle the dispute amicably before the commencement of arbitration. However, unless both Parties agree otherwise, the Party giving a Notice of Dissatisfaction should move to commence arbitration after the fifty-sixth day from the day on which a Notice of Dissatisfaction was given, even if no attempt at an amicable settlement has been made.

### 46.4 Arbitration

- 46.4.1 Any dispute between the Parties arising out of or in connection with the Contract not settled amicably in accordance with Sub-Clause 46.3 above shall be finally settled by arbitration. Arbitration shall be conducted as follows:
  - a) if the contract is with foreign contractors, the dispute shall be referred to international arbitration either:

- with proceedings administered by the arbitration institution designated in the Special Conditions of Contract, and conducted under the rules of arbitration of such institution; or, if so specified in the Special Conditions of Contract, or
- ii) international arbitration in accordance with the arbitration rules of the United Nations Commission on International Trade Law (UNCITRAL), unless specified otherwise in the **SCC**;
- b) if the Contract is with domestic contractors, arbitration with proceedings conducted in accordance with the Arbitration Laws of Kenya.
- 46.4.2 The place of arbitration shall be the neutral location specified in the Special Conditions of Contract; and the arbitration shall be conducted in the English Language for all communications.
- 46.4.3 The arbitrators shall have full power to open up, review and revise any certificate, determination, instruction, opinion or valuation of the Project Manager. Nothing shall disqualify representatives of the Parties and the Project Manager from being called as a witness and giving evidence before the arbitrators on any matter whatsoever relevant to the dispute.
- 46.4.4 Neither Party shall be limited in the proceedings before the arbitrators to the evidence to obtain its decision, or to the reasons for dissatisfaction given in its Notice of Dissatisfaction.
- 46.4.5 Arbitration may be commenced prior to or after completion of the Works. The obligations of the Parties and the Project Manager shall not be altered by reason of any arbitration being conducted during the progress of the Works.
- 46.4.6 The Decision of the Arbitration proceedings will be final and binding on both parties.

## **SECTION IX - SPECIAL CONDITIONS OF CONTRACT**

The following Special Conditions of Contract shall supplement the General Conditions of Contract in Section VIII. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions.

# **Special Conditions of Contract (SCC)**

The following Special Conditions (SCC) shall supplement the General Conditions (GCC). Whenever there is a conflict, the provisions here in shall prevail over those in the GCC. The clause number of the SCC is the corresponding clause number of the GCC.

Number of GC Clause	Amendments of, and Supplements to, Clauses in the General Conditions of Contract			
SCC 1.	The Procuring Entity is: Kenya Civil Aviation Authority			
Definitions	The Project Manager is: Director, East African School of Aviation			
	Country of Origin: All countries and territories as indicated in Section V of the Tendering document, Eligible Countries.			
SCC 5. Law and	,			
Language	Kenya.			
	SCC 5.2 The ruling language is: <b>English</b>			
	SCC 5.3 The language for communications is: <i>English</i>			
SCC 7. Scope of				
Facilities [Spare Parts]	10 years			
(GCC Clause				
7)	Sample Addition to SCC 7.3			
SCC 8. Time for	The Contractor shall carry sufficient inventories to ensure an ex-stock supply of consumable spares for the Plant. Other spare parts and components shall be supplied as promptly as possible, but at the most within six (6) months of placing the order. and opening the Form of credit. In addition, in the event of termination of the production of spare parts, advance notification will be made to the Procuring Entity of the pending termination, with sufficient time to permit the Procuring Entity to procure the needed requirement. Following such termination, the Contractor will furnish to the extent possible and at no cost to the Procuring Entity the blueprints, drawings and specifications of the spare parts, if requested.  SCC 8.1 The Contractor shall commence work on the Facilities within			
Commenceme	fourteen (14) days from the Effective Date for determining Time for			
nt and Completion				
	SCC 8.2 The Time for Completion of the whole of the Facilities shall be <b>agreed during the contract signing</b> from the Effective Date as described			
	in the Contract Agreement.			
SCC 9.	The following sustainable procurement contractual provisions apply:			
Contractor's				
Responsibilitie s				
SCC 11. Contract Price	SCC 11.2 The Contract Price shall be adjusted in accordance with the provisions of the Appendix to the Contract Agreement Titled Adjustment Clause.			
FIICE	The Contract Price shall be a firm lump sum not subject to any alteration			

SCC 13. Securities	SCC 13.3.1 The amount of Performance Security, as a percentage of the Contract Price for the Facility or for the part of the Facility for which a separate Time for Completion is provided, shall be: 10%  SCC 13.3.2 The Performance Security shall be in the form of the Bank Guarantee from a local Bank recognized by Central Bank of Kenya attached hereto in Section X, Contract Forms.	
	SCC 13.3.3 The Performance Security shall not be reduced on the date of the Operational Acceptance.	
	SCC 13.3.3 The Performance Security shall be reduced to ten percent (5%) of the value	

Number of GC	Amendments of, and Supplements to, Clauses in the General			
Clause	Conditions of Contract			
	of the component covered by the extended defect liability to cover the			
	Contractor's extended defect liability in accordance with the provision in the			
	SCC, pursuant to GCC Sub-Clause 27.10.			
SCC 22	SCC22.2.5 Working Hours			
Installation	Normal working hours are: 8:00am to 5:00pm Eat African Time			
	SCC 22.2.8 Funeral Arrangements: To be agreed with the Project			
	Manager			
SCC 25.	SCC 25.2.2 The Guarantee Test of the Facilities shall be successfully			
Commissionin and	F			
g and Operational	Completion.			
Acceptance				
SCC 26.	SCC 26.2			
Completion Time	Applicable rate for liquidated damages: 0.05% per week			
Guarantee	The above rate applies to the price of the part of the Facilities, as quoted the Price Schedule, for that part for which the Contractor fails to achie Completion within the particular Time for Completion.			
	Maximum deduction for liquidated damages: 10% of the contract sum			
	SCC 26.3 Applicable (amount or rate) for the bonus for early Completion:			
	Maximum bonus:			
	SCC 26.3 No bonus will be given for earlier Completion of the Facilities or part thereof.			
SCC 27. Defect Liability	SCC 27.10 The critical components covered under the extended defect liability are, and the period shall be <b>three years</b> (to be inserted <b>only</b> when an extended defect liability is requested).			
SCC 30.	Sample Clause			
Limitation of Liability	SCC 30.1 (b) The multiplier of the Contract Price is:			
SCC 39. Value Engineering	SCC 39.1.2 If the value engineering proposal is approved by the Procuring Entity the amount to be paid to the Contractor shall be% (insert appropriate percentage. The percentage is normally up to 50%) of the reduction in the Contract Price			
SCC 46.4(a)(ii) Arbitration	[Insert rules of arbitration if different from those of the International Chamber of Commerce]			

### **SECTION VIII - CONTRACT FORMS**

Notification of Award - Form of Acceptance

## **Contract Agreement**

Appendix 1. Terms and Procedures of

Payment Appendix 2. Price Adjustment

Appendix 3. Insurance

Requirements Appendix

4. Time Schedule

Appendix 5. List of Major Items of Plant and Installation Services and List of Approved Subcontractors Appendix 6. Scope of Works and Supply by the Procuring Entity

Appendix 7. List of Documents for

Approval or Review Appendix 8.

**Functional Guarantees** 

Performance Security Form OPTION 1 – Demand

Bank Guarantee Performance Security Form

OPTION 2 – Performance Bond Advance Payment

Security- Demand Bank Guarantee

Beneficial Ownership Disclosure

#### **NOTIFICATION OF INTENTION TO AWARD**

[This Notification of Intention to Award shall be sent to each Tenderer that submitted a Tender.] [Send this Notification to the Tenderer's Authorized Representative named in the Tenderer Information Form]

1) For the attention of Tenderer's Authorized Representative Name: ......[insert Authorized Representative's name]

Address: ..... [insert Authorized Representative's Address]

Telephone/Fax numbers: ..... [insert Authorized Representative' s telephone /fax numbers]

Email Address: ...... [insert Authorized Representative's email address] [IMPORTANT: insert the date that this Notification is transmitted to Tenderers. The Notification must be sent to all Tenderers simultaneously. This means on the same date and as close to the same time as possible.]

DATE OF TRANSMISSION: This Notification is sent by: [email/fax] on [date] (local time)

### Notification of Intention to Award

This Notification of Intention to Award (Notification) notifies you of our decision to award the above contract. The transmission of this Notification begins the Standstill Period. During the Standstill Period, you may:

- a) Request a debriefing in relation to the evaluation of your Tender, and/or
- b) Submit a Procurement-related Complaint in relation to the decision to award the contract.

### 2) The successful Tenderer

Name:	[insert name of successful Tenderer]	
Address: [insert address of the successful Tenderer]		
Contract price: [insert contract price of the successful Tender]		

1) Other Tenderers [INSTRUCTIONS: insert names of all Tenderers that submitted a Tender. If the Tender's price was evaluated include the evaluated price as well as the Tender price as read out.]

Name of Tenderer	Tender price	Evaluated Tender Cost
[insert name]	[insert Tender price]	[insert evaluated cost]
insert name]	[insert Tender price]	[insert evaluated cost]
insert name]	[insert Tender price]	[insert evaluated cost]

[INSTRUCTIONS: State the reasons/why this Tenderer's Tender was unsuccessful. Do NOT include: (a) appoint by point comparison with another Tenderer's Tender, or (b) information that is marked "Confidential" by the Tenderer in its Tender.]

# 5) How to request a debriefing?

**DEADLINE:** The deadline to request a debriefing expires at midnight on [insert date] (local time). You may request a debriefing in relation to the results of the evaluation of your Tender. If you decide to request a debriefing, your written request must be made within three (3) Business Days of receipt of this Notification of Intention to Award.

Provide the contract name, reference number, name of the Tenderer, contact details; and address the request for debriefing as follows:

Attention: .....[insert full name of person, if applicable]

Title/position: .....[insert title/position]

Agency: .....[insert name of Procuring

Entity] Email address: .....[insert email address]

Fax number: .....[insert fax number] delete if not used

If your request for a debriefing is received within the 3 Business Days deadline, we will provide the debriefing within five (5) Business Days of receipt of your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five (5) Business Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end. The debriefing may be in writing, by phone, video conference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.

If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, and normally no later than fifteen (15) Business Days from the date of publication of the Contract Award Notice.

#### 6) How to make a complaint

Period: Procurement-related Complaint challenging the decision to award shall be submitted by midnight, [insert date] (local time).

Provide the contract name, reference number, name of the Tenderer, contact details; and address the Procurement- related Complaint as follows:

Attention: ..... [insert full name of person, if applicable]

Title/position: .....[insert title/position]

Agency: .....[insert name of Procuring Entity]

Email address: .....[insert email address]

Fax number: ......[insert fax number] delete if not used

At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.

Further information:

Further information: For more information refer to the Public Procurement and Disposals Act 2015 and its Regulations available from the Website: info@ppra.go.ke or complaints@ppra.go.ke.

In summary, there are four essential requirements:

- 1. You must bean' interested party'. In this case, that means a Tenderer who submitted a Tender in this Tendering process, and is the recipient of a Notification of Intention to Award.
- 2. The complaint can only challenge the decision to award the contract.
- 3. You must submit the complaint within the period stated above.
- 4. You must include, in your complaint, all of the information required by the Procurement Regulations (as described in Annex III).

# 7) Standstill Period

**DEADLINE:** The Standstill Period is due to end at midnight on [insert date] (local time). The Standstill Period lasts ten (10) Business Days after the date of transmission of this Notification of Intention to Award.

The Standstill Period may be extended as stated in Section 4 above.

If you have any q to contact us. On		ding this Notification please do Procuring Entity:	not hesitate
Signature: Telephone:	— Email:	Name:	Title/position:

# 2. REQUEST FOR REVIEW

# FORM FOR REVIEW (r.203(1))

**Board Secretary** 

PPLICANT AND	
	RESPONDENT (Procuring Entity)
dated the.	of the decision of the(Name of the Procuring Entity of20in the matter of Tender Noof(Tender description).
addressP. 0 Public Procurement	REQUEST FOR REVIEWthe above named Applicant(s), of address: Physical O. Box No Tel. NoEmail, hereby request the Administrative Review Board to review the whole/part of the above on the following grounds , namely:
mendoned decision c	
1.	
1. 2.	m, the Applicant requests the Board for an order/orders that:

# 3. LETTER OF AWARD

To:
This is to notify you that your Tender datedfor execution of thefor the Contract Price in the aggregate of, as corrected and modified in accordance with the Instructions to Tenderers is hereby accepted by our Agency.
You are requested to furnish the Performance Security within 28 days in accordance with the Conditions of Contract, using for that purpose one of the Performance Security Forms included in Section X, - Contract Forms, of the Tendering document.
Authorized Signature:
Name and Title of Signatory:
Name of Agency:
Attachment: Contract Agreement:

<b>4.</b>	CONTRACT AGREEMENT  AGREEMENT is made the
	WEEN
1)	a corporation incorporated under the laws ofand
	having its principal place of business at
delive and t	REAS the Procuring Entity desires to engage the Contractor to design, manufacture, test, er, install, complete and commission certain Facilities, viz("the Facilities"), he Contractor has agreed to such engagement upon and subject to the terms and tions herein after appearing.
	NOW IT IS HEREBYAGREED as follows:
_	cle 1. Contract Documents Contract Documents (Reference GCC Clause2)
	The following documents shall constitute the Contract between the Procuring Entity and the Contractor, and each shall be read and construed as an integral part of the Contract: a) This Contract Agreement and the Appendices hereto  b) Form of Tender and Price Schedules submitted by the Contractor  c) Special Conditions of Contract  d) General Conditions of Contract  e) Specification  f) Drawings  g) Other completed Tendering forms submitted with the Tender  h) Any other documents forming part of the Procuring Entity's Requirements  i) Any other documents shall be added here
1.2	Order of Precedence (Reference GCC Clause2)
of pre	e event of any ambiguity or conflict between the Contract Documents listed above, the order eccedence shall be the order in which the Contract Documents are listed in Article1.1(Contract ments) above.
1.3	Definitions (Reference GCC Clause1) Capitalized words and phrases used here in shall have the same meanings as ascribed to them in the General Conditions.
<b>Arti</b> 2.1	cle 2. Contract Price and Terms of Payment Contract Price (Reference GCC Clause11)
the paggre	Procuring Entity hereby agrees to pay to the Contractor the Contract Price in consideration of erformance by the Contractor of its obligations hereunder. The Contract Price shall be the egate of:

the terms and conditions of the Contract.

2.2 Terms of Payment (Reference GCC Clause 12)

The terms and procedures of payment according to which the Procuring Entity will reimburse the Contractor are given in the Appendix (Terms and Procedures of Payment) hereto.

The Procuring Entity may instruct its bank to issue an irrevocable confirmed documentary credit made available to the Contractor in a bank in the country of the Contractor. The credit shall be for an amount of\_\_\_\_; and shall be subject to the Uniform Customs and Practice for Documentary Credits 2007 Revision, ICC Publication No.600.

In the event that the amount payable under Schedule No.1 is adjusted in accordance with GCC 11.2 or with any of the other terms of the Contract, the Procuring Entity shall arrange for the documentary credit to be amended accordingly.

#### **Article 3. Effective Date**

3.1 Effective Date (Reference GCC Clause1)

The Effective Date from which the Time for Completion of the Facilities shall be counted is the date when all of the following conditions have been fulfilled:

- a) This Contract Agreement has been duly executed for and on behalf of the Procuring Entity and the Contractor;
- b) The Contractor has submitted to the Procuring Entity the Performance Security and the advance payment guarantee;
- c) The Procuring Entity has paid the Contractor the advance payment
- d) The Contractor has been advised that the documentary credit referred to in Article 2.2 above has been issued in its favor.

Each party shall use its best efforts to fulfill the above conditions for which it is responsible as soon as practicable.

3.2 If the conditions listed under 3.1 are not fulfilled within two (2) months from the date of this Contract notification because of reasons not attributable to the Contractor, the Parties shall discuss and agree on an equitable adjustment to the Contract Price and the Time for Completion and/or other relevant conditions of the Contract.

#### **Article 4. Communications**

4.1	The address	of the Procuring	Entity for n	otice purposes.	pursuant to GCC 4.1is:_	
	The dad coo	or the ribearing	,	otice parposes,	parsaunt to occ minst_	

4.2 The address of the Contractor for notice purposes, pursuant to GCC 4.1is:	
---	--

# **Article 5. Appendices**

- 5.1 The Appendices listed in the attached List of Appendices shall be deemed to form an integral part of this Contract Agreement.
- 5.2 Reference in the Contract to any Appendix shall mean the Appendices attached here to, and the Contract shall be read and construed accordingly.

IN WITNESS WHEREOF the Procuring Entity and the Contractor have caused this Agreement to be duly executed by their duly authorized representatives the day and year first above written.

Signed by, for and on behalf of the Procuring Entity

[Si	gnature]
in the presence of	tiej – tie
Signed by, for and on behalf of the Contractor	
[SI	gnature]
[Title] in the presence of	
m <sub>L</sub> rates in the presence of	

APPENDICE

#### **APPENDIX 1: TERMS AND PROCEDURES OF PAYMENT**

In accordance with the provisions of GCC Clause12 (Terms of Payment), the Procuring Entity shall pay the Contractor in the following manner and at the following times, on the basis of the Price Break down given in the section on Price Schedules. Payments will be made in the currencies quoted by the Tenderer unless otherwise agreed between the Parties. Applications for payment in respect of part deliveries may be made by the Contractor as work proceeds.

#### **TERMS OF PAYMENT**

# **Schedule No. 1. Plant and Equipment Supplied from Abroad**

In respect of plant and equipment supplied from abroad, the following payments shall be made:

Ten percent (10%) of the total CIP amount as an advance payment against receipt of invoice and an irrevocable advance payment security for the equivalent amount made out in favor of the Procuring Entity. The advance payment security may be reduced in proportion to the value of the plant and equipment delivered to the site, as evidenced by shipping and delivery documents.

Eighty percent (80%)of the total or pro rata CIP amount upon Incoterm "CIP", upon delivery to the carrier within forty- five (45) days after receipt of documents.

Five percent (5%) of the total or pro rata CIP amount upon issue of the Completion Certificate, within forty-five (45) days after receipt of invoice.

Five percent (5%) of the total or pro rata CIP amount upon issue of the Operational Acceptance Certificate, within forty- five (45) days after receipt of invoice.

## Schedule No. 2. Plant and Equipment Supplied from within Kenya

In respect of plant and equipment supplied from Kenya, the following payments shall be made:

Ten percent (10%) of the total EXW amount as an advance payment against receipt of invoice, and an irrevocable advance payment security for the equivalent amount made out in favor of the Procuring Entity. The advance payment security may be reduced in proportion to the value of the plant and equipment delivered to the site, as evidenced by shipping and delivery documents.

Eighty percent (80%) of the total or pro rata EXW amount upon Incoterm "Ex-Works," upon delivery to the carrier within forty-five (45) days after receipt of invoice and documents.

Five percent (5%) of the total or pro rata EXW amount upon issue of the Completion Certificate, within forty-five (45) days after receipt of invoice.

Five percent (5%) of the total or pro rata EXW amount upon issue of the Operational Acceptance Certificate, within forty-five (45) days after receipt of invoice.

#### Schedule No. 3. Design Services

In respect of design services for both the foreign currency and the local currency portions, the following payments shall be made:

Ten percent (10%) of the total design services amount as an advance payment against receipt of invoice, and an irrevocable advance payment security for the equivalent amount made out in favor of the Procuring Entity.

Ninety percent (90%) of the total or pro rata design services amount upon acceptance of design in accordance with GCC Clause 20 by the Project Manager within forty-five (45) days after receipt of invoice.

#### Schedule No. 4. Installation Services

In respect of installation services for both the foreign and local currency portions, the following payments shall be made:

Ten percent (10%) of the total installation services amount as an advance payment against receipt of invoice, and an irrevocable advance payment security for the equivalent amount made out in favor of the Procuring Entity. The advance payment security may be reduced in proportion to the value of work performed by the Contractor as evidenced by the invoices for installation services.

Eighty percent (80%) of the measured value of work performed by the Contractor, as identified in the said Program of Performance, during the preceding month, as evidenced by the Procuring Entity's authorization of the Contractor's application, will be made monthly within forty-five (45) days after receipt of invoice.

Five percent (5%) of the total or pro rata value of installation services performed by the Contractor as evidenced by the Procuring Entity's authorization of the Contractor's monthly applications, upon issue of the Completion Certificate, within forty-five (45) days after receipt of invoice.

Five percent (5%) of the total or pro rata value of installation services performed by the Contractor as evidenced by the Procuring Entity's authorization of the Contractor's monthly applications, upon issue of the Operational Acceptance Certificate, within forty-five (45) days after receipt of invoice.

In the event that the Procuring Entity fails to make any payment on its respective due date, the
Procuring Entity shall pay to the Contractor interest on the amount of such delayed payment at
the rate of
] percent (%) per month for period of delay until payment has been made in full.
PAYMENT PROCEDURES
The procedures to be followed in applying for certification and making payments shall be as
follows:

#### **NOTE:**

- a) KENYA CIVIL AVIATION AUTHORITY WILL PREPARE PAYMENT TERMS BASED ON DELIVERABLES AND THE PROPOSAL SUBMITTED BY THE SUCCESSFUL BIDDER. THUS APPENDIX 1 INDICATED ABOVE WILL BE REVISED ACCORDINGLY.
- b) ADVANCE PAYMENT SHALL BE GRANTED UPON REQUEST TO AN AMOUNT NOT EXCEEDING 20% OF THE CONTRACT SUM.

# **APPENDIX 3. INSURANCE REQUIREMENTS**

# **Insurances to be Taken Out by the Contractor**

In accordance with the provisions of GCC Clause 34, the Contractor shall at its expense take out and maintain in effect, or cause to be taken out and maintained in effect, during the performance of the Contract, the insurances set forth below in the sums and with the deductibles and other conditions specified. The identity of the insurers and the form of the policies shall be subject to the approval of the Procuring Entity, such approval not to be unreasonably withheld.

# a) Cargo Insurance

Covering loss or damage occurring, while in transit from the supplier's or manufacturer's works or stores until arrival at the Site, to the Facilities (including spare parts therefor) and to the construction equipment to be provided by the Contractor or its Subcontractors. Amount Deductible Limits Parties insured from To

# b) Installation All Risks Insurance

Covering physical loss or damage to the Facilities at the Site, occurring prior to completion of the Facilities, with an extended maintenance coverage for the Contractor's liability in respect of any loss or damage occurring during the defect liability period while the Contractor is on the Site for the purpose of performing its obligations during the defect liability period.

Amount Deductible Limits Parties insured from To

# c) Third Party Liability Insurance

Covering bodily injury or death suffered by third parties (including the Procuring Entity's personnel) and loss of or damage to property (including the Procuring Entity's property and any parts of the Facilities that have been accepted by the Procuring Entity) occurring in connection with the supply and installation of the Facilities.

Amount Deductible Limits Parties insured from To

#### d) Automobile Liability Insurance

Covering use of all vehicles used by the Contractor or its Subcontractors (whether or not owned by them) in connection with the supply and installation of the Facilities. Comprehensive insurance in accordance with statutory requirements.

#### e) Workers' Compensation

In accordance with the statutory requirements applicable in any country where the Facilities or any part thereof is executed.

#### f) Procuring Entity's Liability

In accordance with the statutory requirements applicable in any country where the Facilities or any part thereof is executed.

# g) Other Insurances

The Contractor is also required to take out and maintain at its own cost the following insurances:

#### **Details:**

**Details:** 

Amount Deductible Limits Parties insured from to The Procuring Entity shall be named as coinsured under all insurance policies taken out by the Contractor pursuant to GCC Sub-Clause 34.1, except for the Third-Party Liability, Workers' Compensation and Procuring Entity's Liability Insurances, and the Contractor's Subcontractors shall be named as co-insureds under all insurance policies taken out by the Contractor pursuant to GCC Sub-Clause 34.1, except for the Cargo, Workers' Compensation and Procuring Entity's Liability Insurances. All insurer's rights of subrogation against such co-insureds for losses or claims arising out of the performance of the Contract shall be waived under such policies.

# **Insurances to Be Taken Out by The Procuring Entity**

The Procuring Entity shall at its expense take out and maintain in effect during the performance of the Contract the following insurances.

Amount Deductible Limits Parties insured from	
To	

**APPENDIX 4. TIME SCHEDULE** 

# APPENDIX 5. LIST OF MAJOR ITEMS OF PLANT AND INSTALLATION SERVICES AND LIST OF APPROVED SUBCONTRACTORS

A list of major items of Plant and Installation Services is provided below.

The following Subcontractors and/or manufacturers are approved for carrying out the items of the Facilities indicated below. Where more than one Subcontractor is listed, the Contractor is free to choose between them, but it must notify the Procuring Entity of its choice in good time prior to appointing any selected Subcontractor. In accordance with GCC Sub-Clause 19.1, the Contractor is free to submit proposals for Subcontractors for additional items from time to time. No Subcontracts shall be placed with any such Subcontractors for additional items until the Subcontractors have been approved in writing by the Procuring Entity and their names have been added to this list of Approved Subcontractors.

Major Items of Plant and Installation Services	Approved Subcontractors/Manufacturers	Nationality

## APPENDIX 6. SCOPE OF WORKS AND SUPPLY BY THE PROCURING ENTITY

The following personnel, facilities, works and supplies will be provided/supplied by the Procuring Entity, and the provisions of GCC Clauses 10, 21 and 24 shall apply as appropriate.

All personnel, facilities, works and supplies will be provided by the Procuring Entity in good time so as not to delay the performance of the Contractor, in accordance with the approved Time Schedule and Program of Performance pursuant to GCC Sub-Clause18.2.

Unless otherwise indicated, all personnel, facilities, works and supplies will be provided free of charge to the Contractor.

Personnel	Charge to Contractor (if any)
i. Project manager Project Implementation Team	N/A ii. N/A
Facilities	Charge to Contractor (if any)
Working area (room) Power cooncetion Working table and Chair	N/A N/A N/A
Works	Charge to Contractor (if any)
N/A	
Supplies	Charge to Contractor (if any)

N/A

# APPENDIX 7. LIST OF DOCUMENTS FOR APPROVAL OR REVIEW

Pursuant to GCC Sub-Clause 20.3.1, the Contractor shall prepare, or cause its Subcontractor to prepare, and present to the Project Manager in accordance with the requirements of GCC SubClause 18.2 (Program of Performance), the following documents for

# A. Approval

- 1. Updated Program / Implementation schedule
- 2.
- 3.
- B. Review
- 1. Preliminary designs
- 2. Drawings
- 3.

#### **APPENDIX 8. FUNCTIONAL GUARANTEES**

# 1. General

This Appendix sets out

- a) The functional guarantees referred to in GCC Clause 28 (Functional Guarantees)
- b) The pre-conditions to the validity of the functional guarantees, either in production and/or consumption, set forth below
- c) The minimum level of the functional guarantees
- d) The formula for calculation of liquidated damages for failure to attain the functional guarantees.

#### 2. Preconditions

The Contractor gives the functional guarantees (specified herein) for the facilities, subject to the following preconditions being fully satisfied:

#### 3. Functional Guarantees

Subject to compliance with the foregoing preconditions, the Contractor guarantees as follows:

3.1 Production Capacity

and/or

3.2 Raw Materials and Utilities Consumption

# 4. Failure in Guarantees and Liquidated Damages

4.1 Failure to Attain Guaranteed Production Capacity

If the production capacity of the facilities attained in the guarantee test, pursuant to GCC Sub-Clause 25.2, is less than the guaranteed figure specified in para. 3.1 above, but the actual production capacity attained in the guarantee test is not less than the minimum level specified in para. 4.3 below, and the Contractor elects to pay liquidated damages to the Procuring Entity in lieu of making changes, modifications and/or additions to the Facilities, pursuant to GCC Sub-Clause 28.3, then the Contractor shall pay liquidated damages at the rate of................................ for every complete one percent (1%) of the deficiency in the production capacity of the Facilities, or at a proportionately reduced rate for any deficiency, or part thereof, of less than a complete one percent (1%).

4.2 Raw Materials and Utilities Consumption in Excess of Guaranteed Level

If the actual measured figure of specified raw materials and utilities consumed per unit (or their average total cost of consumption) exceeds the guaranteed figure

specified in para.3.2 above (or their specified average total cost of consumption), but the actual consumption attained in the guarantee test, pursuant to GCC Sub-Clause 25.2, is not more than the maximum level specified in para. 4.3 below, and the Contractor elects to pay liquidated damages to the Procuring Entity in lieu of making changes, modifications and/or additions to the Facilities pursuant to GCC Sub-Clause 28.3, then the Contractor shall pay liquidated damages at the rate of [ amount in the contract currency] for every complete one percent (1%) of the excess consumption of the Facilities, or part thereof, of less than a complete one percent (1%).

#### 4.3 Minimum Levels

Notwithstanding the provisions of this paragraph, if as a result of the guarantee test(s), the following minimum levels of performance guarantees (and consumption guarantees) are not attained by the Contractor, the Contractor shall at its own cost make good any deficiencies until the Facilities reach any of such minimum performance levels, pursuant to GCC SubClause 28.2:

- a) production capacity of the Facilities attained in the guarantee test: ninety-five percent (95%) of the guaranteed production capacity (the values offered by the Contractor in its Tender for functional guarantees represents 100%). and/or
- b) average total cost of consumption of all the raw materials and utilities of the Facilities: one hundred and five percent (105%) of the guaranteed figures (the figures offered by the Contractor in its Tender for functional guarantees represents 100%).

# 4.4 Limitation of Liability

Subject to para.4.3 above, the Contractor's aggregate liability to pay liquidated damages for failure to attain the functional guarantees shall not exceed \_\_\_\_\_\_percent (\_\_%) of the Contract price.

#### PERFORMANCE SECURITY FORM

#### **OPTION 1 – Demand Bank Guarantee**

[Guarantor Form head or SWIFT	<del>-</del>
Beneficiary:	[insert name and Address of
Procuring Entity]	
Date:	[Insert date of issue]
PERFORMANCE GUARANTEE NO	.:[Insert guarantee reference number]
Guarantor: the Form head]	_[Insert name and address of place of issue, unless indicated in
We have been informed that_	herein after called "the Applicant") has entered into
Contract No	datedwith the
Beneficiary, for the execution of	
	(herein after called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.

At the request of the Applicant, we as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of \_(\_)¹, such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating that the Applicant is in breach of its obligation (s) under the Contract, without the Beneficiary needing to prove or to show grounds for your demand or the sum specified there in. This guarantee shall be reduced by half upon our receipt of: a) A copy of the Operational Acceptance Certificate; or

b) a registered Form from the Applicant (i) attaching a copy of its notice requesting issuance of the Operational Acceptance Certificate and (ii) stating that the Project Manager has failed to issue such Certificate within the time required or provide in writing justifiable reasons why such Certificate has not been issued, so that Operational Acceptance is deemed to have occurred.

This guarantee shall expire no later than the earlier of:<sup>2</sup>

- a) twelve months after our receipt of either (a) or (b) above; or
- b) eighteen months after our receipt of:
  - i) a copy of the Completion Certificate; or
- a registered Form from the Applicant, attaching a copy of the notice to the Project Manager that the Facilities are ready for commissioning, and stating that fourteen days have elapsed from receipt of such notice (or seven days have elapsed if the notice was a repeated notice) and the Project Manager has failed to issue a Completion Certificate or in form the Applicant in writing of any defects or deficiencies; or
  - ii) a registered Form from the Applicant stating that no Completion Certificate has been issued but the Procuring Entity is making use of the Facilities; or

c) the\_\_\_\_day of\_,2\_\_\_.3

Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.

# **PERFORMANCE SECURITY OPTION 2 – (Performance Bond)**

[Note: Procuring Entities are advised to use Performance Security-Unconditional Demand Bank Guarantee instead of Performance Bond due to difficulties involved in calling Bond holder to action]

[Guarantor Form head or SWIFT	identifier code]
Beneficiary:	[insert name and Address of
Procuring Entity]	
Date: PERFORMANCE BOND No.:	
Guarantor:indicated in the Form head]	[Insert name and address of place of issue, unless
1. By this Bond "the	as Principal (herein after called
Contractor") and	] as Surety (herein after called "the
Procuring Entity") in the an made in the types and prop the Contractor and the Sur	rmly bound unto_] as Obliged (herein after called "the nount of_for the payment of which sum well and truly to be ortions of currencies in which the Contract Price is payable, ety bind themselves, their heirs, executors, administrators, ntly and severally, firmly by these presents.

- 2. WHEREAS the Contractor has entered in to a written Agreement with the Procuring Entity dated the day of,20, for\_in accordance with the documents, plans, specifications, and amendments there to, which to the extent herein provided for, are by reference m a depart here of and are herein after referred to as the Contract.
- 3. NOW, THEREFORE, the Condition of this Obligation is such that, if the Contractor shall promptly and faithfully perform the said Contract (including any amendments there to), then this obligation shall be null and void; otherwise, it shall remain in full force and effect. Whenever the Contractor shall be, and declared by the Procuring Entity to be, in default under the Contract, the Procuring Entity having performed the Procuring Entity's obligations there under, the Surety may promptly remedy the default, or shall promptly:
  - 1) Complete the Contract in accordance with its terms and conditions; or
  - Obtain a tender or tenders from qualified tenderers for submission to the Procuring Entity for completing the Contract in accordance with its terms and conditions, and upon determination by the Procuring Entity and the Surety of the lowest responsive Tenderers, arrange for a Contract between such Tenderer, and Procuring Entity and make available as work progresses (even though there should be a default or a succession of defaults under the Contract or Contracts of completion arranged under this paragraph) sufficient funds to pay the cost of completion less the Balance of the Contract Price; but not exceeding, including other costs and damages for which the Surety may be liable here under, the amount set for thin the first paragraph hereof. The term "Balance of the Contract Price," as used in this paragraph, shall mean the total amount payable by

- Procuring Entity to Contractor under the Contract, less the amount properly paid by Procuring Entity to Contractor; or
- 3) Pay the Procuring Entity the amount required by Procuring Entity to complete the Contract in accordance with its terms and conditions up to a total not exceeding the amount of this Bond.
- 4. The Surety shall not be liable for a greater sum than the specified penalty of this Bond.
- 5. Any suit under this Bond must be instituted before the expiration of one year from the date of the issuing of the Taking-Over Certificate. No right of action shall accrue on this Bond to or for the use of any person or corporation other than the Procuring Entity named here in or the heirs, executors, administrators, successors, and assigns of the Procuring Entity.
- 6. In testimony whereof, the Contractor has hereunto set his hand and affixed his seal, and the Surety has caused these presents to be sealed with his corporate seal duly attested by the signature of his legal representative, this day\_of\_20.

SIGNED ON	on behalf of
Ву	
	_i
n the capacity of in the presence of	
SIGNED ON	on behalf of
Ву	
	_i

n the capacity of in the presence of

# **ADVANCE PAYMENT SECURITY - Demand Bank Guarantee**

[Guarantor Form head or SWIFT identifier code]
Beneficiary:[Name and Address of Procuring
Entity]
Date:[Insert date of issue]
Advance Payment Guarantee No.:[Insert guarantee reference number]
Guarantor: [Insert name and address of place of issue, unless indicated in the Form head]
We have been informed that(herein after called "the Applicant") has entered into Contract No dated with the Beneficiary, for the execution of, (herein after called "the Contract").
Furthermore, we understand that, according to the Conditions of the Contract, an advance payment in the sum_() is to be made against an advance payment guarantee.
At the request of the Applicant, we as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of (_)³ upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement whether in the demand itself or in a separate signed document accompanying or identifying the demand, stating either that the applicant:
<ul> <li>a) Has used the advance payment for purposes other than the costs of mobilization in respect of the Facilities; or</li> </ul>
b) has failed to repay the advance payment in accordance with the Contract conditions, specifying the amount which the Applicant has failed to repay.
A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the advance payment referred to above has been credited to the Applicant on its account numberat
The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Applicant as indicated in copies of interim statements or payment certificates which shall be presented to us. This guarantee shall expire, at the latest, upon our receipt of documentation indicating full repayment by the Applicant of the amount of the advance payment, or on theday of_,5, whichever is earlier. Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.
This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revision, ICC Publication No. 758, except that the supporting statement under Article 15 (a) is hereby excluded.
[signature(s)]
Note: All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

# BENEFICIAL OWNERSHIP DISCLOSURE INSTRUCTIONS TO TENDERERS: DELETE THIS BOX ONCE YOU HAVE COMPLETED THE FORM

This Beneficial Ownership Disclosure Form ("Form") is to be completed by the successful tenderer. In case of joint venture, the tenderer must submit a separate Form for each member. The beneficial ownership information to be submitted in this Form shall be current as of the date of its submission.

For the purposes of this Form, a Beneficial Owner of a Tenderer is any natural person who ultimately owns or controls the Tenderer by meeting one or more of the following conditions:

- Directly or indirectly holding 25% or more of the shares.
- Directly or in directly holding 25% or more of the voting rights.
- Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Tenderer.

Tender Reference No.:	[insert identification no] Name of the Assignment:_
[insert name of the assignment] to:	[insert complete name of Procuring Entity]

In response to your notification of award dated *[insert date of notification of award]* to furnish additional information on beneficial ownership: *[select one option as applicable and delete the options that are not applicable]* 

I) We here by provide the following beneficial ownership information.

Details of beneficial ownership

Identity of Beneficial Owner	Directly or indirectly holding 25% or more of the shares (Yes / No)	Directly or indirectly holding 25 % or more of the Voting Rights (Yes / No)	Directly or indirectly having the right to appoint a majority of the board of the directors or an equivalent governing body of the Tenderer (Yes / No)
[include full name (last, middle, first), nationality, country of residence]			

OR

ii) We declare that there is no Beneficial Owner meeting one or more of the following conditions: directly or indirectly holding 25% or more of the shares. Directly or indirectly holding 25% or more of the voting rights. Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Tenderer.

OR

We declare that we are unable to identify any Beneficial Owner meeting one or more of the following conditions. [If this option is selected, the Tenderer shall provide explanation on why it is unable to identify any Beneficial Owner]

Directly or indirectly holding 25% or more of the shares. Directly or indirectly holding25% or more of the voting rights.

Directly or indirectly having the right to appoint a majority of the board of directors or equivalent governing body of the Tenderer]"

Name of the Tenderer:*[insert complete name of the Tenderer]
Name of the person duly authorized to sign the Tender on behalf of the Tenderer: ** [insert complete name of person duly authorized to sign the Tender]
Title of the person signing the Tender: [insert complete title of the person signing the Tender]
Signature of the person named above:[insert signature of person whose name and capacity are shown above]
Date signed [insert date of signing] day of [Insert month

#### SITE VISIT FORM

(TO BE RETURNED DULY SIGNED AND STAMPED WITH TENDER DOCUMENT - MANDATORY)

SUPPLY, DELIVERY, INSTALLATION, TRAINING AND COMMISSIONING OF 3D PANORAMIC TOWER, APPROACH AND AREA AIR TRAFFIC CONTROL TRAINING SIMULATOR AT EAST AFRICAN SCHOOL OF AVIATION. TENDER NUMBER KCAA/016/2024-2025.

THIS IS TO CONFIRM THAT	(COMPANY NAME) ATTENDED A MANDATORY
PRE-BID MEETING <b>ON 5/02/2025 AT 10</b>	00 AM EAT AT EAST AFRICAN SCHOOL OF AVIATION
COMPANY REPRESENTATIVE	
NAME	
DESIGNATION	
SITE VISITED – EAST AFRICAN SCHOOL C	DF AVIATION
SIGNED	DATE
OFFICIAL STAMP	
KCAA REPRESENTATIVE	
NAME	
DESIGNATION	
SIGNED	DATE